

Supplementary Table 1. Univariate and Multivariate Analyses of Patients

Characteristic	Univariate analysis			Multivariate analysis		
	HR	95% CI	p-value	HR	95% CI	p-value
OS						
Age	1.08	1.01–1.15	0.01	1.1	1.02–1.18	0
Sex	0.04	0.00–672	0.33	0	0.00–9999	0.98
T stage	3.76	1.06–13.3	0.02	2.14	0.57–8.06	0.05
Location	1	0.53–1.86	0.77	0.96	0.47–1.96	0.91
Histology	0.22	0.00–9999	0.77	0	0.00–9999	0.99
Treatment modality	1.82	1.04–3.18	0.03	2.14	1.09–4.20	0.02
RFS						
Age	1.04	0.99–1.10	0.07	1.03	0.98–1.09	0.18
Sex	0.04	0.00–60.7	0.39	0	0.00–9999	0.98
T stage	2.22	0.91–5.42	0.07	2.67	0.91–7.86	0.07
Location	0.86	0.53–1.40	0.55	0.92	0.56–1.51	0.75
Histology	0.22	0.00–9999	0.7	0	0.00–9999	0.99
Treatment modality	0.96	0.75–1.24	0.78	0.85	0.60–1.20	0.36

HR, hazard ratio; CI, confidence interval; OS, overall survival; RFS, recurrence-free survival.

