

Supplementary Data

SUPPLEMENTARY TABLE S1. MATERNAL CHARACTERISTICS OF POUCHMOMS STUDY
WITH AND WITHOUT CAROTID INTIMA-MEDIA THICKNESS MEASURED

	<i>Non- POUCHmoms participants (N=693)</i>	<i>POUCHmoms participants (N=678)</i>	p	<i>POUCHmoms with IMT (N=605)</i>	<i>POUCHmoms without IMT (N=73)</i>	p
	N (%)	N (%)		N (%)	N (%)	
Age (years) ^a			0.04			0.20
<20	132 (19)	111 (16)		104 (17)	7 (10)	
20–29	403 (58)	373 (55)		332 (55)	41 (56)	
≥30	158 (23)	194 (29)		169 (28)	25 (34)	
Race/ethnicity			<0.0001			0.04
White/other	364 (53)	428 (63)		390 (64)	38 (52)	
Black	329 (47)	250 (37)		215 (36)	35 (48)	
Education (years) ^a			<0.0001			0.09
<12	186 (27)	131 (19)		120 (20)	11 (15)	
12	216 (31)	179 (27)		152 (25)	27 (37)	
>12	291 (42)	368 (54)		333 (55)	35 (48)	
Medicaid status ^{a,b}			<0.0001			0.04
No	257 (37)	329 (49)		302 (50)	27 (37)	
Yes	435 (63)	348 (51)		302 (50)	46 (63)	
Prepregnancy BMI ^a			0.58			<0.0001
Underweight	31 (4)	34 (5)		34 (6)	0 (0)	
Normal	311 (45)	298 (44)		276 (46)	22 (30)	
Overweight	161 (23)	142 (21)		130 (21)	12 (17)	
Obese	190 (27)	204 (30)		165 (27)	39 (53)	
Maternal serum alpha-fetoprotein ^a			0.05			0.90
Normal (<2.0 MoM)	600 (87)	561 (83)		501 (83)	60 (82)	
High (≥2.0 MoM)	93 (13)	117 (17)		104 (17)	13 (18)	
Preterm	166 (24)	169 (25)	0.68	146 (24)	23 (32)	0.17
Small for gestational age ^{b,c}	77 (11)	75 (11)	0.99	71 (12)	7 (10)	0.58
Hypertension in pregnancy			0.83			0.05
None	623 (90)	599 (88)		540 (89)	59 (81)	
Gestational hypertension	26 (4)	30 (4)		26 (4)	4 (5)	
Preeclampsia	21 (3)	23 (4)		20 (3)	3 (4)	
Chronic hypertension	23 (3)	26 (4)		19 (3)	7 (10)	

^aData collected at the time of POUCH Study recruitment and enrollment (1998–2004).

^bMedicaid Status missing at POUCH enrollment ($n=2$) and at POUCHmoms ($n=1$); small for gestational age missing ($n=2$).

^cBased on Talge *et al.*, (2014) *Pediatrics* 133(5): 844–853.

BMI, body mass index; IMT, intima-media thickness; MoM, multiples of the median.