

PUBERTAL TIMING TRANSDIAGNOSTIC

Table S1. Syndrome based model (w/o syndrome factor co-variance).

Factor	Indicator	Unstandardized Loading	SE	Est./SE	p	Standardized Loading	SE	Est./SE	p
Depression	CDI C	0.71	0.06	12.12	<.001	.41	.03	12.58	<.001
	CDI P	0.71	0.06	12.12	<.001	.47	.04	12.13	<.001
Physical Symptoms (Anxiety)	MASC PH C	0.63	0.07	9.66	<.001	.38	.04	10.77	<.001
	MASC PH P	0.63	0.07	9.66	<.001	.45	.04	10.62	<.001
Social Anxiety	MASC SA C	0.80	0.07	11.96	<.001	.48	.03	14.04	<.001
	MASC SA P	0.80	0.07	11.96	<.001	.48	.03	14.26	<.001
Separation Anxiety	MASC SP C	0.84	0.05	17.04	<.001	.63	.04	17.25	<.001
	MASC SP P	0.84	0.05	17.04	<.001	.58	.03	17.65	<.001
Conduct Problems	YSR CD C	0.61	0.10	5.90	<.001	.36	.05	7.44	<.001
	CBCL CD P	0.61	0.10	5.90	<.001	.36	.05	7.27	<.001
Oppositional Defiant	YSR ODD C	0.50	0.08	6.15	<.001	.33	.05	6.85	<.001
	CBCL ODD P	0.50	0.08	6.15	<.001	.31	.05	6.62	<.001
Aggression	EATQ AG C	0.55	0.11	5.11	<.001	.31	.05	5.98	<.001
	EATQ AG P	0.55	0.11	5.11	<.001	.26	.05	5.89	<.001
Parent Report Method Factor	CDI P	1.00	0.00	-	-	.44	.04	10.79	<.001
	MASC PH P	0.34	0.09	3.64	<.001	.17	.05	3.26	.001
	MASC SA P	0.59	0.11	5.39	<.001	.24	.05	5.02	<.001
	MASC SP P	-0.15	0.11	-1.33	.18	-.07	.05	-1.42	.16
	CBCL CD P	2.58	0.24	10.66	<.001	.76	.03	24.70	<.001
	CBCL ODD P	1.98	0.18	10.77	<.001	.72	.03	23.35	<.001
	EATQ AG P	2.06	0.20	10.17	<.001	.64	.03	18.72	<.001
	SNAP Hyp. P	0.80	0.11	7.60	<.001	.36	.05	7.75	<.001
	SNAP Inatt. P	1.26	0.15	8.51	<.001	.43	.04	9.80	<.001
Child Report Method Factor	CDI C	1.00	0.00	-	-	.41	.04	11.40	<.001
	MASC PH C	0.19	0.10	1.87	.06	.09	.05	1.79	.07
	MASC SA C	-0.03	0.11	-0.22	.82	-.01	.05	-0.22	.82
	MASC SP C	-0.57	0.12	-4.84	<.001	-.31	.05	-6.27	<.001
	YSR CD C	2.26	0.22	10.16	<.001	.71	.03	22.08	<.001
	YSR ODD C	1.21	0.13	9.38	<.001	.50	.04	13.93	<.001
	EATQ AG C	1.41	0.15	9.46	<.001	.54	.03	15.80	<.001
Predictor	Outcome	Unstandardized Estimate	SE	Est./SE	p	Standardized Estimate	SE	Est./SE	p
Pubertal Timing	Depression	0.58	0.21	2.78	.005	.51	.16	3.12	.002
	Physical Sx	0.30	0.22	1.40	.16	.28	.19	1.45	.15
	Social Anx	0.27	0.18	1.50	.13	.25	.16	1.54	.12
	Separation	-0.47	0.17	-2.72	.007	-.42	.14	-2.93	.003
	Conduct	1.43	0.43	3.33	.001	.95	.17	5.56	<.001
	Oppositional	1.02	0.37	2.77	.006	.80	.21	3.81	<.001
	Aggression	0.83	0.37	2.27	.02	.72	.25	2.92	.003
	SNAP Inatt. P	0.17	0.18	0.95	.35	.08	.08	0.95	.35
	SNAP Hyp. P	0.07	0.15	0.46	.65	.04	.09	0.46	.65
Gender	Depression	0.34	0.16	2.09	.04	.15	.07	2.13	.03

0=male,1=female

PUBERTAL TIMING TRANSDIAGNOSTIC

	Physical Sx	0.51	0.17	3.01	.003	.24	.07	3.18	.001
	Social Anx	0.77	0.16	4.83	<.001	.35	.07	5.47	<.001
	Separation	0.50	0.13	3.98	<.001	.22	.05	4.14	<.001
	Conduct	-0.18	0.25	-0.71	.48	-.06	.08	-0.72	.47
	Oppositional	0.20	0.25	0.81	.42	.08	.10	0.82	.41
	Aggression	-0.13	0.25	-0.54	.59	-.06	.11	-0.54	.59
	SNAP Inatt. P	-0.59	0.16	-3.56	<.001	-.13	.04	-3.57	<.001
	SNAP Hyp. P	-0.16	0.12	-1.32	.19	-.05	.04	-1.32	.19
Timing x Gender	Depression	-0.15	0.27	-0.56	.57	-.10	.18	-0.57	.57
	Physical Sx	0.05	0.29	0.18	.86	.04	.20	0.18	.86
	Social Anx	-0.27	0.24	-1.14	.26	-.19	.16	-1.16	.25
	Separation	0.05	0.23	0.22	.83	.03	.15	0.22	.83
	Conduct	-0.60	0.48	-1.27	.21	-.30	.23	-1.33	.18
	Oppositional	-0.46	0.45	-1.01	.31	-.27	.26	-1.04	.30
	Aggression	-0.60	0.44	-1.35	.18	-.39	.27	-1.45	.15
	SNAP Inatt. P	-0.09	0.23	-0.36	.72	-.03	.08	-0.36	.72
	SNAP Hyp. P	-0.12	0.19	-0.62	.53	-.06	.09	-0.62	.53
Predictor	Factor	Covariance	SE	Est./ SE	p	Correlation	SE	Est./ SE	p
Pubertal Timing*	Parent Report Method Factor	-0.19	0.06	-3.22	.001	-.25	.07	-3.56	<.001
	Child Report Method Factor	0.07	0.06	1.19	.23	.08	.07	1.20	.23
Pubertal Timing x Gender*	Parent Report Method Factor	-0.11	0.04	-2.64	.01	-.20	.07	-2.83	.005
	Child Report Method Factor	0.05	0.04	1.11	.27	.08	.07	1.12	.26

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity. * Sensitivity analyses showed that model parameters were not appreciably different when covariance between predictors and method factors was constrained to zero.

PUBERTAL TIMING TRANSDIAGNOSTIC

Factor	Indicator	Unstandardized Loading	SE	Est./SE	p	Standardized Loading	SE	Est./SE	p
Depression	CDI C	0.40	0.13	3.12	.002	.39	.03	11.85	<.001
	CDI P	0.40	0.13	3.12	.002	.42	.04	12.08	<.001
Physical Symptoms	MASC PH C	0.71	0.06	11.46	<.001	.40	.03	11.98	<.001
	MASC PH P	0.71	0.06	11.46	<.001	.46	.04	12.07	<.001
Social Anxiety	MASC SA C	0.88	0.07	13.41	<.001	.48	.03	14.53	<.001
	MASC SA P	0.88	0.07	13.41	<.001	.49	.03	14.68	<.001
Separation Anxiety	MASC SP C	0.87	0.05	17.07	<.001	.60	.03	18.31	.001
	MASC SP P	0.87	0.05	17.07	<.001	.55	.03	18.71	.001
Conduct Problems	YSR CD C	0.63	0.10	6.13	<.001	.25	.04	6.06	<.001
	CBCL CD P	0.63	0.10	6.13	<.001	.25	.04	6.03	<.001
Oppositional Defiant	YSR ODD C	0.48	0.09	5.57	<.001	.25	.04	5.56	<.001
	CBCL ODD P	0.48	0.09	5.57	<.001	.24	.04	5.50	<.001
Aggression	EATQ AG C	0.55	0.11	5.22	<.001	.27	.05	5.21	.001
	EATQ AG P	0.55	0.11	5.22	<.001	.23	.04	5.21	.001
Parent Report Method Factor	CDI P	1.00	0.00	-	-	.39	.04	9.19	<.001
	MASC PH P	0.41	0.10	3.98	<.001	.19	.05	3.78	<.001
	MASC SA P	0.55	0.12	4.50	<.001	.21	.05	4.43	<.001
	MASC SP P	-0.23	0.13	-1.86	.06	-.10	.05	-2.04	.04
	CBCL CD P	2.69	0.30	9.06	<.001	.74	.03	28.64	<.001
	CBCL ODD P	2.05	0.23	8.85	<.001	.70	.03	25.19	<.001
	EATQ AG P	2.18	0.26	8.51	<.001	.63	.03	19.54	<.001
	SNAP Hyp. P	0.84	0.12	6.78	<.001	.35	.04	7.95	<.001
SNAP Inatt. P	1.33	0.18	7.33	<.001	.42	.04	10.11	<.001	
Child Report Method Factor	CDI C	1.00	0.00	-	-	.41	.04	9.83	<.001
	MASC PH C	0.24	0.10	2.31	.02	.10	.05	2.20	.03
	MASC SA C	0.09	0.11	0.85	.40	.04	.05	0.83	.41
	MASC SP C	-0.69	0.14	-4.99	<.001	-.36	.05	-7.29	<.001

Table S2. Syndrome based model (controlling for other syndromes) – Depression.

PUBERTAL TIMING TRANSDIAGNOSTIC

	YSR CD C	2.55	0.27	9.41	<.001	.77	.03	27.15	<.001
	YSR ODD C	1.42	0.16	9.01	<.001	.56	.03	16.70	<.001
	EATQ AG C	1.53	0.17	8.83	<.001	.56	.03	17.12	<.001
Predictor	Outcome	Unstandardized Estimate	SE	Est./SE	p	Standardized Estimate	SE	Est./SE	p
Physical Sx	Depression	0.88	0.35	2.53	.01	.48	.09	5.18	<.001
Social Anxiety Separation	Depression	0.73	0.29	2.50	.01	.39	.09	4.41	<.001
Conduct	Depression	-0.62	0.26	-2.37	.02	-.34	.08	-4.07	<.001
Oppositional Aggression	Depression	0.17	0.28	0.62	.54	.09	.16	0.59	.55
SNAP Inatt. P	Depression	-0.39	0.38	-1.04	.30	-.21	.17	-1.28	.20
SNAP Hyp. P	Depression	-0.43	0.39	-1.12	.26	-.23	.16	-1.44	.15
Pubertal Timing	Depression	0.28	0.10	2.74	.006	.32	.08	4.30	<.001
Gender	Depression	-0.09	0.09	-0.94	.35	-.08	.08	-0.98	.33
Timing x Gender	Depression	0.12	0.18	0.66	.51	.06	.10	0.66	.51
	Depression	0.41	0.25	1.60	.11	.11	.06	1.79	.07
	Depression	0.11	0.23	0.49	.62	.05	.09	0.50	.62
Predictor	Factor	Covariance	SE	Est./SE	p	Correlation	SE	Est./SE	p
Pubertal Timing*	Parent Report Method Factor	0.003	0.04	0.08	.94	.004	.05	0.08	.94
	Child Report Method Factor	0.28	0.05	5.72	<.001	.37	.04	8.37	<.001
Pubertal Timing x Gender*	Parent Report Method Factor	-0.03	0.03	-1.01	.31	-.05	.05	-1.03	.30
	Child Report Method Factor	0.15	0.03	4.46	<.001	.25	.05	5.41	<.001

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity. * Sensitivity analyses showed that model parameters were not appreciably different when covariance between predictors and method factors was constrained to zero.

Table S3. Syndrome based model (controlling for other syndromes) – Physical Symptoms

Depression	CDI C	0.75	0.06	12.74	<.001	.40	.03	12.93	<.001
	CDI P	0.75	0.06	12.74	<.001	.43	.03	13.24	<.001
Physical Symptoms (Anxiety)	MASC PH C	0.46	0.11	4.40	<.001	.44	.03	13.53	<.001
	MASC PH P	0.46	0.11	4.40	<.001	.52	.04	13.37	<.001
Social Anxiety	MASC SA C	0.89	0.07	13.53	<.001	.49	.03	14.68	<.001
	MASC SA P	0.89	0.07	13.53	<.001	.50	.03	14.88	<.001
Separation Anxiety	MASC SP C	0.94	0.05	18.70	<.001	.64	.03	21.13	.001
	MASC SP P	0.94	0.05	18.70	<.001	.59	.03	21.03	.001
Conduct Problems	YSR CD C	0.62	0.10	6.21	<.001	.24	.04	6.15	<.001
	CBCL CD P	0.62	0.10	6.21	<.001	.25	.04	6.11	<.001
Oppositional Defiant	YSR ODD C	0.47	0.09	5.38	<.001	.24	.05	5.37	<.001
	CBCL ODD P	0.47	0.09	5.38	<.001	.23	.04	5.31	<.001
Aggression	EATQ AG C	0.58	0.10	5.78	<.001	.28	.05	5.78	<.001
	EATQ AG P	0.58	0.10	5.78	<.001	.24	.04	5.78	<.001
Parent Report Method Factor	CDI P	1.00	0.00	-	-	.46	.04	12.15	<.001
	MASC PH P	0.44	0.11	4.04	<.001	.23	.06	3.86	<.001
	MASC SA P	0.54	0.10	5.31	<.001	.24	.05	4.99	<.001
	MASC SP P	-0.15	0.11	-1.38	.17	-.07	.05	-1.47	.14
	CBCL CD P	2.34	0.21	11.27	<.001	.76	.03	30.45	<.001
	CBCL ODD P	1.76	0.16	11.36	<.001	.71	.03	25.39	<.001
	EATQ AG P	1.89	0.18	10.61	<.001	.64	.03	20.16	<.001
	SNAP Hyp. P	0.74	0.10	7.82	<.001	.37	.05	8.15	<.001

PUBERTAL TIMING TRANSDIAGNOSTIC

	SNAP Inatt. P	1.17	0.13	8.78	<.001	.44	.04	10.42	<.001
Child Report Method Factor	CDI C	1.00	0.00	-	-	.46	.04	12.81	<.001
	MASC PH C	0.26	0.11	2.43	.02	.12	.05	2.33	.02
	MASC SA C	0.15	0.10	1.56	.12	.07	.05	1.51	.13
	MASC SP C	-0.55	0.11	-5.01	<.001	-.32	.05	-6.53	<.001
	YSR CD C	2.32	0.20	11.58	<.001	.78	.03	29.25	<.001
	YSR ODD C	1.28	0.12	10.70	<.001	.57	.03	17.43	<.001
	EATQ AG C	1.35	0.13	10.42	<.001	.57	.03	17.25	<.001
Predictor	Outcome	Unstandardized Estimate	SE	Est./SE	p	Standardized Estimate	SE	Est./SE	p
Aggression	Physical Sx	0.31	0.29	1.07	.29	.18	.14	1.26	.21
Social Anxiety Separation	Physical Sx	0.36	0.18	1.99	.047	.21	.09	2.42	.02
Depression	Physical Sx	0.69	0.21	3.22	.001	.39	.07	5.69	<.001
Oppositional Conduct	Physical Sx	1.00	0.35	2.84	.005	.57	.09	6.50	<.001
SNAP Inatt. P	Physical Sx	0.16	0.29	0.56	.57	.09	.15	0.61	.55
SNAP Hyp. P	Physical Sx	-0.004	0.29	-0.01	.99	-.002	.16	-0.01	.99
Pubertal Timing	Physical Sx	-0.13	0.06	-2.04	.04	-.16	.07	-2.25	.02
Gender	Physical Sx	0.13	0.08	1.53	.13	.12	.07	1.69	.09
Timing x Gender	Physical Sx	0.36	0.17	2.08	.04	.20	.08	2.42	.02
0=male,1=female	Physical Sx	0.08	0.19	0.40	.69	.02	.06	0.40	.69
Factor	Indicator	Unstandardized Estimate	SE	Est./SE	p	Standardized Loading Estimate	SE	Est./SE	p
Predictor	Factor	Covariance	SE	Est./SE	p	Correlation	SE	Est./SE	p
Pubertal Timing*	Parent Report Method Factor	0.04	0.04	0.99	.33	.05	.05	0.99	.33
	Child Report Method Factor	0.33	0.05	6.34	<.001	.39	.04	9.01	<.001
Pubertal Timing x Gender*	Parent Report Method Factor	-0.01	0.03	-0.23	.82	-.01	.05	-0.23	.82
	Child Report Method Factor	0.18	0.04	4.88	<.001	.27	.05	5.83	<.001

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity. * Sensitivity analyses showed that model parameters were not appreciably different when covariance between predictors and method factors was constrained to zero.

PUBERTAL TIMING TRANSDIAGNOSTIC

48

Depression	CDI C	0.74	0.06	12.54	<.001	.39	.03	12.76	<.001
	CDI P	0.74	0.06	12.54	<.001	.43	.03	12.93	<.001
Physical Symptoms (Anxiety)	MASC PH C	0.70	0.06	11.05	<.001	.39	.03	11.52	<.001
	MASC PH P	0.70	0.06	11.05	<.001	.46	.04	11.59	<.001
Social Anxiety	MASC SA C	0.49	0.32	1.53	0.13	.50	.04	13.68	<.001
	MASC SA P	0.49	0.32	1.53	0.13	.52	.04	13.28	<.001
Separation Anxiety	MASC SP C	0.93	0.05	18.57	<.001	.64	.03	21.06	.001
	MASC SP P	0.93	0.05	18.57	<.001	.58	.03	20.88	.001
Conduct Problems	YSR CD C	0.59	0.12	4.98	<.001	.23	.05	4.94	<.001
	CBCL CD P	0.59	0.12	4.98	<.001	.23	.05	4.89	<.001
Oppositional Defiant	YSR ODD C	0.49	0.08	5.95	<.001	.26	.04	5.96	<.001
	CBCL ODD P	0.49	0.08	5.95	<.001	.24	.04	5.88	<.001
Aggression	EATQ AG C	0.59	0.10	5.93	<.001	.28	.05	5.93	<.001
	EATQ AG P	0.59	0.10	5.93	<.001	.24	.04	5.92	<.001
Parent Report Method Factor	CDI P	1.00	0.00	-	-	.45	.04	11.18	<.001
	MASC PH P	0.38	0.09	4.29	<.001	.20	.05	3.83	<.001
	MASC SA P	0.78	0.15	5.33	<.001	.34	.07	5.30	<.001
	MASC SP P	-0.15	0.11	-1.39	.17	-.08	.05	-1.48	.14
	CBCL CD P	2.43	0.23	10.52	<.001	.75	.03	29.14	<.001
	CBCL ODD P	1.84	0.17	10.60	<.001	.70	.03	25.41	<.001
	EATQ AG P	1.98	0.20	10.04	<.001	.64	.03	20.12	<.001
	SNAP Hyp. P	0.74	0.10	7.56	<.001	.36	.05	7.74	<.001
SNAP Inatt. P	1.21	0.14	8.51	<.001	.44	.04	10.18	<.001	
Child Report Method Factor	CDI C	1.00	0.00	-	-	.46	.04	12.57	<.001
	MASC PH C	0.29	0.09	3.13	.002	.14	.05	2.96	.003
	MASC SA C	0.27	0.12	2.27	.02	.12	.06	2.20	.03
	MASC SP C	-0.55	0.11	-4.82	<.001	-.33	.05	-6.25	<.001
	YSR CD C	2.27	0.20	11.34	<.001	.78	.03	27.71	<.001
	YSR ODD C	1.25	0.12	10.59	<.001	.56	.03	16.99	<.001
	EATQ AG C	1.33	0.13	10.33	<.001	.56	.03	16.93	<.001
Predictor	Outcome	Unstandardized Estimate	SE	Est./SE	p	Standardized Estimate	SE	Est./SE	p
Aggression	Social Anx	-0.05	0.34	-0.15	.88	-.03	.17	-0.16	.87
Physical Sx	Social Anx	0.36	0.27	1.33	.18	.19	.09	2.06	.04
Separation	Social Anx	0.70	0.50	1.40	.16	.37	.07	5.01	<.001
Depression	Social Anx	0.74	0.45	1.65	.10	.39	.10	4.08	<.001
Oppositional	Social Anx	-0.41	0.60	-0.69	.49	-.22	.20	-1.08	.28
Conduct	Social Anx	-0.86	1.04	-0.83	.41	-.45	.28	-1.63	.10
SNAP Inatt. P	Social Anx	0.11	0.09	1.25	.21	.12	.07	1.77	.08
SNAP Hyp. P	Social Anx	-0.42	0.30	-1.39	.17	-.36	.07	-4.94	<.001
Pubertal Timing	Social Anx	0.24	0.22	1.11	.27	.13	.09	1.47	.14
Gender	Social Anx	0.74	0.54	1.37	.17	.19	.06	3.35	.001
0=male,1=female									
Timing x Gender	Social Anx	-0.37	0.32	-1.18	.24	-.15	.08	1.25	.08

Table S4. Syndrome based model (controlling for other syndromes) – Social Anxiety.

Predictor	Factor	Covariance	SE	Est./SE	p	Correlation	SE	Est./SE	p
-----------	--------	------------	----	---------	---	-------------	----	---------	---

PUBERTAL TIMING TRANSDIAGNOSTIC

Pubertal Timing*	Parent Report	0.003	0.04	0.07	.94	.004	.05	0.07	.94
	Method Factor								
Pubertal Timing x Gender*	Child Report	0.33	0.05	6.15	<.001	.38	.04	8.64	<.001
	Method Factor								
Pubertal Timing x Gender*	Parent Report	-0.04	0.03	-1.14	.26	-.06	.05	-1.15	.25
	Method Factor								
Pubertal Timing x Gender*	Child Report	0.17	0.04	4.64	<.001	.26	.05	5.48	<.001
	Method Factor								

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity. *Sensitivity analyses showed that model parameters were not appreciably different when covariance between predictors and method factors was constrained to zero.

PUBERTAL TIMING TRANSDIAGNOSTIC

Factor	Indicator	Unstandardized Loading	SE	Est./SE	p	Standardized Loading	SE	Est./SE	p
Depression	CDI C	0.68	0.06	11.22	<.001	.36	.03	11.44	<.001
	CDI P	0.68	0.06	11.22	<.001	.40	.04	11.58	<.001
Physical Symptoms (Anxiety)	MASC PH C	0.70	0.06	11.06	<.001	.39	.03	11.62	<.001
	MASC PH P	0.70	0.06	11.06	<.001	.46	.04	11.60	<.001
Social Anxiety	MASC SA C	0.90	0.07	13.52	<.001	.48	.03	15.01	<.001
	MASC SA P	0.90	0.07	13.52	<.001	.50	.03	14.80	<.001
Separation Anxiety	MASC SP C	0.62	0.11	5.60	<.001	.65	.03	20.83	.001
	MASC SP P	0.62	0.11	5.60	<.001	.59	.03	21.43	.001
Conduct Problems	YSR CD C	0.63	0.10	6.11	<.001	.25	.04	6.03	<.001
	CBCL CD P	0.63	0.10	6.11	<.001	.25	.04	6.00	<.001
Oppositional Defiant	YSR ODD C	0.51	0.08	6.32	<.001	.26	.04	6.32	<.001
	CBCL ODD P	0.51	0.08	6.32	<.001	.25	.04	6.25	<.001
Aggression	EATQ AG C	0.57	0.10	5.59	<.001	.28	.05	5.57	<.001
	EATQ AG P	0.57	0.10	5.59	<.001	.24	.04	5.58	<.001
Parent Report Method Factor	CDI P	1.00	0.00	-	-	.42	.04	10.78	<.001
	MASC PH P	0.37	0.10	3.73	<.001	.17	.05	3.37	.001
	MASC SA P	0.57	0.12	4.98	<.001	.23	.05	4.65	<.001
	MASC SP P	-0.05	0.12	-0.43	.67	-.02	.05	-0.43	.67
	CBCL CD P	2.59	0.25	10.50	<.001	.74	.03	26.95	<.001
	CBCL ODD P	2.01	0.19	10.44	<.001	.70	.03	25.16	<.001
	EATQ AG P	2.14	0.22	9.89	<.001	.63	.03	19.41	<.001
	SNAP Hyp. P	0.82	0.11	7.27	<.001	.35	.05	7.68	<.001
SNAP Inatt. P	1.26	0.16	8.03	<.001	.42	.04	9.35	<.001	
Child Report Method Factor	CDI C	1.00	0.00	-	-	.44	.04	11.37	<.001
	MASC PH C	0.29	0.10	2.85	.004	.13	.05	2.65	.008
	MASC SA C	0.12	0.11	1.06	.29	.05	.05	1.03	.31
	MASC SP C	-0.38	0.11	-3.37	.001	-.21	.05	-3.93	<.001
	YSR CD C	2.53	0.25	10.10	<.001	.81	.03	27.03	<.001
	YSR ODD C	1.26	0.13	9.75	<.001	.53	.04	14.55	<.001
	EATQ AG C	1.40	0.15	9.65	<.001	.55	.04	15.58	<.001
Predictor	Outcome	Unstandardized Estimate	SE	Est./SE	p	Standardized Loading Estimate	SE	Est./SE	p
Aggression	Separation	-0.27	0.23	-1.21	.23	-.17	.12	-1.40	.16
Physical Sx	Separation	0.42	0.14	2.96	.003	.27	.08	3.40	.001
Social Anxiety	Separation	0.39	0.13	3.01	.003	.25	.07	3.37	.001
Depression	Separation	-0.69	0.24	-2.88	.004	-.44	.09	-4.88	<.001
Oppositional Conduct	Separation	-0.38	0.24	-1.55	.12	-.24	.12	-1.93	.05
SNAP Inatt. P	Separation	-0.13	0.22	-0.61	.54	-.08	.13	-0.65	.52
SNAP Hyp. P	Separation	-0.11	0.05	-2.17	.03	-.15	.06	-2.37	.02
SNAP Hyp. P	Separation	0.12	0.06	1.89	.06	.12	.06	1.94	.05
Pubertal Timing	Separation	-0.63	0.17	-3.73	<.001	-.40	.08	-5.06	<.001
Gender	Separation	0.29	0.16	1.74	.08	.09	.05	1.85	.06
0=male,1=female Timing x Gender	Separation	0.08	0.17	0.50	.62	.04	.08	0.50	.62

Table S5. Syndrome based model (controlling for other syndromes) – Separation Anxiety.

Predictor	Factor	Covariance	SE	Est./SE	p	Correlation	SE	Est./SE	p
-----------	--------	------------	----	---------	---	-------------	----	---------	---

PUBERTAL TIMING TRANSDIAGNOSTIC

Pubertal Timing*	Parent Report	-0.05	0.04	-1.27	.20	-.07	.05	-1.28	.20
	Method Factor								
Pubertal Timing x Gender*	Child Report	0.24	0.05	4.76	<.001	.29	.05	6.13	<.001
	Method Factor								
Pubertal Timing x Gender*	Parent Report	-0.06	0.03	-1.94	.05	-.11	.05	-1.99	.05
	Method Factor								
Pubertal Timing x Gender*	Child Report	0.12	0.04	3.40	.001	.19	.05	3.82	<.001
	Method Factor								

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity. *Sensitivity analyses showed that model parameters were not appreciably different when covariance between predictors and method factors was constrained to zero.

PUBERTAL TIMING TRANSDIAGNOSTIC

52

Table S6. Syndrome based model (controlling for other syndromes) – Conduct Disorder.

Factor	Indicator	Unstandardized Loading	SE	Est./SE	p	Standardized Loading	SE	Est./SE	p
Depression	CDI C	0.69	0.07	10.62	<.001	.36	.03	10.66	<.001
	CDI P	0.69	0.07	10.62	<.001	.40	.04	10.67	<.001
Physical Symptoms (Anxiety)	MASC PH C	0.65	0.07	9.94	<.001	.36	.04	10.33	<.001
	MASC PH P	0.65	0.07	9.94	<.001	.43	.04	10.21	<.001
Social Anxiety	MASC SA C	0.83	0.07	12.66	<.001	.45	.03	13.64	<.001
	MASC SA P	0.83	0.07	12.66	<.001	.46	.03	13.61	<.001
Separation Anxiety	MASC SP C	0.89	0.05	17.49	<.001	.61	.03	19.65	.001
	MASC SP P	0.89	0.05	17.49	<.001	.56	.03	19.01	.001
Conduct Problems	YSR CD C	0.49	0.15	3.29	.001	.39	.03	11.42	<.001
	CBCL CD P	0.49	0.15	3.29	.001	.40	.04	11.04	<.001
Oppositional Defiant	YSR ODD C	0.65	0.08	8.31	<.001	.33	.04	8.48	<.001
	CBCL ODD P	0.65	0.08	8.31	<.001	.32	.04	8.10	<.001
Aggression	EATQ AG C	0.72	0.09	7.81	<.001	.34	.04	7.90	<.001
	EATQ AG P	0.72	0.09	7.81	<.001	.30	.04	7.76	<.001
Parent Report Method Factor	CDI P	1.00	0.00	-	-	.46	.04	10.66	<.001
	MASC PH P	0.46	0.10	4.18	<.001	.21	.06	3.72	<.001
	MASC SA P	0.58	0.11	5.24	<.001	.25	.05	4.96	<.001
	MASC SP P	-0.18	0.12	-1.49	.14	-.09	.06	-1.59	.11
	CBCL CD P	2.05	0.22	9.37	<.001	.65	.04	15.14	<.001
	CBCL ODD P	1.69	0.18	9.41	<.001	.65	.04	18.75	<.001
	EATQ AG P	1.91	0.21	9.12	<.001	.62	.04	17.31	<.001
	SNAP Hyp. P	0.85	0.11	7.80	<.001	.40	.05	8.73	<.001
SNAP Inatt. P	1.36	0.16	8.53	<.001	.48	.04	10.99	<.001	
Child Report Method Factor	CDI C	1.00	0.00	-	-	.46	.04	10.82	<.001
	MASC PH C	0.27	0.10	2.80	.005	.13	.05	2.59	.01
	MASC SA C	0.17	0.10	1.67	.10	.08	.05	1.59	.11
	MASC SP C	-0.68	0.12	-5.53	<.001	-.41	.04	-9.72	<.001
	YSR CD C	1.91	0.19	9.99	<.001	.65	.04	18.78	<.001
	YSR ODD C	1.21	0.13	9.12	<.001	.53	.04	14.94	<.001
	EATQ AG C	1.25	0.14	8.80	<.001	.52	.04	14.28	<.001
Predictor	Outcome	Unstandardized Estimate	SE	Est./SE	p	Standardized Loading Estimate	SE	Est./SE	p
Physical	Conduct	-0.04	0.19	-0.22	.83	-.02	.10	-0.22	.83
Social Anxiety	Conduct	-0.26	0.19	-1.36	.18	-.13	.09	-1.41	.16
Separation	Conduct	0.10	0.17	0.58	.57	.05	.08	0.60	.55
Depression	Conduct	0.52	0.29	1.77	.08	.26	.09	2.74	.006
Oppositional	Conduct	1.19	0.52	2.31	.02	.59	.10	6.04	<.001
Aggression	Conduct	1.11	0.49	2.25	.02	.55	.10	5.54	<.001
SNAP Inatt. P	Conduct	0.07	0.07	0.98	.33	.08	.07	1.02	.31
SNAP Hyp. P	Conduct	-0.09	0.10	-0.99	.32	-.08	.08	-1.02	.31
Pubertal Timing	Conduct	0.37	0.21	1.75	.08	.18	.09	2.05	.04
Gender	Conduct	-0.17	0.24	-0.71	.48	-.04	.06	-0.74	.46
0=male,1=female									
Timing x Gender	Conduct	-0.16	0.24	-0.67	.50	-.06	.09	-0.69	.49

52

PUBERTAL TIMING TRANSDIAGNOSTIC

Predictor	Factor	Covariance	SE	Est./ SE	<i>p</i>	Correlation	SE	Est./ SE	<i>p</i>
Pubertal Timing*	Parent Report Method Factor	0.01	0.05	0.22	.83	.01	.06	.22	.82
	Child Report Method Factor	0.32	0.06	5.61	<.001	.36	.05	7.99	<.001
Pubertal Timing x Gender*	Parent Report Method Factor	-0.03	0.03	-0.93	.35	-.05	.06	-0.93	.35
	Child Report Method Factor	0.17	0.04	4.41	<.001	.26	.05	5.34	<.001

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity. *Sensitivity analyses showed that model parameters were not appreciably different when covariance between predictors and method factors was constrained to zero.

PUBERTAL TIMING TRANSDIAGNOSTIC

Table S7. Syndrome based model (controlling for other syndromes) – ODD.

Factor	Indicator	Unstandardized Loading	SE	Est./SE	p	Standardized Loading	SE	Est./SE	p
Depression	CDI C	0.67	0.06	10.32	<.001	.35	.03	10.38	<.001
	CDI P	0.67	0.06	10.32	<.001	.39	.04	10.47	<.001
Physical Symptoms (Anxiety)	MASC PH C	0.64	0.07	9.78	<.001	.36	.03	10.10	<.001
	MASC PH P	0.64	0.07	9.78	<.001	.43	.04	10.05	<.001
Social Anxiety	MASC SA C	0.83	0.07	12.46	<.001	.45	.03	13.32	<.001
	MASC SA P	0.83	0.07	12.46	<.001	.47	.04	13.38	<.001
Separation Anxiety	MASC SP C	0.89	0.05	17.97	<.001	.62	.03	19.71	.001
	MASC SP P	0.89	0.05	17.97	<.001	.56	.03	19.94	.001
Conduct Problems	YSR CD C	0.79	0.10	8.10	<.001	.31	.04	8.11	<.001
	CBCL CD P	0.79	0.10	8.10	<.001	.32	.04	7.87	<.001
Oppositional Defiant	YSR ODD C	0.39	0.11	3.71	<.001	.34	.04	8.11	<.001
	CBCL ODD P	0.39	0.11	3.71	<.001	.33	.04	7.85	<.001
Aggression	EATQ AG C	0.64	0.10	6.53	<.001	.31	.05	6.54	.001
	EATQ AG P	0.64	0.10	6.53	<.001	.27	.04	6.51	.001
Parent Report Method Factor	CDI P	1.00	0.00	-	-	.45	.04	11.87	<.001
	MASC PH P	0.36	0.09	3.94	<.001	.19	.05	3.58	<.001
	MASC SA P	0.51	0.11	4.73	<.001	.22	.05	4.46	<.001
	MASC SP P	-0.25	0.12	-2.05	.04	-.12	.05	-2.25	.03
	CBCL CD P	2.26	0.21	10.62	<.001	.71	.03	22.00	<.001
	CBCL ODD P	1.51	0.16	9.40	<.001	.58	.05	12.69	<.001
	EATQ AG P	1.91	0.19	9.96	<.001	.61	.04	17.63	<.001
	SNAP Hyp. P	0.79	0.11	7.53	<.001	.37	.05	8.15	<.001
	SNAP Inatt. P	1.29	0.15	8.57	<.001	.46	.04	10.59	<.001
Child Report Method Factor	CDI C	1.00	0.00	-	-	.48	.04	13.25	<.001
	MASC PH C	0.27	0.09	3.19	.001	.14	.05	3.02	.003
	MASC SA C	0.15	0.09	1.59	.11	.07	.05	1.54	.13
	MASC SP C	-0.54	0.11	-5.16	<.001	-.34	.05	-6.40	<.001
	YSR CD C	2.12	0.19	10.98	<.001	.75	.03	23.92	<.001
	YSR ODD C	1.04	0.11	9.26	<.001	.49	.04	12.06	<.001
	EATQ AG C	1.26	0.12	10.19	<.001	.55	.03	16.27	<.001
Predictor	Outcome	Unstandardized Estimate	SE	Est./SE	p	Standardized Estimate	SE	Est./SE	p
Physical Sx	Oppositional	-0.15	0.21	-0.73	.47	-.09	.12	-0.74	.46
Social Anxiety	Oppositional	-0.20	0.20	-1.03	.30	-.12	.11	-1.06	.29
Separation	Oppositional	-0.35	0.20	-1.74	.08	-.21	.10	-2.18	.03
Depression	Oppositional	-0.14	0.23	-0.60	.55	-.08	.14	-0.59	.56
Conduct	Oppositional	1.05	0.45	2.36	.02	.62	.12	5.17	<.001
Aggression	Oppositional	0.70	0.37	1.90	.06	.41	.14	2.95	.003
SNAP Inatt. P	Oppositional	0.04	0.07	0.62	.54	.06	.09	0.64	.52
SNAP Hyp. P	Oppositional	0.08	0.10	0.84	.40	.08	.09	0.88	.38
Pubertal Timing	Oppositional	0.11	0.19	0.57	.57	.06	.11	0.58	.56
Gender	Oppositional	0.38	0.26	1.45	.15	.11	.07	1.58	.11

PUBERTAL TIMING TRANSDIAGNOSTIC

0=male,1=female										
Timing x Gender		Oppositional	-0.02	0.23	-0.10	.92	-0.01	.10	-0.10	.92
Predictor	Factor	Covariance	SE	Est./SE	p	Correlation	SE	Est./SE	p	
Pubertal Timing	Parent Report Method Factor	0.02	0.04	0.49	.63	.03	.05	0.49	.63	
	Child Report Method Factor	0.34	0.06	6.15	<.001	.37	.04	8.50	<.001	
Pubertal Timing x Gender	Parent Report Method Factor	-0.03	0.03	-0.81	.42	-.04	.06	-.81	.42	
	Child Report Method Factor	0.18	0.04	4.65	<.001	.26	.05	5.49	<.001	

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity. *Sensitivity analyses showed that model parameters were not appreciably different when covariance between predictors and method factors was constrained to zero.

PUBERTAL TIMING TRANSDIAGNOSTIC

56

Factor	Indicator	Unstandardized Loading	SE	Est./ SE	<i>p</i>	Standardized Loading	SE	Est./ SE	<i>p</i>
Depression	CDI C	0.67	0.06	10.61	<.001	.35	.03	10.65	<.001

Table S8. Syndrome based model (controlling for other syndromes) – Aggression.

PUBERTAL TIMING TRANSDIAGNOSTIC

	CDI P	0.67	0.06	10.61	<.001	.39	.04	10.76	<.001
Physical Symptoms (Anxiety)	MASC PH C	0.65	0.07	10.03	<.001	.37	.04	10.38	<.001
	MASC PH P	0.65	0.07	10.03	<.001	.43	.04	10.35	<.001
Social Anxiety	MASC SA C	0.83	0.07	12.46	<.001	.45	.03	13.33	<.001
	MASC SA P	0.83	0.07	12.46	<.001	.47	.04	13.40	<.001
Separation Anxiety	MASC SP C	0.88	0.05	17.60	<.001	.61	.03	19.03	<.001
	MASC SP P	0.88	0.05	17.60	<.001	.55	.03	19.27	<.001
Conduct Problems	YSR CD C	0.71	0.10	7.05	<.001	.28	.04	6.99	<.001
	CBCL CD P	0.71	0.10	7.05	<.001	.28	.04	6.91	<.001
Oppositional Defiant	YSR ODD C	0.54	0.08	6.61	<.001	.27	.04	6.64	<.001
	CBCL ODD P	0.54	0.08	6.61	<.001	.27	.04	6.50	<.001
Aggression	EATQ AG C	0.45	0.17	2.65	.008	.38	.05	8.08	<.001
	EATQ AG P	0.45	0.17	2.65	.008	.32	.04	8.03	<.001
Parent Report Method Factor	CDI P	1.00	0.00	-	-	.45	.04	11.11	<.001
	MASC PH P	0.34	0.09	3.79	<.001	.18	.05	3.39	<.001
	MASC SA P	0.47	0.11	4.42	<.001	.21	.05	4.08	<.001
	MASC SP P	-0.24	0.12	-2.06	.04	-.12	.05	-2.28	.02
	CBCL CD P	2.37	0.23	10.22	<.001	.73	.03	25.12	<.001
	CBCL ODD P	1.79	0.17	10.25	<.001	.68	.03	22.56	<.001
	EATQ AG P	1.77	0.20	8.95	<.001	.57	.05	12.59	<.001
	SNAP Hyp. P	0.77	0.10	7.53	<.001	.36	.05	7.91	<.001
	SNAP Inatt. P	1.27	0.15	8.58	<.001	.45	.04	10.48	<.001
Child Report Method Factor	CDI C	1.00	0.00	-	-	.47	.04	12.05	<.001
	MASC PH C	0.25	0.09	2.74	.006	.12	.05	2.57	.01
	MASC SA C	0.12	0.10	1.24	.21	.06	.05	1.20	.23
	MASC SP C	-0.62	0.12	-5.24	<.001	-.38	.05	-7.22	<.001
	YSR CD C	2.14	0.20	10.66	<.001	.75	.03	24.82	<.001
	YSR ODD C	1.22	0.12	10.15	<.001	.55	.03	16.22	<.001
	EATQ AG C	1.25	0.15	8.60	<.001	.53	.04	11.97	<.001
Predictor	Outcome	Unstandardized Estimate	SE	Est./SE	p	Standardized Estimate	SE	Est./SE	p
Physical Sx	Aggression	0.20	0.22	0.90	.37	.12	.11	1.03	.30
Social Anxiety	Aggression	0.27	0.23	1.16	.25	.15	.11	1.47	.14
Separation	Aggression	-0.08	0.18	-0.47	.64	-.05	.10	-0.49	.63
Depression	Aggression	-0.11	0.22	-0.48	.63	-.06	.13	-0.46	.65
Oppositional Conduct	Aggression	0.80	0.54	1.50	.13	.46	.16	2.95	.003
SNAP Inatt. P	Aggression	1.00	0.60	1.67	.10	.58	.15	3.96	<.001
SNAP Hyp. P	Aggression	-0.10	0.08	-1.29	.20	-.13	.09	-1.41	.16
SNAP Hyp. P	Aggression	0.16	0.12	1.35	.18	.15	.09	1.71	.09
Pubertal Timing	Aggression	-0.25	0.21	-1.20	.23	-.14	.11	-1.31	.19
Gender	Aggression	-0.37	0.28	-1.30	.19	-.11	.07	-1.54	.12
0=male,1=female									
Timing x Gender	Aggression	-0.17	0.25	-0.70	.48	-.08	.10	-0.72	.47

Predictor	Factor	Covariance	SE	Est./SE	p	Correlation	SE	Est./SE	p
Pubertal Timing*	Parent Report Method Factor	0.02	0.04	0.53	.60	.03	.05	0.53	.60

PUBERTAL TIMING TRANSDIAGNOSTIC

58

	Child Report Method Factor	0.34	0.06	6.13	<.001	.39	.04	8.95	<.001
Pubertal Timing x Gender*	Parent Report Method Factor	-0.02	0.03	-0.69	.49	-.04	.05	-0.69	.49
	Child Report Method Factor	0.18	0.04	4.51	<.001	.27	.05	5.87	<.001

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity. *Sensitivity analyses showed that model parameters were not appreciably different when covariance between predictors and method factors was constrained to zero.

PUBERTAL TIMING TRANSDIAGNOSTIC

Factor	Indicator	Unstandardized	SE	Est./	<i>p</i>	Standardized	SE	Est./	<i>p</i>
--------	-----------	----------------	----	-------	----------	--------------	----	-------	----------

Table S9. Syndrome based model (controlling for other syndromes) – ADHD Hyperactivity.

PUBERTAL TIMING TRANSDIAGNOSTIC

60

		Loading				SE			
Depression	CDI C	0.71	0.06	12.02	<.001	.37	.03	12.21	<.001
	CDI P	0.71	0.06	12.02	<.001	.42	.03	12.30	<.001
Physical Symptoms (Anxiety)	MASC PH C	0.64	0.07	9.86	<.001	.36	.04	10.21	<.001
	MASC PH P	0.64	0.07	9.86	<.001	.43	.04	10.18	<.001
Social Anxiety	MASC SA C	0.81	0.07	12.08	<.001	.44	.03	12.90	<.001
	MASC SA P	0.81	0.07	12.08	<.001	.46	.04	12.97	<.001
Separation Anxiety	MASC SP C	0.92	0.05	18.34	<.001	.61	.03	19.97	.001
	MASC SP P	0.92	0.05	18.34	<.001	.58	.03	20.79	.001
Conduct Problems	YSR CD C	0.64	0.10	6.63	<.001	.25	.04	6.58	<.001
	CBCL CD P	0.64	0.10	6.63	<.001	.25	.04	6.49	<.001
Oppositional Defiant	YSR ODD C	0.53	0.08	6.74	<.001	.27	.04	6.77	<.001
	CBCL ODD P	0.53	0.08	6.74	<.001	.27	.04	6.65	<.001
Aggression	EATQ AG C	0.58	0.10	5.76	<.001	.28	.05	5.75	.001
	EATQ AG P	0.58	0.10	5.76	<.001	.24	.04	5.74	.001
Parent Report Method Factor	CDI P	1.00	0.00	-	-	.45	.04	11.45	<.001
	MASC PH P	0.35	0.09	3.91	<.001	.18	.05	3.53	<.001
	MASC SA P	0.54	0.11	5.00	<.001	.23	.05	4.71	<.001
	MASC SP P	-0.16	0.11	-1.41	.16	-.08	.05	-1.50	.13
	CBCL CD P	2.48	0.23	10.92	<.001	.75	.03	28.87	<.001
	CBCL ODD P	1.90	0.17	10.92	<.001	.70	.03	25.58	<.001
	EATQ AG P	2.03	0.20	10.28	<.001	.64	.03	20.08	<.001
	SNAP Hyp. P	0.53	0.15	3.69	<.001	.24	.06	3.78	<.001
SNAP Inatt. P	1.30	0.15	8.73	<.001	.44	.04	10.86	<.001	
Child Report Method Factor	CDI C	1.00	0.00	-	-	.44	.04	11.14	<.001
	MASC PH C	0.22	0.10	2.34	.02	.11	.05	2.19	.03
	MASC SA C	0.04	0.10	0.43	.67	.02	.05	0.42	.68
	MASC SP C	-0.57	0.12	-4.75	<.001	-.32	.05	-6.44	<.001
	YSR CD C	2.33	0.23	10.03	<.001	.77	.03	26.32	<.001
	YSR ODD C	1.25	0.13	9.80	<.001	.54	.04	15.75	<.001
	EATQ AG C	1.37	0.14	9.60	<.001	.56	.03	16.54	<.001
Predictor	Outcome	Unstandardized Estimate	SE	Est./SE	p	Standardized Estimate	SE	Est./SE	p
Aggression	SNAP Hyp P	-0.20	0.15	-1.31	.19	-.12	.09	-1.31	.19
Physical Sx	SNAP Hyp P	-0.16	0.09	-1.73	.08	-.10	.06	-1.72	.09
Social Anxiety	SNAP Hyp P	-0.53	0.09	-5.89	<.001	-.31	.05	-5.93	<.001
Depression	SNAP Hyp P	-0.21	0.10	-2.04	.04	-.12	.06	-2.04	.04
Oppositional Conduct	SNAP Hyp P	-0.29	0.16	-1.83	.07	-.17	.10	-1.84	.07
Separation	SNAP Hyp P	-0.09	0.09	-0.99	.32	-.05	.05	-0.99	.32
SNAP Inatt. P	SNAP Hyp P	0.19	0.03	6.06	<.001	.25	.04	6.14	<.001
Pubertal Timing	SNAP Hyp P	-0.13	0.10	-1.29	.20	-.08	.06	-1.28	.20
Gender	SNAP Hyp P	-0.03	0.11	-0.29	.77	-.01	.03	-0.29	.77
0=male,1=female Timing x Gender	SNAP Hyp P	-0.11	0.12	-0.89	.38	-.05	.06	-0.88	.38
Predictor	Factor	Covariance	SE	Est./SE	p	Correlation	SE	Est./SE	p
Pubertal Timing*	Parent Report Method	-0.06	0.04	-1.44	.15	-.08	.05	-1.46	.15

60

PUBERTAL TIMING TRANSDIAGNOSTIC

	Factor								
	Child Report Method Factor	0.19	0.05	3.84	<.001	.23	.05	4.36	<.001
Pubertal Timing x Gender*	Parent Report Method Factor	-0.07	0.03	-2.13	.03	-.12	.05	-2.20	.02
	Child Report Method Factor	0.09	0.04	2.51	.01	.14	.06	2.64	.01

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity. *Sensitivity analyses showed that model parameters were not appreciably different when covariance between predictors and method factors was constrained to zero.

PUBERTAL TIMING TRANSDIAGNOSTIC

Factor	Indicator	Unstandardized Loading	SE	Est./ SE	p	Standardized Loading	SE	Est./ SE	p
Depression	CDI C	0.74	0.06	12.76	<.001	.39	.03	13.01	<.001
	CDI P	0.74	0.06	12.76	<.001	.44	.03	13.24	<.001
Physical Symptoms (Anxiety)	MASC PH C	0.64	0.07	9.91	<.001	.36	.04	10.29	<.001
	MASC PH P	0.64	0.07	9.91	<.001	.43	.04	10.20	<.001
Social Anxiety	MASC SA C	0.83	0.07	12.56	<.001	.46	.03	13.43	<.001
	MASC SA P	0.83	0.07	56	<.001	.47	.04	13.58	<.001
Separation Anxiety	MASC SP C	0.91	0.05	18.32	<.001	.61	.03	20.20	<.001
	MASC SP P	0.91	0.05	18.32	<.001	.58	.03	20.48	<.001
Conduct Problems	YSR CD C	0.63	0.10	6.25	<.001	.25	.04	6.18	<.001
	CBCL CD P	0.63	0.10	6.25	<.001	.25	.04	6.15	<.001
Oppositional Defiant	YSR ODD C	0.51	0.08	6.21	<.001	.25	.04	6.22	<.001
	CBCL ODD P	0.51	0.08	6.21	<.001	.25	.04	6.13	<.001
Aggression	EATQ AG C	0.56	0.10	5.43	<.001	.27	.05	5.42	<.001
	EATQ AG P	0.56	0.10	5.43	<.001	.23	.04	5.41	<.001
Parent Report Method Factor	CDI P	1.00	0.00	-	-	.43	.04	11.05	<.001
	MASC PH P	0.37	0.09	3.94	<.001	.18	.05	3.56	<.001
	MASC SA P	0.53	0.11	4.75	<.001	.223	.05	4.47	<.001
	MASC SP P	-0.17	0.12	-1.43	.15	-.08	.05	-1.53	.13
	CBCL CD P	2.60	0.24	10.72	<.001	.75	.03	28.27	<.001
	CBCL ODD P	1.99	0.19	10.61	<.001	.71	.03	25.72	<.001
	EATQ AG P	2.10	0.21	10.02	<.001	.63	.03	19.75	<.001
	SNAP Hyp. P	0.78	0.11	3.26	<.001	.34	.04	7.67	<.001
SNAP Inatt. P	0.61	0.19	7.28	<.001	.20	.06	3.27	.001	
Child Report Method Factor	CDI C	1.00	0.00	-	-	.44	.04	11.30	<.001
	MASC PH C	0.21	0.10	2.17	.03	.10	.05	2.05	.04
	MASC SA C	0.05	0.10	0.48	.63	.02	.05	0.48	.64
	MASC SP C	-0.58	0.12	-4.84	<.001	-.332	.05	-6.50	<.001
	YSR CD C	2.35	0.23	10.17	<.001	.78	.03	26.31	<.001

Table S10. Syndrome based model (controlling for other syndromes) – ADHD Inattention.

PUBERTAL TIMING TRANSDIAGNOSTIC

Predictor	Outcome	Unstandardized Estimate	SE	Est./SE	p	Standardized Estimate	SE	Est./SE	p
	YSR ODD C	1.26	0.13	9.85	<.001	.54	.03	15.83	<.001
	EATQ AG C	1.39	0.14	9.72	<.001	.56	.03	16.71	<.001
Aggression	SNAP Inatt P	-0.09	0.20	-0.42	.67	-.04	.09	-0.42	.67
Physical Sx	SNAP Inatt P	-0.42	0.12	-3.74	.001	-.18	.05	-3.49	<.001
Social Anxiety	SNAP Inatt P	0.10	0.11	0.86	0.39	.04	.05	0.87	0.39
Depression	SNAP Inatt P	0.48	0.13	3.85	<.001	.21	.06	3.87	<.001
Oppositional Conduct	SNAP Inatt P	0.16	0.22	0.76	.45	.07	.09	0.76	.45
SNAP Hyp P	SNAP Inatt P	0.35	0.23	1.48	.14	.15	.10	1.48	.14
	SNAP Inatt P	0.42	0.05	83.15	<.001	.31	.04	8.65	<.001
Pubertal Timing	SNAP Inatt P	-0.27	0.13	-2.15	.03	-.12	.06	-2.15	.03
Gender	SNAP Inatt P	-0.60	0.14	-4.25	<.001	-.13	.03	-4.22	<.001
0=male,1=female									
Timing x Gender	SNAP Inatt P	0.05	0.16	0.31	.76	.02	.05	0.31	.76
Predictor	Factor	Covariance	SE	Est./SE	p	Correlation	SE	Est./SE	p
Pubertal Timing*	Parent Report Method Factor	-0.04	0.04	-1.15	.25	-.06	.05	-1.17	.24
	Child Report Method Factor	0.20	0.05	4.00	<.001	.24	.05	4.61	<.001
Pubertal Timing x Gender*	Parent Report Method Factor	-0.06	0.03	-1.94	.05	-.11	.05	-1.99	.05
	Child Report Method Factor	0.10	0.04	2.67	.01	.15	.05	2.82	.005

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity. *Sensitivity analyses showed that model parameters were not appreciably different when covariance between predictors and method factors was constrained to zero.

PUBERTAL TIMING TRANSDIAGNOSTIC

Table S11. Internalizing and Externalizing model.

Factor	Indicator	Unstandardized Loading	SE	Est./ SE	p	Standardized Loading	SE	Est./ SE	p
Depression	CDI C	0.52	0.08	6.91	<.001	.43	.04	12.09	<.001
	CDI P	0.52	0.08	6.91	<.001	.48	.04	11.53	<.001
Physical Symptoms (Anxiety)	MASC PH C	0.49	0.09	5.53	<.001	.49	.03	14.59	<.001
	MASC PH P	0.49	0.09	5.53	<.001	.59	.04	14.36	<.001
Social Anxiety	MASC SA C	0.73	0.08	9.41	<.001	.55	.03	16.97	<.001
	MASC SA P	0.73	0.08	9.41	<.001	.57	.03	17.00	<.001
Separation Anxiety	MASC SP C	0.92	0.05	19.45	<.001	.70	.04	17.38	<.001
	MASC SP P	0.92	0.05	19.45	<.001	.64	.04	17.66	<.001
Conduct Problems	YSR CD C	0.46	0.16	2.89	.004	.49	.03	16.48	<.001
	CBCL CD P	0.46	0.16	2.89	.004	.53	.04	14.47	<.001
Oppositional Defiant	YSR ODD C	0.38	0.13	2.82	.005	.48	.03	15.12	<.001
	CBCL ODD P	0.38	0.13	2.82	.005	.50	.04	13.12	<.001
Aggression	EATQ AG C	0.50	0.13	3.80	<.001	.49	.04	13.80	<.001
	EATQ AG P	0.50	0.13	3.80	<.001	.44	.04	12.58	<.001
Internalizing	Depression	1.04	0.21	4.89	<.001	.78	.06	13.08	<.001
	Physical Symptoms	1.30	0.32	4.02	<.001	.84	.06	14.49	<.001
	Social Anxiety	0.86	0.16	5.41	<.001	.72	.06	11.74	<.001
	Separation Anxiety	0.36	0.10	3.54	<.001	.40	.09	4.32	<.001
Externalizing	Conduct Problems	2.58	1.00	2.58	.01	.94	.05	20.87	<.001
	Oppositional Defiant	2.35	0.92	2.56	.01	.93	.05	17.56	<.001
	Aggression	1.75	0.54	3.26	.001	.88	.06	13.94	<.001
Parent Report Method Factor	CDI P	1.00	0.00	-	-	.47	.05	9.86	<.001
	MASC PH P	0.31	0.10	3.12	.002	.16	.06	2.68	.007
	MASC SA P	0.11	3.22	.001	.16		.06	2.85	.004
	MASC SP P	-0.41	0.16	-2.50	.01	-.21	.07	-3.08	.002
	CBCL CD P	1.57	0.18	8.83	<.001	.52	.05	10.86	<.001
	CBCL ODD P	1.14	0.14	8.30	<.001	.47	.05	9.19	<.001
	EATQ AG P	1.59	0.18	8.66	<.001	.46	.05	9.44	<.001
	SNAP Hyp. P	1.00	0.12	8.15	<.001	.50	.05	10.87	<.001
	SNAP Inatt. P	1.32	0.17	7.90	<.001	.60	.04	14.56	<.001
Child Report Method Factor	CDI C	1.00	0.00	-	-	.41	.04	9.76	<.001
	MASC PH C	0.11	0.11	0.94	.35	.05	.05	0.90	.37
	MASC SA C	-0.01	0.12	-	.91	-0.01	.05	-0.11	.91
					0.111				
	MASC SP C	-0.76	0.14	-5.57	<.001	-.43	.04	-10.32	<.001
	YSR CD C	2.10	0.22	9.59	<.001	.64	.03	19.55	<.001
	YSR ODD C	1.17	0.14	8.31	<.001	.46	.04	12.28	<.001
	EATQ AG C	1.19	0.15	8.15	<.001	.45	.04	11.91	<.001
Predictor	Outcome	Unstandardized	SE	Est./	p	Standardized	SE	Est./	p

PUBERTAL TIMING TRANSDIAGNOSTIC

		Estimate	SE	Estimate	SE				
Pubertal Timing	Internalizing	0.63	0.15	4.22	<.001	.51	.11	4.79	<.001
	Externalizing	0.35	0.11	3.30	.001	.33	.10	3.45	.001
Gender 0=male,1=female	Internalizing	0.81	0.16	4.95	<.001	.33	.06	5.54	<.001
	Externalizing	0.13	0.12	1.12	.26	.06	.06	1.13	.26
Timing x Gender	Internalizing	-0.09	0.19	-0.49	.63	-0.06	.12	-0.49	.63
	Externalizing	-0.22	0.13	-1.66	.10	-0.16	.10	-1.67	.09
Predictor	Factor	Covariance	SE	Est./ SE	p	Correlation	SE	Est./ SE	p
Pubertal Timing*	Parent Report Method Factor	0.14	0.06	2.39	.02	.18	.07	2.50	.01
	Child Report Method Factor	0.29	0.06	5.26	<.001	.36	.05	6.83	<.001
Pubertal Timing x Gender*	Parent Report Method Factor	0.05	0.04	1.22	.22	.08	.07	1.23	.22
	Child Report Method Factor	0.16	0.04	4.41	<.001	.27	.05	5.23	<.001

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity. * Sensitivity analyses showed that model parameters were not appreciably different when covariance between predictors and method factors was constrained to zero.

PUBERTAL TIMING TRANSDIAGNOSTIC

66

Table S12. P-factor model.

Factor	Indicator	Unstandardized Loading	SE	Est./SE	p	Standardized Loading	SE	Est./SE	p	
Depression	CDI C	0.42	0.10	4.25	<.001	.67	.04	17.16	<.001	
	CDI P	0.42	0.10	4.25	<.001	.76	.04	19.19	<.001	
Physical Symptoms (Anxiety)	MASC PH C	0.57	0.07	7.93	<.001	.58	.04	16.08	<.001	
	MASC PH P	0.57	0.07	7.93	<.001	.70	.04	16.64	<.001	
Social Anxiety	MASC SA C	0.64	0.09	7.14	<.001	.61	.04	16.72	<.001	
	MASC SA P	0.64	0.09	7.14	<.001	.63	.04	16.49	<.001	
Separation Anxiety	MASC SP C	0.88	0.05	18.19	<.001	.67	.04	18.77	<.001	
	MASC SP P	0.88	0.05	18.19	<.001	.62	.03	18.36	<.001	
Conduct Problems	YSR CD C	0.43	0.20	2.12	.03	.70	.05	13.67	<.001	
	CBCL CD P	0.43	0.20	2.12	.03	.70	.05	14.23	<.001	
Oppositional Defiant	YSR ODD C	0.46	0.10	4.82	<.001	.70	.05	14.09	<.001	
	CBCL ODD P	0.46	0.10	4.82	<.001	.67	.05	13.36	<.001	
Aggression	EATQ AG C	0.57	0.11	5.40	<.001	.65	.05	12.11	<.001	
	EATQ AG P	0.57	0.11	5.40	<.001	.56	.05	11.42	<.001	
P Factor	Depression	2.20	0.57	3.84	<.001	.76	.05	15.61	<.001	
	Physical Symptoms	0.93	0.18	5.02	<.001	.53	.07	7.57	<.001	
	Social Anxiety	0.42	0.14	3.03	.002	.26	.08	3.35	.001	
	Conduct Problems	2.39	1.17	2.05	.04	.62	.06	11.38	<.001	
	Oppositional Defiant	1.60	0.38	4.19	<.001	.59	.06	10.70	<.001	
	Aggression	1.25	0.29	4.35	<.001	.58	.07	8.96	<.001	
	SNAP Hyp. P	0.84	0.07	11.51	<.001	.57	.04	12.90	<.001	
	SNAP Inatt. P	1.33	0.10	12.92	<.001	.67	.04	17.70	<.001	
	Internalizing-Specific	1.23	0.35	3.53	<.001	.49	.07	7.14	<.001	
	Physical Symptoms	0.93	0.18	5.13	<.001	.61	.06	9.63	<.001	
Internalizing-Specific	Social Anxiety	1.08	0.24	4.45	<.001	.76	.06	13.38	<.001	
	Separation Anxiety	0.34	0.11	3.25	.001	.40	.09	4.27	<.001	
	Externalizing-Specific	Conduct Problems	2.16	1.13	1.90	.06	.64	.06	10.46	<.001
		Oppositional Defiant	1.51	0.38	4.02	<.001	.63	.06	11.29	<.001
		Aggression	1.14	0.28	4.13	<.001	.60	.06	9.24	<.001
Parent Report Method Factor	CDI P	1.00	0.00	-	-	.32	.06	5.73	<.001	
	MASC PH P	0.42	0.15	2.75	.006	.15	.06	2.38	.02	
	MASC SA P	1.12	0.20	5.47	<.001	.34	.06	5.73	<.001	
	MASC SP P	0.15	0.17	0.87	.38	.05	.06	0.84	.40	
	CBCL CD P	2.91	0.45	6.42	<.001	.64	.04	14.53	<.001	
	CBCL ODD P	2.36	0.38	6.16	<.001	.65	.04	14.79	<.001	
	EATQ AG P	2.46	0.41	6.06	<.001	.58	.05	12.74	<.001	
	SNAP Hyp. P	0.73	0.18	4.03	<.001	.25	.07	3.72	<.001	

66

PUBERTAL TIMING TRANSDIAGNOSTIC

	SNAP Inatt. P	1.13	0.25	4.56	<.001	.29	.07	4.21	<.001
Child Report Method Factor	CDI C	1.00	0.00	-	-	.35	.05	7.59	<.001
	MASC PH C	-0.02	0.15	-0.16	.87	-.01	.06	-0.16	.87
	MASC SA C	-0.18	0.16	-1.17	.24	-.07	.05	-1.29	.20
	MASC SP C	-1.01	0.20	-4.97	<.001	-.49	.04	-11.86	<.001
	YSR CD C	1.81	0.24	7.47	<.001	.49	.04	11.11	<.001
	YSR ODD C	0.86	0.15	5.90	<.001	.31	.05	6.65	<.001
	EATQ AG C	1.10	0.18	6.16	<.001	.37	.05	7.70	<.001
Predictor	Outcome	Unstandardized Estimate	SE	Est./SE	p	Standardized Estimate	SE	Est./SE	p
Pubertal Timing	p Factor	0.48	0.13	3.68	<.001	.42	.11	4.04	<.001
	Internalizing-specific	0.69	0.17	4.05	<.001	.53	.11	4.78	<.001
	Externalizing-specific	0.88	0.20	4.35	<.001	.69	.12	5.52	<.001
Gender (0=male, 1=female)	p Factor	-0.38	0.12	-3.09	.002	-.17	.06	-3.09	.002
	Internalizing-specific	1.03	0.18	5.70	<.001	.40	.06	6.77	.01
	Externalizing-specific	0.40	0.16	2.45	.01	.16	.06	2.56	.01
Timing x Gender	p Factor	-0.08	0.15	-0.52	.60	-.05	.10	-0.52	.60
	Internalizing-specific	-0.14	0.20	-0.70	.48	-.08	.12	-0.70	.48
	Externalizing-specific	-0.29	0.24	-1.18	.24	-.17	.14	-1.20	.23
Predictor	Factor	Covariance	SE	Est./SE	p	Correlation	SE	Est./SE	p
Pubertal Timing*	Parent Report Method Factor	-0.17	0.06	-2.80	.005	-.30	.09	-3.51	<.001
	Child Report Method Factor	0.01	0.05	0.14	.89	.01	.08	0.14	.89
Pubertal Timing x Gender*	Parent Report Method Factor	-0.10	0.04	-2.46	.02	-.25	.09	-2.97	.003
	Child Report Method Factor	0.01	0.04	0.28	.78	.02	.08	0.28	.78

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity. * Sensitivity analyses showed that model parameters were not appreciably different when covariance between predictors and method factors was constrained to zero.

PUBERTAL TIMING TRANSDIAGNOSTIC

68

Table S13. P-factor model with parent report only as syndrome indicators.

Factor	Indicator	Unstandardized Loading	SE	Est./ SE	p	Standardized Loading	SE	Est./ SE	p
P Factor	CDI P	0.91	0.09	10.14	<.001	.59	.05	10.96	<.001
	MASC PH P	0.50	0.08	6.42	<.001	.37	.06	6.22	<.001
	MASC SA P	0.47	0.09	5.43	<.001	.30	.06	5.52	<.001
	CBCL CD P	1.62	0.14	11.96	<.001	.73	.06	11.97	<.001
	CBCL ODD P	1.25	0.11	11.51	<.001	.70	.07	10.57	<.001
	EATQ AG P	1.35	0.12	11.51	<.001	.65	.05	11.86	<.001
	SNAP Hyp. P	0.77	0.08	9.32	<.001	.53	.06	8.68	<.001
	SNAP Inatt. P	1.15	0.11	10.03	<.001	.59	.05	12.25	<.001
Internalizing-Specific	CDI P	0.51	0.07	7.13	<.001	.39	.05	8.16	<.001
	MASC PH P	0.61	0.09	6.87	<.001	.53	.06	8.64	<.001
	MASC SA P	0.45	0.09	5.11	<.001	.35	.06	5.85	<.001
	MASC SP P	0.35	0.12	2.87	.004	.30	.10	3.07	.002
Externalizing-Specific	CBCL CD P	1.05	0.18	5.98	<.001	.42	.07	6.28	<.001
	CBCL ODD P	0.93	0.13	7.24	<.001	.46	.06	7.54	<.001
	EATQ AG P	0.75	0.15	4.96	<.001	.32	.06	5.13	<.001
Predictor	Factor	Covariance	SE	Est./ SE	p	Correlation	SE	Est./ SE	p
Predictor	Outcome	Unstandardized Estimate	SE	Est./ SE	p	Standardized Estimate	SE	Est./ SE	p
Pubertal Timing	p Factor	0.65	0.17	3.78	<.001	.56	.12	4.52	<.001
	Internalizing-specific	0.77	0.21	3.65	<.001	.57	.13	4.50	<.001
	Externalizing-specific	-0.20	0.19	-0.11	.91	-.02	.18	-.11	.91
Gender (0=male, 1=female)	p Factor	-0.47	0.16	-2.99	.003	-.20	.07	-2.94	.003
	Internalizing-specific	0.92	0.23	4.07	<.001	.34	.07	4.54	<.001
	Externalizing-specific	0.33	0.22	1.49	.14	.16	.11	1.53	.13
Timing x Gender	p Factor	-0.25	0.17	-1.52	0.13	-.17	.11	-1.54	.13
	Internalizing-specific	0.03	0.23	0.14	0.89	.02	.13	.14	.89
	Externalizing-specific	-0.02	0.19	-0.08	0.93	-.01	.14	-.08	.93

Note: C = Child self-report; P = Parent report; CDI = Children's Depression Inventory; MASC = Manifest Anxiety Scale for Children; SA = social anxiety; PH = physical symptoms; SP = separation/panic symptoms; CBCL/YSR = Child Behavior Checklist/Youth Self Report; ODD = oppositional defiant disorder symptoms; CD = conduct disorder symptoms; EATQ = Early Adolescent Temperament Questionnaire; AG = aggression; SNAP = Swanson, Nolan, and Pelham scale; Inatt. = inattention; Hyp. = hyperactivity.

	<i>Syndrome Model w/o Covariance</i>				<i>Depression, Controlling for Others</i>				<i>Physical Sx, Controlling for Others</i>				<i>Social Anx, Controlling for Others</i>				<i>Separation Anx, Controlling for Others</i>				<i>Conduct Disorder, Controlling for Others</i>			
Factor	Var	SE	Est/ SE	<i>p</i>	Var	SE	Est/ SE	<i>p</i>	Var	SE	Est/ SE	<i>p</i>	Var	SE	Est/ SE	<i>p</i>	Var	SE	Est/ SE	<i>p</i>	Var	SE	Est/ SE	<i>p</i>
Depression	1.28	0.14	9.04	<.001	3.47	1.88	1.85	.07																

Table S14. Variances for latent factors in syndrome, internalizing and externalizing, and p-factor models

