

Table S1: Strains used in this study.

Collection number	Strain	Characteristics ^a	Reference or source
	<i>Escherichia coli</i>		
3044	DH5α λpir	<i>sup E44, ΔlacU169 (ΦlacZΔM15), recA1, endA1, hsdR17, thi-1, gyrA96, relA1, λpir</i> phage lysogen	V. de Lorenzo
	<i>Pseudomonas putida</i>		
1291	UWC1	Plasmid-free derivative of <i>P. putida</i> KT2440, Rif ^R	¹
2737	UWC1- <i>clc5</i>	Derivative of strain 1291 with one ICEclc copy integrated into <i>tRNA^{gly}-5</i>	²
4322	UWC1- <i>clc5, ΔmfsR</i>	Derivative of strain 2737 with an internal deletion in <i>mfsR</i>	³
5001	UWC1 <i>attB-echerry</i>	Derivative of strain 1291 (ICEclc free) with the mini-Tn5 <i>attB-echerry</i> conditional fluorescent trap. Used as mating recipient.	⁴
5214	UWC1- <i>clc5, lacO_{ARRAY}</i>	Derivative of strain 2737 with the <i>lacO</i> array inserted within <i>amnB</i> on ICEclc	This study
5216	UWC1- <i>clc5, ΔmfsR, lacO_{ARRAY}</i>	Derivative of strain 4322 with the <i>lacO</i> array inserted within <i>amnB</i> on ICEclc	This study
5222	UWC1- <i>clc5, lacO_{ARRAY}, Tn7 araC;lacI-cfp</i>	Derivative of strain 5214 with a mini-Tn7 <i>araC-P_{BAD}-lacI-cfp</i> insertion	This study
5224	UWC1- <i>clc5, ΔmfsR, lacO_{ARRAY}, Tn7 araC;lacI-cfp</i>	Derivative of strain 5216 with a mini-Tn7 <i>araC-P_{BAD}-lacI-cfp</i> insertion	This study
5228-5230	UWC1- <i>clc5, lacO_{ARRAY}, Tn7 araC; lacI-cfp, Tn5 P_{inR}-echerry</i>	Derivatives of 5222 with a mini-Tn5 <i>P_{inR}-echerry</i> insertion	This study
5231-5233	UWC1- <i>clc5, ΔmfsR, lacO_{ARRAY}, Tn7 araC; lacI-cfp, Tn5 P_{inR}-echerry</i>	Derivatives of 5224 with a mini-Tn5 <i>P_{inR}-echerry</i> insertion	This study
5235	UWC1- <i>clc5 Tn7 araC; lacI-cfp</i>	Derivative of strain 2737 with the mini-Tn7 <i>araC-P_{BAD}-lacI-cfp</i> insertion	This study
5236	UWC1- <i>clc5 ΔmfsR, Tn7 araC; lacI-cfp</i>	Derivative of strain 4322 with the mini-Tn7 <i>araC-P_{BAD}-lacI-cfp</i> insertion	This study
5248	UWC1 <i>attB-echerry, Tn7 araC; lacI-cfp</i>	Derivative of strain 5001 with mini-Tn7 <i>araC-P_{BAD}-lacI-cfp</i> insertion. ICEclc free. Used as mating recipient.	This study
5262	UWC1- <i>clc5, ΔattL, lacO_{ARRAY}, Tn7 araC; lacI-cfp</i>	Derivative of strain 5222 with a deletion of the <i>attL</i> site	This study
5345	UWC1- <i>clc5, ΔmfsR, ΔattL, lacO_{ARRAY}</i>	Derivative of strain 5216 with a deletion of the <i>attL</i> site	This study
5349	UWC1- <i>clc5, Pp_1867-lacO_{ARRAY}</i>	Derivative of strain 2737 with the <i>lacO</i> array inserted close to <i>Pp_1867</i> (12 kb upstream of ICEclc)	This study
5351	UWC1- <i>clc5, ΔmfsR, ΔattL, lacO_{ARRAY}, Tn7 araC; lacI-cfp</i>	Derivative of strain 5345 with the mini-Tn7 <i>araC-P_{BAD}-lacI-cfp</i> insertion	This study
5352-5355	UWC1- <i>clc5, ΔattL, lacO_{ARRAY}, Tn7 araC; lacI-cfp, Tn5 P_{inR}-echerry</i>	Derivatives of strain 5262 with a mini-Tn5 <i>P_{inR}-echerry</i> insertion	This study

5357-5359	UWC1-clc5, $\Delta mfsR$, $\Delta attL$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp, Tn5 P _{inR} -echerry	Derivatives of strain 5351 with a mini-Tn5 P _{inR} -echerry insertion	This study
5361	UWC1-clc5, Pp_1867- $lacO_{ARRAY}$, Tn7 araC; lacI-cfp	Derivative of strain 5349 with the mini-Tn7 araC-P _{BAD} -lacI-cfp insertion	This study
5451	UWC1-clc5, $\Delta tral$, $lacO_{ARRAY}$	Derivative of strain 5214 with a deletion in the relaxase gene (<i>orf50240</i>)	This study
5466	UWC1-clc5, $\Delta mfsR$, $\Delta tral$, $lacO_{ARRAY}$	Derivative of strain 5216 with a deletion in the relaxase gene (<i>orf50240</i>)	
5468	UWC1-clc5, $\Delta tral$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp	Derivative of strain 5451 with the mini-Tn7 araC-P _{BAD} -lacI-cfp insertion	This study
5469	UWC1-clc5, $\Delta mfsR$, $\Delta tral$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp	Derivative of strain 5466 with the mini-Tn7 araC-P _{BAD} -lacI-cfp insertion	This study
5484-5487	UWC1-clc5, $\Delta tral$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp, Tn5 P _{inR} -echerry	Derivatives of strain 5468 with a mini-Tn5 P _{inR} -echerry insertion	This study
5488-5491	UWC1-clc5, $\Delta mfsR$, $\Delta tral$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp, Tn5 P _{inR} -echerry	Derivatives of strain 5469 with a mini-Tn5 P _{inR} -echerry insertion	This study
5588	UWC1-clc5, Pp_1867- $tetO_{ARRAY}$, $lacO_{ARRAY}$	Derivative of strain 5214 with the insertion of a tetO array close to P1867 (12 kb upstream of ICEclc)	This study
5589	UWC1-clc5, Pp_1867- $tetO_{ARRAY}$, $\Delta mfsR$, $lacO_{ARRAY}$	Derivative of strain 5216 with the insertion of a tetO array close to P1867 (12 kb upstream of ICEclc)	This study
5591	UWC1-clc5, P1867- $tetO_{ARRAY}$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp /tetR-yfp	Derivative of strain 5588 with the mini-Tn7 araC-P _{BAD} -lacI-cfp; tetR-yfp insertion	This study
5592	UWC1-clc5, P1867- $tetO_{ARRAY}$, $\Delta mfsR$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp /tetR-yfp	Derivative of strain 5589 with the mini-Tn7 araC-P _{BAD} -lacI-cfp; tetR-yfp insertion	This study
5597	UWC1-clc5, $\Delta oriT1$, $lacO_{ARRAY}$	Derivative of strain 5214 with a deletion in <i>oriT1</i>	This study
5598	UWC1-clc5, $\Delta oriT2$, $lacO_{ARRAY}$	Derivative of strain 5214 with a deletion in <i>oriT2</i>	This study
5599	UWC1-clc5, $\Delta mfsR$, $\Delta oriT1$, $lacO_{ARRAY}$	Derivative of strain 5216 with a deletion in <i>oriT1</i>	This study
5601-5603	UWC1-clc5, P1867- $tetO_{ARRAY}$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp/tetR-yfp, Tn5 P _{inR} -echerry	Derivatives of strain 5591 with a mini-Tn5 P _{inR} -echerry insertion	This study
5605 5607 5608	UWC1-clc5, P1867- $tetO_{ARRAY}$, $\Delta mfsR$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp/tetR-yfp, Tn5 P _{inR} -echerry	Derivatives of strain 5592 with a mini-Tn5 P _{inR} -echerry insertion	This study
5647	UWC1-clc5, $\Delta oriT1$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp	Derivative of strain 5597 with the mini-Tn7 araC-P _{BAD} -lacI-cfp insertion	This study
5648	UWC1-clc5, $\Delta oriT2$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp	Derivative of strain 5598 with the mini-Tn7 araC-P _{BAD} -lacI-cfp insertion	This study
5712	UWC1-clc5 $\Delta oriT1$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp, Tn5 P _{inR} -echerry, Tn5 compl- <i>oriT1</i>	Derivative of strain 5688 complementing deletion of <i>oriT1</i> in trans	This study
5713	UWC1-clc5 $\Delta oriT2$, $lacO_{ARRAY}$, Tn7 araC; lacI-cfp, Tn5 P _{inR} -echerry, Tn5 compl- <i>oriT2</i>	Derivative of strain 5673 complementing deletion of <i>oriT2</i> in trans	This study

1. McClure, N. C., Weightman, A. J. & Fry, J. C. Survival of *Pseudomonas putida* UWC1 containing cloned catabolic genes in a model activated-sludge unit. *Appl Environ Microbiol* **55**, 2627-2634 (1989).
2. Sentchilo, V. et al. Intracellular excision and reintegration dynamics of the ICEclc genomic island of *Pseudomonas knackmussii* sp. strain B13. *Mol Microbiol* **72**, 1293-1306 (2009).
3. Pradervand, N. et al. An operon of three transcriptional regulators controls horizontal gene transfer of the Integrative and Conjugative Element ICEclc in *Pseudomonas knackmussii* B13. *PLoS Genet* **10**, e1004441 (2014).
4. Delavat, F., Mitri, S., Pelet, S. & van der Meer, J. R. Highly variable individual donor cell fates characterize robust horizontal gene transfer of an integrative and conjugative element. *Proc Natl Acad Sci U S A* **113**, E3375-3383 (2016).