

Discovery of 3-hydroxyphenylcarbamates as new antitubercular agents with potent *in vitro* and *in vivo* efficacy

Ya-juan Cheng^{[a]#}, Zhi-yong Liu^{[b]#}, Hua-ju Liang^[a], Niu-niu Zhang^[a], Tian-yu Zhang^{[b, c]*}, Ming Yan^{[a]*}

These two authors contribute equally to this study.

[a] School of Pharmaceutical Sciences, Sun Yat-sen University, Guangzhou 510006, China.

[b] State Key Laboratory of Respiratory Disease, Guangzhou Institutes of Biomedicine and Health, Chinese Academy of Science, Guangzhou 510530, China.



[c] University of Chinese Academy of Sciences (UCAS), Beijing 100049, China

*Corresponding authors, e-mail: zhang_tianyu@gibh.ac.cn (T. Y. Zhang); yanming@mail.sysu.edu.cn (M. Yan)



Supporting Information

1. Copies of NMR spectra of products



Compound 1a





Compound 1b





Compound 2a





Compound 2b





Compound 3a





Compound 3b





Compound 3c





Compound 3d





Compound 3e





Compound **3f**





Compound **3g**





Compound **3h**





Compound 3i





Compound 3j



Compound 3k





Compound 3I





Compound 3m



M74





Compound 3n





Compound 3o



Compound 3p



Compound 3q



Compound 3r

