

**Supplementary file 5: Preliminary areas of distress synthesized from scoping of assessment tools**

<b>Discussion Part 2: Domains</b>
<b>1 Intrusions</b> (DSMV/ICD/AAVHTQ) e.g. nightmares, flashbacks
<b>2 Avoidance</b> (DSMV/ICD/AAVHTQ) e.g., avoiding people, places that are reminders, dissociation
<b>3 Negative alterations in mood and cognitions</b> (DSMV) e.g., beliefs about self/others/world i.e., ‘always dangerous’
<b>4 Alterations in arousal and reactivity</b> (DSMV/ICD-AAVHTQ) e.g., heightened anxiety, irritability, aggression
<b>5 Emotion dysregulation</b> (ICD/AAVHTQ) e.g., unable to regulate/manage heightened emotion (anger) or emotional numbness
<b>6 Negative self-concept</b> (ICD/AAVHTQ) e.g., guilt, shame, worthlessness, altered meaning/beliefs
<b>7 Disturbed Relationships</b> (ICD/AAVHTQ) e.g., difficulty developing/maintaining close relationships, feeling isolated/disconnected
<b>8 Community Disconnection</b> (AVHTQ) e.g., feeling isolated/disconnected from one’s community/mob, may be due to conflict, D&A
<b>9 Identity loss/fragmentation</b> (AVHTQ) e.g., impacted cultural identity due to interpersonal trauma
<b>10 Grief and loss</b> (AVHTQ) e.g., unresolved or unintegrated grief and loss from interpersonal trauma
<b>11 Other cultural idioms distress</b> (AVHTQ) e.g., harm against self or others, D & A abuse, suicidality
<b>12 Depression</b>
<b>13 Psychosocial risks</b> (if so, which ones? Social determinants, parenting and family factors)
<b>14 Strengths</b> (if so, which ones? personal, relational, cultural e.g., spirituality, connection to county, coping skills etc.)
<b>15 Duration</b>
<b>16 Functional impact</b>
<b>17 Attribution (not due to medical or other)</b>
<b>18 Exposure</b> (if so, what language/events?)