

Supplementary Table 1: Recorded insight and clinical outcomes at 12, 24, 36, 48 and 60 months

	Recorded poor insight	
	Present (<i>n</i> =991)	Absent (<i>n</i> =1,035)
12 months		
Psychiatric hospitalisation (%)	33.76	18.84
Compulsory hospitalisation (%)	31.07	12.37
Number of unique antipsychotics (mean, SD)	1.86 (1.17)	1.34 (1.11)
Number of days spent as an inpatient (mean, SD)	38.92 (61.85)	12.49 (36.05)
24 months		
	(<i>n</i> =762)	(<i>n</i> =976)
Psychiatric hospitalisation (%)	44.88	28.48
Compulsory hospitalisation (%)	39.50	20.29
Number of unique antipsychotics (mean, SD)	1.92 (1.44)	1.90 (1.44)
Number of days spent as an inpatient (mean, SD)	42.91 (89.96)	40.87 (88.93)
36 months		
	(<i>n</i> =607)	(<i>n</i> =854)
Psychiatric hospitalisation (%)	49.26	33.96
Compulsory hospitalisation (%)	43.99	25.18
Number of unique antipsychotics (mean, SD)	2.14 (1.63)	2.06 (1.62)
Number of days spent as an inpatient (mean, SD)	60.97 (125.71)	54.68 (118.76)
48 months		
	(<i>n</i> =462)	(<i>n</i> =723)
Psychiatric hospitalisation (%)	53.68	38.45
Compulsory hospitalisation (%)	47.40	28.63
Number of unique antipsychotics (mean, SD)	2.34 (1.74)	2.16 (1.74)

Number of days spent as an inpatient (mean, SD)	77.75 (160.97)	65.14 (146.18)
60 months	<i>(n=331)</i>	<i>(n=595)</i>
Psychiatric hospitalisation (%)	56.19	41.51
Compulsory hospitalisation (%)	48.94	31.76
Number of unique antipsychotics (mean, SD)	2.48 (1.83)	2.24 (1.85)
Number of days spent as an inpatient (mean, SD)	92.44 (196.73)	74.01 (174.94)
