

Supplementary file 1: Fruit consumption and physical activity in children (principal outcomes), as analyzed as continuous variables.

PRINCIPAL OUTCOMES		INTERVENTION GROUP (n=750)			CONTROL GROUP (n=654)			P-value control vs intervention group ²
		Baseline mean (±SD)	End of intervention mean (±SD)	P-value ¹	Baseline mean (±SD)	End of intervention mean (±SD)	P-value ¹	
Physical activity hours/week	Boys	2.92 (±1.27)	3.04 (±1.3)	0.318	2.96 (±1.34)	3.26 (±1.12)	0.016	0.641
	Girls	2.5 (±1.29)	2.72 (±1.24)	0.106	2.82 (±1.28)	2.78 (±1.21)	0.777	0.050
	Total	2.73 (±1.29)	2.89 (±1.28)	0.069	2.88 (±1.31)	3.01 (±1.19)	0.167	0.282
Fruit portions/day	Boys	1.18 (±0.74)	1.3 (±0.7)	0.054	1.15 (±0.71)	1.18 (±0.77)	0.642	0.657
	Girls	1.19 (±0.73)	1.3 (±0.73)	0.131	1.16 (±0.7)	1.15 (±0.7)	0.885	0.554
	Total	1.18 (±0.74)	1.3 (±0.71)	0.015	1.15 (±0.71)	1.16 (±0.74)	0.842	0.371

±SD: Standard Deviation

¹ Mixed Models of Repeated Measures

² GLMs

*<0.05 Bold