

Corresponding author(s):	Burga, Ben-David and Kruglyak
Last updated by author(s):	May 1, 2019

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see Authors & Referees and the Editorial Policy Checklist.

<u> </u>			
St	at	isti	Γ

For	all statistical analyse	es, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.
n/a	Confirmed	
	The exact sam	ple size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	A statement or	n whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
	The statistical Only common te	test(s) used AND whether they are one- or two-sided sts should be described solely by name; describe more complex techniques in the Methods section.
	A description of	of all covariates tested
	A description of	of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	A full description AND variation	on of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
	For null hypoth Give P values as	nesis testing, the test statistic (e.g. F , t , r) with confidence intervals, effect sizes, degrees of freedom and P value noted exact values whenever suitable.
\boxtimes	For Bayesian a	nalysis, information on the choice of priors and Markov chain Monte Carlo settings
\boxtimes	For hierarchica	al and complex designs, identification of the appropriate level for tests and full reporting of outcomes
\boxtimes	Estimates of e	ffect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated
	'	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.
So	ftware and c	ode
Policy information about <u>availability of computer code</u>		
Da	ata collection	N/A

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

All ceX-QTL figures in this manuscript can be reproduced in Rstudio following the instructions in https://github.com/eyalbenda/

R, platypus, varscan, Freebayes, GATK, bcbio-nextgen pipeline (ver. 0.9.9), sambamba, bam-readcount (https://github.com/genome/

Data

Data analysis

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

Custom software can be found at github.com/eyalbenda/bulkpop.

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

cexQTLview.

bam-readcount).

Raw sequencing data has been deposited in SRA under accession number bioproject PRJNA529922. All ceX-QTL figures in this manuscript can be reproduced in Rstudio following the instructions in https://github.com/eyalbenda/cexQTLview. We have written an R package that implements the entire statistical pipeline, xQTLstats, and it is available on github (github.com/eyalbenda/xQTLstats).

Field-spe	ecific reporting	
Please select the o	ne below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.	
Life sciences	Behavioural & social sciences Ecological, evolutionary & environmental sciences	
For a reference copy of	the document with all sections, see nature.com/documents/nr-reporting-summary-flat.pdf	
Life scier	nces study design	
All studies must dis	sclose on these points even when the disclosure is negative.	
Sample size	Sample size of ceX-QTL mapping population was determined using power simuluations in R	
Data exclusions	No data was excluded	
Replication	We performed biological replicates of our mapping experiments	
Randomization	N/A	
Blinding	N/A	
Reportin	g for specific materials, systems and methods	
	on from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material,	
	ted is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.	
	perimental systems Methods P/a Unvalved in the study	
n/a Involved in th		
Eukaryotic		
Palaeontol	logy MRI-based neuroimaging	
	nd other organisms	
	search participants	
Clinical da	ta	
Animals and	other organisms	
Policy information	about <u>studies involving animals</u> ; <u>ARRIVE guidelines</u> recommended for reporting animal research	
Laboratory anima	als C. elegans N2 strain and isolate CB4856	
Wild animals	N/A	
Field-collected sa	amples N/A	
Ethics oversight	No special protocols are required for work with nematodes	
Note that full information on the approval of the study protocol must also be provided in the manuscript.		
Flavy Cytana		
Flow Cytom	ену	
Plots		
Confirm that:	s state the marker and fluorochrome used (e.g. CD4-FITC).	
The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).		
	contour plots with outliers or pseudocolor plots.	
	value for number of cells or percentage (with statistics) is provided.	

	i	
	Ç	1
	Ç	
	ŝ	
	(
	(1
	i	j
	(1
	Ç	ì
	(
	ı	ĺ

1 | reporting summary

Methodology

Sample preparation	C. elegans strains carrying a fluorescent transgenic reporter
Instrument	Union Biometrica large-particle Biosorter
Software	Standard software provided by Union Biometrica
Cell population abundance	N/A
Gating strategy	All sorted worms were fluorescent, high and low populations were defined as the two tails of the distribution and approximately 2000 individuals were collected for each group. The sorted population was synchronized by L1 starvation.
Tick this box to confirm t	hat a figure exemplifying the gating strategy is provided in the Supplementary Information.