

Supplementary Online Content

Chung KC, Yoon AP, Malay S, Shauver MJ, Wang L, Kaur S; FRANCHISE Group. Patient-reported and functional outcomes after revision amputation and replantation of digit amputations: the FRANCHISE multicenter international retrospective cohort study. *JAMA Surg*. Published online April 17, 2019. doi:10.1001/jamasurg.2019.0418

eTable. Factors Associated With Type of Treatment

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable. Factors Associated With Type of Treatment

Characteristics	OR (95% CI)	P values
Site		
Non-US	1	-
US	0.10 (0.01 , 0.22)	<0.001
Gender		
Men	1	-
Women	1.34 (0.59 , 3.08)	0.483
Race		
White	1	-
Non-white	1.42 (0.33 , 6.07)	0.636
Whether or not had insurance		
No	1	-
Yes	1.88 (0.86 , 4.13)	0.113
Annual Household Income		
Less than \$60,000	1	-
\$60,000 or more	1.71 (0.74 , 3.93)	0.21
Work-related injury		
No	1	-
Yes	1.36 (0.66 , 2.79)	0.405
Injury group		
Single finger, not thumb-Distal to PIP joint	1	-
Single finger, not thumb-Proximal to PIP joint	2.23 (0.76 , 6.57)	0.145
Thumb only- Distal to IP joint	3.92 (1.32 , 11.71)	0.014
Thumb only- Proximal to IP joint	5.77 (1.84 , 18.1)	0.003
Multi-finger, not thumb-2 digits amputated	1.83 (0.78 , 4.29)	0.164
Multi-finger, not thumb-3 or more digits amputated	7.72 (2.86 , 20.88)	<0.001
Multi-finger, including thumb-2 digits amputated	18.87 (2.72 , 131.09)	0.003
Multi-finger, including thumb-3 or more digits amputated	4.77 (0.98 , 23.14)	0.052