

Supplemental Table S1. Primers used for qRT-PCR and plasmid construction in this study.

Primer	Sequence (5' to 3')
ACTA-f	GTGACGAAGCACAGAGCAAA
ACTA-r	CTTTTCCATGTCGTCCCAGT
DDR2-f	TTTGGGGAGGTTTCATCTCTG
DDR2-r	ATTTTCACAGCCACCAGGAC
Desmin-f	AGGCAGCCAACAAGAACAAC
Desmin-r	GCCTCATCAGGGAATCGTTA
FAP-f	TTCATGATGGACGCACTGAT
FAP-r	TTCCTCTTTAGGCAGCTGGA
PDGFA-f	AGTCAGGGGAAACGATTGTG
PDGFA-r	TGCCTTTGCCTTTCACCTTCT
PDGFRB-f	ACGAGAAGAAAGGGGACGTT
PDGFRB-r	CAATGGTGGTTTTGCAGATG
S100A4-f	AGCTTCTTGGGGAAAAGGAC
S100A4-r	TCTTGGAAGTCCACCTCGTT
Vim-f	CGAAAACACCCTGCAATCTT
Vim-r	ATTCCACTTTGCGTTCAAGG
podoplanin-f	CTGCTCTTCGTTTTGGGAAG
podoplanin-r	TTCCTGGAGTCACCACATCA
syndecan-f	TGCTGTACCGCATGAAGAAG
syndecan-r	GCATAGAATTCCTCCTGTTTGG
GAPDH-f	AATGACCCCTTCATTGACCTC
GAPDH-r	TGGAAGATGGTGATGGGATT
FAP-1	TATA <u>ACCGGT</u> ATGAAGACTTGGGTAAAAATCGTAT
FAP-2	ATAT <u>GTCGACCT</u> AGTCTGACAAAGAGAAACTGCTT
mCherry-1	TATA <u>ACCGGT</u> ATGGTTTCAAAGGTGAAGAAG
mCherry-2	ATAT <u>AGATCT</u> TTTTATATAATTCATCCATACC
PDPN-1	TATA <u>ACCGGT</u> ATGTGGAAGGTGTCAGCTCTGCTCTTC
PDPN-2	ATAT <u>GTCGACCT</u> AGGGCGAGTACCTTCCCGACATTTTTTCGC