Supplementary Online Content

Zallman L, Finnegan KE, Himmelstein DU, Touw S, Woolhandler S. Implications of changing public charge immigration rules for children who need medical care. *JAMA Pediatr.* Published online July 1, 2019. doi:10.1001/jamapediatrics.2019.1744

eTable 1. Demographic Characteristics of Children With "Medical Need" at Risk of Losing Medicaid/CHIP Benefits Due to Proposed Public Charge Rules **eTable 2.** Medical Conditions and Care Needs of Children With "Medical Need" at Risk of Losing Medicaid/CHIP

This supplementary material has been provided by the authors to give readers additional information about their work.

| Characteristics | Children at risk (n=1,315) | | | Children not at risk (n=2,582) | | | <i>P</i> Value |
|---------------------------------|-------------------------------|-----------|------------------------|-----------------------------------|---------------|------------------------|----------------|
| | Unweighted N | Weighted | Weighted % (95% CI) | Unweighted N | Weighted N | Weighted % (95% Cl) | N/A |
| Total children | | | | | | | |
| Children with "medical need" | 1,315 | 5,376,498 | 64.6 (61.6-67.6) | 2,582 | 18,878,292 | 76.1 (73.9-78.4) | <.001 |
| Age | | | | | | | |
| 0-5 | 487 | 2,219,050 | 41.3 (37.3-45.3) | 871 | 6,879,242 | 36.4 (33.6-39.2) | .08 |
| 6-12 | 542 | 2,012,825 | 37.4 (34.0-40.9) | 1,071 | 7,398,134 | 39.2 (36.8-41.6) | |
| 13-17 | 286 | 1,144,622 | 21.3 (18.4-24.2) | 640 | 4,600,915 | 24.4 (21.7-27.1) | |
| Sex | | | | | | | |
| Male | 711 | 2,905,676 | 54.0 (50.0-58.0) | 1,375 | 9,672,485 | 51.2 (48.6-53.9) | .26 |
| Female | 604 | 2,470,821 | 46.0 (42.0-50.0) | 1,207 | 9,205,807 | 48.8 (46.1-51.4) | |
| Income (% FPL) | | | | | | | |
| 0-249 | 1,225 | 4,752,490 | 88.4 (85.3-91.5) | 2,288 | 15,489,430 | 82.0 (78.8-85.3) | .02 |
| 250-399 | 62 | 404,855 | 7.5 (5.2-9.9) | 219 | 2,161,391 | 11.4 (9.0-13.9) | |
| ≥400 | 28 | 219,153 | 4.1 (2.0-6.1) | 75 | 1,227,472 | 6.5 (4.3-8.7) | |
| Race/ethnicity | | | | | | | |
| Hispanic | 1,119 | 4,283,805 | 78.7 (74.3-85.1) | 798 | 3,791,659 | 20.1 (17.0-23.2) | <.001 |
| White, Non-Hispanic | 41 | 255,658 | 4.8 (1.8-7.7) | 655 | 8,443,827 | 44.7 (40.4-49.1) | |
| Black, Non- Hispanic | 66 | 398,730 | 7.4 (3.9-10.9) | 897 | 4,509,458 | 23.9 (20.3-27.5) | |
| Asian | 74 | 356,558 | 6.6 (4.0-9.2) | 40 | 262,511 | 1.4 (0.6-2.2) | |
| Other | 15 | 81,747 | 1.5 (0.3-2.8) | 192 | 1,870,837 | 9.9 (6.5-13.4) | |
| Immigration status | | | | | | | |
| Citizen | 1,059 | 4,030,632 | 91.8 (88.9-94.8) | 2,113 | 14,861,605 | 99.9 (99.9-100.0) | <.001 |
| Non-citizen | 63 | 357,893 | 8.1 (5.2-11.1) | 2 | 7,956 | 0.05 (0-0.14) | |

eTable 1. Demographic Characteristics of Children With "Medical Need" at Risk of Losing Medicaid and CHIP Benefits Because of Proposed Public Charge Rules

Abbreviations: FPL = federal poverty level, CHIP=Children's Health Insurance Plan

| | es Children at risk (n=1,315) | | | Children not at risk (n=2,582) | | | |
|---|-------------------------------------|---------------|------------------------|-----------------------------------|---------------|------------------------|----------------|
| | Unweighted N | Weighted N | Weighted % (95% CI) | Unweighted N | Weighted N | Weighted % (95% CI) | <i>P</i> Value |
| Total children with "medical need" | 1,315 | 5,376,498 | | 2,582 | 18,878,292 | | |
| Received a medical diagnosis in last year | 1,001 | 4,165,868 | 77.5 (74.4-80.5) | 2,028 | 14,937,277 | 79.1 (77.2-81.1) | .36 |
| Asthma** | 156 | 615,842 | 11.5 (9.2-13.7) | 615 | 3,528,654 | 18.7 (16.4-210) | <.001 |
| Attention deficit /hyperactivity disorder | 78 | 314,813 | 6.1 (4.4-7.9) | 463 | 3,533,304 | 19.6 (17.5-21.7) | <.001 |
| Other respiratory condition * | 367 | 1,512,031 | 32.3 (27.5-37.0) | 555 | 4,484,680 | 27.0 (23.9-30.2) | .07 |
| Influenza** | 153 | 662,150 | 14.1 (10.5-17.8) | 205 | 1,597,558 | 9.6 (7.4-11.8) | .03 |
| Gastrointestinal | 190 | 857,703 | 18.3 (15.2-21.5) | 361 | 3,027,363 | 18.2 (15.2-21.3) | .98 |
| Ear infection | 127 | 576,870 | 12.3 (9.2-15.4) | 272 | 2,398,220 | 14.5 (11.7-17.2) | .34 |
| Musculoskeletal and rheumatologic | 111 | 427,416 | 9.1 (7.3-11.0) | 225 | 1,750,310 | 10.5 (9.1-12.0) | .26 |
| Epilepsy** | 13 | 53,728 | 1.1 (0.5-1.8) | 29 | 209,951 | 1.3 (0.7-1.8) | .80 |
| Mental health | 18 | 79,791 | 1.7 (0.6-2.8) | 96 | 809,079 | 4.9 (3.5-6.2) | .001 |
| Ear,nose,throat,mouth, and sensory | 206 | 834,849 | 17.8 (14.3-21.3) | 359 | 2,883,939 | 17.4 (15.0-19.7) | .84 |
| Congenital abnormality developmental disorder | 39 | 141,670 | 3.0 (2.0-4.0) | 71 | 620,330 | 3.7 (2.6-4.9) | .37 |
| Genitourinary | 32 | 153,404 | 3.3 (1.9-4.7) | 57 | 463,278 | 2.8 (2.1-3.5) | .51 |
| Circulatory disorder | 18 | 61,414 | 1.3 (0.6-2.0) | 42 | 314,332 | 1.9 (1.1-2.6) | .27 |
| Other | 53 | 216,515 | 4.6 (2.8-6.4) | 136 | 1,047,197 | 6.3 (4.9-7.7) | .13 |
| Disabled | 145 | 583,700 | 10.9 (8.9-12.8) | 530 | 4,042,018 | 21.4 (18.8-24.0) | <.001 |
| Functionally impaired including walking | 69 | 321,666 | 6.2 (4.4-7.9) | 280 | 2,068,606 | 11.2 (9.1-13.4) | .006 |

| limitations or using assistive device | | | | | | | |
|---|-----|-----------|------------------|-------|------------|------------------|-------|
| Disabled due to mental health condition | 90 | 347,302 | 10.4 (7.9-12.9) | 349 | 2,717,310 | 21.6 (18.8-24.3) | <.001 |
| Needed specific treatment | 877 | 3,648,687 | 67.9 (64.1-71.6) | 1,946 | 14,894,799 | 78.9 (76.6-81.2) | <.001 |
| All newborns | 118 | 600,785 | 11.2 (8.8-13.6) | 217 | 1,818,913 | 9.6 (8.1-11.2) | .26 |
| Needed care for illness or injury | 393 | 1,765,447 | 39.9 (35.3-44.4) | 1,028 | 8,625,030 | 53.5 (49.3-50.7) | <.001 |
| Any care, test, or treatment | 335 | 1,314,471 | 25.1 (22.0-28.3) | 752 | 5,826,104 | 31.5 (28.9-34.1) | .002 |
| Specialist | 253 | 1,095,951 | 21.0 (18.0-24.0) | 557 | 4,492,758 | 24.3 (21.5-27.1) | .10 |
| Prescribed medication | 222 | 944,343 | 18.1 (15.0-21.1) | 777 | 5,770,301 | 31.3 (28.7-33.9) | <.001 |
| Therapy (physical, speech, or occupational) | 128 | 548,008 | 10.5 (8.3-12.7) | 346 | 2,565,068 | 13.9 (12.0-15.7) | .02 |
| Counseling | 96 | 399,804 | 7.7 (5.4-9.9) | 398 | 3,029,748 | 16.4 (14.2-18.5) | <.001 |

* excluding allergic rhinitis, viral upper respiratory tract infections, and influenza ** asthma, influenza, epilepsy, cancer, and diabetes are considered life threatening conditions Abbreviations: CHIP=Children's Health Insurance Plan