



Supplementary Figure 1 Age as a function of probability of tobacco use disorder. Adjusted multivariable fractional polynomial models were used to demonstrate age as a function of probability of tobacco use disorder. N_SMOKE = tobacco use disorder.



Supplementary Figure 3 Age as a function of probability of drug use disorder. Adjusted multivariable fractional polynomial models were used to demonstrate age as a function of probability of drug use disorder. N_DRUG = drug use disorder.



Supplementary Figure 2 Age as a function of probability of alcohol use disorder. Adjusted multivariable fractional polynomial models were used to demonstrate age as a function of probability of alcohol use disorder. N_ETOH = alcohol use disorder.

Supplementary Table 1 ICD-9-CM Codes Used to Identify Heart Failure Hospitalizations

| Code | Description |
|--------|---|
| 398.91 | Rheumatic heart failure (congestive) |
| 402.01 | Malignant hypertensive heart disease with heart failure |
| 402.11 | Benign hypertensive heart disease with heart failure |
| 402.91 | Unspecified hypertensive heart disease with heart failure |
| 404.01 | Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease Stage I through Stage IV, or unspecified |
| 404.03 | Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease Stage V or end-stage renal disease |
| 404.11 | Hypertensive heart and chronic kidney disease, benign, with heart failure and with chronic kidney disease Stage I through Stage IV, or unspecified |
| 404.13 | Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease Stage V or end-stage renal disease |
| 404.91 | Hypertensive heart and chronic kidney disease, unspecified, with heart failure and with chronic kidney disease Stage I through Stage IV, or unspecified |
| 404.93 | Hypertensive heart and chronic kidney disease, unspecified, with heart failure and chronic kidney disease Stage V or end-stage renal disease |
| 428.0 | Congestive heart failure unspecified |
| 428.1 | Left heart failure |
| 428.20 | Unspecified systolic heart failure |
| 428.21 | Acute systolic heart failure |
| 428.22 | Chronic systolic heart failure |
| 428.23 | Acute on chronic systolic heart failure |
| 428.30 | Unspecified diastolic heart failure |
| 428.31 | Acute diastolic heart failure |
| 428.32 | Chronic diastolic heart failure |
| 428.33 | Acute on chronic diastolic heart failure |
| 428.40 | Unspecified combined systolic and diastolic heart failure |
| 428.41 | Acute combined systolic and diastolic heart failure |
| 428.42 | Chronic combined systolic and diastolic heart failure |
| 428.43 | Acute on chronic combined systolic and diastolic heart failure |
| 428.9 | Heart failure unspecified |

ICD-9-CM = International Classification of Diseases = Ninth Revision-Clinical Modification.

Supplementary Table 2 ICD-9-CM and CCS Codes Used to Identify Tobacco, Alcohol, and Drug Use Disorders

| | |
|---------------------------|-----------------------------|
| Tobacco use ICD-9-CM code | |
| 305.1 | Tobacco use disorder |
| Alcohol use CCS code | |
| 660 | Alcohol-related disorders |
| Drug use CCS Code | |
| 661 | Substance-related disorders |

CCS = Clinical Classifications Software; ICD-9-CM = International Classification of Diseases = Ninth Revision-Clinical Modification.

Supplementary Table 3 ICD-9-CM Definitions Used for Drug Use Disorder Subcategories

Cocaine use by ICD-9-CM

| | |
|-------|----------------------------------|
| 30420 | Cocaine dependence, unspecified |
| 30421 | Cocaine dependence, continuous |
| 30422 | Cocaine dependence, episodic |
| 30423 | Cocaine dependence, in remission |

Cannabis use by ICD-9-CM

| | |
|-------|-----------------------------------|
| 30430 | Cannabis dependence, unspecified |
| 30431 | Cannabis dependence, continuous |
| 30432 | Cannabis dependence, episodic |
| 30433 | Cannabis dependence, in remission |
| 30520 | Cannabis abuse, unspecified |
| 30521 | Cannabis abuse, continuous |
| 30522 | Cannabis abuse, episodic |
| 30523 | Cannabis abuse, in remission |

Opioid use by ICD-9-CM

| | |
|-------|---|
| 30400 | Opioid type dependence, unspecified |
| 30401 | Opioid type dependence, continuous |
| 30402 | Opioid type dependence, episodic |
| 30403 | Opioid type dependence, in remission |
| 30470 | Combinations of opioid type drug with any other drug dependence, unspecified |
| 30471 | Combinations of opioid type drug with any other drug dependence, continuous |
| 30472 | Combinations of opioid type drug with any other drug dependence, episodic |
| 30473 | Combinations of opioid type drug with any other drug dependence, in remission |
| 30550 | Opioid abuse, unspecified |
| 30551 | Opioid abuse, continuous |
| 30552 | Opioid abuse, episodic |
| 30553 | Opioid abuse, in remission |
| 76072 | Narcotics affecting fetus or newborn via placenta or breast milk |
| 96500 | Poisoning by opium (alkaloids), unspecified |
| 96501 | Poisoning by heroin |
| 96502 | Poisoning by methadone |
| 96509 | Poisoning by other opiates and related narcotics |

Amphetamine use by ICD-9-CM

| | |
|-------|---|
| 30440 | Amphetamine and other psychostimulant dependence, unspecified |
| 30441 | Amphetamine and other psychostimulant dependence, continuous |
| 30442 | Amphetamine and other psychostimulant dependence, episodic |
| 30443 | Amphetamine and other psychostimulant dependence, in remission |
| 30570 | Amphetamine or related acting sympathomimetic abuse, unspecified |
| 30571 | Amphetamine or related acting sympathomimetic abuse, continuous |
| 30572 | Amphetamine or related acting sympathomimetic abuse, episodic |
| 30573 | Amphetamine or related acting sympathomimetic abuse, in remission |

Psychotherapeutic use by ICD-9-CM

| | |
|-------|---|
| 30410 | Sedative, hypnotic or anxiolytic dependence, unspecified |
| 30411 | Sedative, hypnotic or anxiolytic dependence, continuous |
| 30412 | Sedative, hypnotic or anxiolytic dependence, episodic |
| 30413 | Sedative, hypnotic or anxiolytic dependence, in remission |
| 30540 | Sedative, hypnotic or anxiolytic abuse, unspecified |
| 30541 | Sedative, hypnotic or anxiolytic abuse, continuous |
| 30542 | Sedative, hypnotic or anxiolytic abuse, episodic |
| 30543 | Sedative, hypnotic or anxiolytic abuse, in remission |
| 30580 | Antidepressant type abuse, unspecified |
| 30581 | Antidepressant type abuse, continuous |
| 30582 | Antidepressant type abuse, episodic |
| 30583 | Antidepressant type abuse, in remission |

Hallucinogen use by ICD-9-CM

| | |
|-------|--------------------------------------|
| 30450 | Hallucinogen dependence, unspecified |
| 30451 | Hallucinogen dependence, continuous |

| | |
|-----------------------|--|
| 30452 | Hallucinogen dependence, episodic |
| 30453 | Hallucinogen dependence, in remission |
| 30530 | Hallucinogen abuse, unspecified |
| 30531 | Hallucinogen abuse, continuous |
| 30532 | Hallucinogen abuse, episodic |
| 30533 | Hallucinogen abuse, in remission |
| 76073 | Hallucinogenic agents affecting fetus or newborn via placenta or breast milk |
| Other use by ICD-9-CM | |
| 2920 | Drug withdrawal |
| 29282 | Drug-induced persisting dementia |
| 29283 | Drug-induced persisting amnesic disorder |
| 29284 | Drug-induced mood disorder |
| 29285 | Drug induced sleep disorders |
| 29289 | Other specified drug-induced mental disorders |
| 2929 | Unspecified drug-induced mental disorder |
| 30460 | Other specified drug dependence, unspecified |
| 30461 | Other specified drug dependence, continuous |
| 30462 | Other specified drug dependence, episodic |
| 30463 | Other specified drug dependence, in remission |
| 30480 | Combinations of drug dependence excluding opioid type drug, unspecified |
| 30481 | Combinations of drug dependence excluding opioid type drug, continuous |
| 30482 | Combinations of drug dependence excluding opioid type drug, episodic |
| 30483 | Combinations of drug dependence excluding opioid type drug, in remission |
| 30490 | Unspecified drug dependence, unspecified |
| 30491 | Unspecified drug dependence, continuous |
| 30492 | Unspecified drug dependence, episodic |
| 30493 | Unspecified drug dependence, in remission |
| 30590 | Other, mixed, or unspecified drug abuse, unspecified |
| 30591 | Other, mixed, or unspecified drug abuse, continuous |
| 30592 | Other, mixed, or unspecified drug abuse, episodic |
| 30593 | Other, mixed, or unspecified drug abuse, in remission |
| 64830 | Drug dependence of mother, unspecified as to episode of care or not applicable |
| 64831 | Drug dependence of mother, delivered, with or without mention of antepartum condition |
| 64832 | Drug dependence of mother, delivered, with mention of postpartum complication |
| 64833 | Drug dependence of mother, antepartum condition or complication |
| 64834 | Drug dependence of mother, postpartum condition or complication |
| 29211 | Drug-induced psychotic disorder with delusions |
| 29212 | Drug-induced psychotic disorder with hallucinations |
| 2922 | Pathological drug intoxication |
| 29281 | Drug-induced delirium |
| 65550 | Suspected damage to fetus from drugs, affecting management of mother, unspecified as to episode of care or not applicable |
| 65551 | Suspected damage to fetus from drugs, affecting management of mother, delivered, with or without mention of antepartum condition |
| 65553 | Suspected damage to fetus from drugs, affecting management of mother, antepartum condition or complication |
| 7795 | Drug withdrawal syndrome in newborn |
| V6542 | Counseling on substance use and abuse |