

Supplementary Online Content

Kerola T, Eranti A, Aro AL, et al. Risk factors associated with atrioventricular block. *JAMA Netw Open*. 2019;2(5):e194176. doi:10.1001/jamanetworkopen.2019.4176

eTable. Characteristics of the Study Population and Individuals Excluded Due to Early Death (n = 854), Missing/Poor Quality ECG (n = 200), or Other Missing Covariate (n = 17)

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable. Characteristics of the Study Population and Individuals Excluded Due to Early Death (n = 854), Missing/Poor Quality ECG (n = 200), or Other Missing Covariate (n = 17)

Characteristics	Study participants (n=6146)	Individuals excluded (n=1071)	p
Age, mean (SD), years	49.2 (12.9)	63.8 (14.5)	<.001
Sex, n (%), male	2697 (44)	625 (59)	<.001
Height, mean, (SD), cm	165.8 (9.4)	164.7 (9.9)	<.001
Weight, mean, (SD), kg	71.3 (13.0)	70.2 (13.6)	<.001
Body mass index, mean (SD), kg/m ²	25.9 (4.1)	25.8 (4.2)	.054
Heart rate, mean (SD), beats per minute	67.5 (13.2)	73.5 (16.4)	<.001
Systolic blood pressure, mean (SD), mmHg	141.4 (21.8)	154.8 (26.7)	<.001
Diastolic blood pressure, mean (SD), mmHg	86.6 (11.3)	88.4 (12.8)	<.001
Hypertension, n (%)	3510 (57)	820 (77)	<.001
Diabetes, n (%)	225 (4)	187 (18)	<.001
Angina pectoris, n (%)	244 (4)	152 (14)	<.001
Myocardial infarction, n (%)	160 (3)	130 (12)	<.001
Congestive heart failure, n (%)	123 (2)	136 (13)	<.001
Blood pressure lowering medication, n (%)	791 (13)	252 (24)	<.001
Alcohol consumption, median (IQR), grams/week	7.0 (0–49)	0 (0–24)	<.001
Smoking status			<.001
<i>non smoker, n (%)</i>	3473 (57)	526 (49)	
<i>ex-smoker, n (%)</i>	1264 (21)	241 (23)	
<i>current smoker, n (%)</i>	1409 (23)	294 (27)	
Cholesterol, mean (SD), mg/dL	267 (54)	271 (58)	.051
High-density lipoprotein, mean (SD), mg/dL	66 (15)	62 (15)	<.001
Triglycerides, mean (SD), mg/dL	58 (39)	73 (22)	<.001
Fasting glucose, mean (SD), mg/dL	95 (22)	108 (47)	.001

Data are presented as means ± SD, medians (interquartile range [IQR]) or numbers (percentage). P values are based on Student's t-test, chi-square test and Mann-Whitney U test. To convert cholesterol, high-density lipoprotein and triglycerides from mg/dL to mmol/l multiply with 0.02586. To convert fasting glucose from mg/dL to mmol/l multiply with 0.05556.