

Hypoxia-induced Downregulation of SRC-3 Suppresses Trophoblastic Invasion and Migration Through Inhibition of the AKT/mTOR Pathway: Implications for the Pathogenesis of Preeclampsia

Chengjin He^{1,2,3#}, Nan Shan^{1,2,3#}, Ping Xu^{1,2,3}, Huisheng Ge^{1,2,3}, Yu Yuan^{1,2,3}, Yangming Liu^{1,2,3}, Pu Zhang⁴, Li Wen^{1,2,3}, Fumei Zhang^{1,2,3}, Liling Xiong^{1,2,3}, Chuan Peng³, Hongbo Qi^{1,2,3*}, Chao Tong^{1,2,3*}, Philip N. Baker^{2,5,6}

¹ Department of Obstetrics, The First Affiliated Hospital of Chongqing Medical University, Chongqing 400016, China;

² International Collaborative Joint Laboratory of Reproduction and Development, Ministry of Education of China, Chongqing Medical University, Chongqing 400016, China;

³ State Key Laboratory of Maternal and Fetal Medicine of Chongqing Municipality, The First Affiliated Hospital of Chongqing Medical University, Chongqing 400016, China;

⁴ College of Pharmacy, Chongqing Medical University, Chongqing 400016, China

⁵ Liggins Institute, University of Auckland, Auckland 1142, New Zealand;

⁶ College of Medicine, Biological Sciences and Psychology, University of Leicester, Leicester LE1 7RH, UK.

These authors contributed equally to this work.

*Correspondence to Prof. Chao Tong and Prof. Hongbo Qi.

Address: Department of Obstetrics, The First Affiliated Hospital of Chongqing Medical University, 1 Youyi Road, Yuzhong District, Chongqing 400016, China

Tel: +86 23 89011101 (H.Q); +86 23 89011865 (C.T).

Fax: +86 23 89011102 (H.Q); +86 23 89011791(C.T);

Email: chaotongcqmu@163.com (C.T); qihongbo728@163.com (H.Q)

Supplementary Figures




Fig. S1. Full-length blots of SRC-3 in Fig.1B.




Fig. S2. Full-length blots of β -actin in Fig.1B.




Fig. S3. Full-length blots of p-AKT^{ser473} in Fig.1C.




Fig. S4. Full-length blots of t-AKT in Fig.1C.




Fig. S5. Full-length blots of p-mTOR^{ser2448} in Fig.1C.




Fig. S6. Full-length blots of t-mTOR in Fig.1C.




Fig. S7. Full-length blots of β -actin in Fig.1C.




Fig. S8. Full-length blots of SRC-3 in Fig.2B.




Fig. S9. Full-length blots of β -actin in Fig.2B.




Fig. S10. Full-length blots of SRC-3 in Fig.3C.




Fig. S11. Full-length blots of p-AKT^{ser473} in Fig.3C.




Fig. S12. Full-length blots of t-AKT in Fig.3C.




Fig. S13. Full-length blots of p-mTOR^{ser2448} in Fig.3C.




Fig. S14. Full-length blots of t-mTOR in Fig.3C.




Fig. S15. Full-length blots of β -actin in Fig.3C.




Fig. S16. Full-length gels of MMP2 in Fig.3D.




Fig. S17. Full-length blots of SRC-3 (upper panel) in Fig.4B.




Fig. S18. Full-length blots of AKT (upper panel) in Fig.4B.




Fig. S19. Full-length blots of AKT (lower panel) in Fig.4B.




Fig. S20. Full-length blots of SRC-3 (lower panel) in Fig.4B.




Fig. S21. Full-length blots of HIF1- α in Fig.5A.




Fig. S22. Full-length blots of β -actin in Fig.5A.




Fig. S23. Full-length blots of SRC-3 in Fig.5C.




Fig. S24. Full-length blots of p-AKT^{ser473} in Fig.5C.




Fig. S25. Full-length blots of t-AKT in Fig.5C.




Fig. S26. Full-length blots of p-mTOR^{ser2448} in Fig.5C.




Fig. S27. Full-length blots of t-mTOR in Fig.5C.




Fig. S28. Full-length blots of β-actin in Fig.5C.




Fig. S29. Full-length gels of MMP2 in Fig.5F.