

Scarless Wound Closure by Mussel-Inspired Poly(amidoamine) Tissue Adhesive with Tunable Degradability

Bo Peng,^{1,3} Xinyi Lai,¹ Lei Chen,² Xuemei Lin,¹ Chengxin Sun,¹ Lixin Liu,^{1,*} Shaohai Qi,^{2,*} Yongming Chen,^{1,*} Kam W. Leong³

¹ Center of Functional Biomaterials, School of Material Science and Engineering, Sun Yat-sen University; Key Laboratory for Polymeric Composite and Functional Materials of Ministry of Education, Sun Yat-sen University, Guangzhou 510275, Guangdong, China

² Department of Burns Surgery, The First Affiliated Hospital of Sun Yat-sen University, Guangzhou 510080, Guangdong, China

³ Department of Biomedical Engineering, Columbia University, New York, NY 10025, USA

KEYWORDS: Adhesive; Dopamine; Poly(amidoamine); Wound healing; Zwitterionic polymer




Figure S1. SEC traces of (A) CPAA, (B) CPAE-1, (C) CPAE-2 and (D) CPAE-3 in DMF.




Figure S2. ^1H NMR spectrum of CPAA-ZS-53 in DMSO-d_6 .




Figure S3. Microscope images of RAW264.7 cells grew on (A) CPAA-ZS-11; (B) CPAA-ZS-15; (C) CPAA-ZS-18; (D)CPAA-ZS-21; (E) CPAA-ZS-34; (F) CPAA-ZS-53 coated 24-well plate.