

Supplementary Information

Effective Estimation of Ligand-Binding Affinity using Biased Sampling Method

Son Tung Ngo,^{a,b,*} Khanh B. Vu,^c Le Minh Bui,^c and Van V. Vu^{c*}

^aLaboratory of Theoretical and Computational Biophysics, Ton Duc Thang University, Ho Chi Minh








City, Vietnam,


^bFaculty of Applied Sciences, Ton Duc Thang University, Ho Chi Minh City, Vietnam,




^cNTT Hi-Tech Institute, Nguyen Tat Thanh University, Ho Chi Minh City, Vietnam.

*Email: ngosontung@tdtu.edu.vn; vanvu@ntt.edu.vn

Table S1. List of ligands and their structure

N#	Complexes	Protein	Ligand
1	1AU0	CTSK	
2	1AU2	CTSK	
3	1MEM	CTSK	
4	1NLJ	CTSK	
5	2FTD	CTSK	
<hr/>			
6	1GU1	DHQase	
7	2C4W	DHQase	



15	3RLQ	HSP90	
16	1FOR	FXa	
17	1KSN	FXa	
18	1NFU	FXa	
19	2J34	FXa	
20	1FJS	FXa	




Figure S1. The recorded values of pulling force over FPL simulations




Figure S2. The displacement of the ligand center of mass during FPL simulations