

Supplementary table S1. Data analyzed by report

Reference	Report	State	Species	Analyzed	Positives	Serological method	Antigen
Hjelle, B., Anderson, B., Torrez-Martinez, N., Song, W., Gannon, W. L., & Yates, T. L. (1995). Prevalence and geographic genetic variation of hantaviruses of New World harvest mice (<i>Reithrodontomys</i>): identification of a divergent genotype from a Costa Rican <i>Reithrodontomys mexicanus</i> . <i>Virology</i> , 207(2), 452–9. http://doi.org/10.1006/viro.1995.1104	Article	Oaxaca	<i>Reithrodontomys megalotis</i>	6	0	ELISA	SNV
Mantooth, S. J., Milazzo, M. L., Bradley, R. D., Hice, C. L., Ceballos, G., Tesh, R. B., & Fulhorst, C. F. (2001). Geographical distribution of rodent-associated hantaviruses in Texas. <i>Journal of Vector Ecology</i> , 26(1), 7–14.	Article	México	<i>Peromyscus hylocetes</i>	8	2	ELISA	CADV
			<i>Peromyscus melanotis</i>	9	2		
		Coahuila	<i>Peromyscus eremicus</i>	1	0	ELISA	CADV
			<i>Dipodomys merriami</i>	2	0		
Suzán, G., Ceballos, G., Mills, J., Ksiazek, T. G., & Yates, T. (2001). Serologic evidence of hantavirus infection in sigmodontine rodents in Mexico. <i>Journal of Wildlife Diseases</i> , 37(2), 391–393. http://doi.org/10.7589/0090-3558-37.2.391	Article	Mexico City	<i>Peromyscus maniculatus</i>	8	1	ELISA	SNV
			<i>Microtus mexicanus</i>	1	0		
			<i>Reithrodontomys sumichrasti</i>	1	1		
		Jalisco	<i>Baiomys musculus</i>	2	0		
			<i>Osgoodomys banderanus</i>	6	0		
			<i>Oryzomys palustris</i>	1	0		
Vado-Solís, I., Pérez-Osorio, C., Lara-Lara, J., Ruiz-Piña, H. a, Cárdenas-Marrufo, M., Milazzo, M. L., ... Zavala-Velázquez, J. (2003). Evidencia serológica de infección por Hantavirus en población humana del estado de Yucatán, México. <i>Revista de Biomedicina</i> , 14(4), 221–225. Retrieved from http://www.uady.mx/sitios/biomedic/revbiomed/pdf/rb031442.pdf	Article	Yucatán	<i>Liomys pictus</i>	14	0		
			<i>Oligoryzomys fulvescens</i>	1	0		
			<i>Peromyscus yucatanicus</i>	69	0		
			<i>Rattus rattus</i>	12	0		
			<i>Reithrodontomys gracilis</i>	2	0		
			<i>Sigmodon hispidus</i>	8	0		
			<i>Baiomys taylori</i>	1	0		
			<i>Chaetodipus hispidus</i>	2	0		
			<i>Chaetodipus penicillatus</i>	17	0		
			<i>Dipodomys merriami</i>	4	0		
De la Garza Ortiz, F. L. (2003). Identificación de la Presencia del Virus Sin Nombre en Roedores Silvestres del Noreste de México (Hantavirus: Bunyaviridae). Universidad Autónoma de Nuevo León.	Thesis	Nuevo León	<i>Liomys irroratus</i>	1	0	ELISA	SNV
			<i>Mus musculus</i>	21	0		
			<i>Neotoma albigula</i>	7	0		
			<i>Neotoma mexicana</i>	1	0		
			<i>Neotoma micropus</i>	16	0		
			<i>Onychomys leucogaster</i>	4	0		
			<i>Oryzomys couesi</i>	3	0		

			<i>Perognathus flavus</i>	1	0		
			<i>Peromyscus eremicus</i>	7	0		
			<i>Peromyscus leucopus</i>	46	2		
			<i>Peromyscus levipes</i>	11	2		
			<i>Peromyscus maniculatus</i>	7	0		
			<i>Peromyscus pectoralis</i>	19	2		
			<i>Rattus rattus</i>	2	0		
			<i>Sigmodon hispidus</i>	15	2		
			<i>Chaetodipus hispidus</i>	7	0		
			<i>Mus musculus</i>	1	0		
	Tamaulipas		<i>Neotoma micropus</i>	13	0	ELISA	SNV
			<i>Onychomys leucogaster</i>	5	0		
			<i>Peromyscus leucopus</i>	12	0		
			<i>Sigmodon hispidus</i>	4	0		
			<i>Liomys pictus</i>	18	0		
			<i>Liomys spectabilis</i>	6	0		
			<i>Baiomys musculus</i>	77	1		
			<i>Osgoodomys banderanus</i>	9	0		
Chu, Y.-K., Owen, R. D., Sánchez-Hernández, C., Romero-Almaraz, M. de L., & Jonsson, C. B. (2008). Genetic characterization and phylogeny of a hantavirus from Western Mexico. <i>Virus Research</i> , 131(2), 180–188. http://doi.org/10.1016/j.virusres.2007.09.007	Article	Colima	<i>Peromyscus perfulvus</i>	16	0	IFA	SNV
			<i>Reithrodontomys fulvescens</i>	18	0		
			<i>Oryzomys couesi</i>	358	23		
			<i>Sigmodon mascotensis</i>	87	6		
			<i>Nyctomys sumichrasti</i>	1	0		
			<i>Peromyscus pectoralis</i>	62	0		
			<i>Sigmodon toltecus</i>	34	0		
			<i>Oryzomys couesi</i>	21	0		
			<i>Liomys irroratus</i>	13	0		
			<i>Baiomys taylori</i>	9	0		
Castro-Arellano, I., Suzán, G., León, R. F., Jiménez, R. M., & Lacher, T. E. (2009). Survey for antibody to hantaviruses in Tamaulipas, Mexico. <i>Journal of Wildlife Diseases</i> , 45(1), 207–212. http://doi.org/10.7589/0090-3558-45.1.207	Article	Tamaulipas	<i>Oligoryzomys fulvescens</i>	6	0	ELISA	SNV
			<i>Rattus rattus</i>	3	0		
			<i>Reithrodontomys fulvescens</i>	2	0		
			<i>Mus musculus</i>	1	0		
			<i>Oryzomys rostratus</i>	1	0		
			<i>Peromyscus levipes</i>	31	7		
			<i>Peromyscus ochraventer</i>	11	0		

	<i>Oryzomys chapmani</i>	4	0		
Chiapas	<i>Oryzomys couesi</i>	7	1	ELISA	CADV
	<i>Baiomys musculus</i>	6	1		
Guerrero	<i>Baiomys musculus</i>	1	0	ELISA	CADV
	<i>Peromyscus levipes</i>	2	0		
	<i>Peromyscus megalops</i>	29	1		
	<i>Reithrodontomys sumichrasti</i>	18	3		
Jalisco	<i>Baiomys taylori</i>	13	1	ELISA	CADV
	<i>Peromyscus spicilegus</i>	9	2		
México	<i>Peromyscus hyllocetes</i>	8	2	ELISA	CADV
	<i>Peromyscus levipes</i>	1	0		
	<i>Peromyscus melanotis</i>	9	2		
Michoacan	<i>Peromyscus melanotis</i>	1	0	ELISA	CADV
	<i>Peromyscus spp</i>	1	0		
	<i>Reithrodontomys microdon</i>	1	1		
	<i>Reithrodontomys sumichrasti</i>	2	2		
Nayarit	<i>Peromyscus spp</i>	27	1	ELISA	CADV
Nuevo León	<i>Peromyscus eremicus</i>	5	1	ELISA	CADV
	<i>Peromyscus leucopus</i>	1	0		
	<i>Peromyscus maniculatus</i>	9	1		
	<i>Reithrodontomys megalotis</i>	3	0		
	<i>Peromyscus levipes</i>	21	3		
	<i>Reithrodontomys megalotis</i>	1	0		
San Luís Potosi	<i>Peromyscus eremicus</i>	6	0	ELISA	CADV
	<i>Peromyscus maniculatus</i>	5	1		
	<i>Reithrodontomys megalotis</i>	5	0		
	<i>Peromyscus levipes</i>	16	1		
Tamaulipas	<i>Peromyscus ochraeater</i>	11	2	ELISA	CADV
	<i>Peromyscus leucopus</i>	7	1		
	<i>Baiomys taylori</i>	1	0		
Veracruz	<i>Peromyscus leucopus</i>	6	1	ELISA	CADV
	<i>Peromyscus maniculatus</i>	4	0		
	<i>Peromyscus melanotis</i>	2	0		
	<i>Reithrodontomys megalotis</i>	8	3		
	<i>Baiomys musculus</i>	1	0		

Milazzo, M. L., Cajimat, M. N. B., Romo, H. E., Estrada-Franco, J. G., Ignacio Iñiguez-Dávalos, L., Bradley, R. D., & Fulhorst, C. F. (2012). Geographic distribution of hantaviruses associated with Neotomine and Sigmodontine rodents, Mexico. *Emerging Infectious Diseases*, 18(4), 571–576. <http://doi.org/10.3201/eid1804.111028>

Article

	<i>Peromyscus maniculatus</i>	1	1		
	<i>Peromyscus melanotis</i>	23	0		
	<i>Reithrodontomys megalotis</i>	9	1		
	<i>Peromyscus melanotis</i>	34	1		
	<i>Reithrodontomys megalotis</i>	3	1		
Chihuahua	<i>Baiomys taylori</i>	2	0		
	<i>Peromyscus boylii</i>	3	0		
	<i>Peromyscus truei</i>	1	0	ELISA	CADV
	<i>Peromyscus spp</i>	1	0		
	<i>Reithrodontomys fulvescens</i>	1	0		
	<i>Sigmodon ochrognathus</i>	1	0		
Coahuila	<i>Peromyscus eremicus</i>	8	0		
	<i>Peromyscus hooperi</i>	6	0	ELISA	CADV
	<i>Peromyscus pectoralis</i>	2	0		
Guanajuato	<i>Baiomys taylori</i>	1	0		
	<i>Peromyscus melanophrys</i>	5	0	ELISA	CADV
	<i>Sigmodon mascotensis</i>	2	0		
Oaxaca	<i>Baiomys musculus</i>	14	0		
	<i>Habromys ixtlani</i>	5	0		
	<i>Hodomys alleni</i>	1	0		
	<i>Neotoma mexicana</i>	3	0		
	<i>Oryzomys alfaroi</i>	1	0		
	<i>Oryzomys couesi</i>	1	0		
	<i>Peromyscus aztecus</i>	1	0	ELISA	CADV
	<i>Peromyscus batae</i>	21	0		
	<i>Peromyscus difficilis</i>	1	0		
	<i>Reithrodontomys fulvescens</i>	1	0		
	<i>Reithrodontomys microdon</i>	1	0		
<i>Sigmodon mascotensis</i>	14	0			
Puebla	<i>Baiomys taylori</i>	4	0		
	<i>Peromyscus gratus</i>	5	0		
	<i>Peromyscus melanophrys</i>	5	0	ELISA	CADV
	<i>Reithrodontomys fulvescens</i>	1	0		
Sinaloa	<i>Baiomys taylori</i>	9	0	ELISA	CADV
Sonora	<i>Neotoma albigula</i>	6	0	ELISA	CADV

		<i>Onychomys torridus</i>	3	0		
		<i>Peromyscus boylii</i>	6	0		
		<i>Peromyscus merriami</i>	6	0		
		<i>Peromyscus schmidlyi</i>	1	0		
		<i>Peromyscus difficilis</i>	8	0		
	Tlaxcala	<i>Peromyscus maniculatus</i>	1	0	ELISA	CADV
		<i>Reithrodontomys megalotis</i>	7	0		
		<i>Heteromys irruratus</i>	2	0		
		<i>Microtus mexicanus</i>	15	0		
		<i>Mus musculus</i>	12	0		
	Morelos	<i>Neotoma alstoni</i>	2	0	ELISA	SNV & MTNV
		<i>Neotoma mexicana</i>	1	0		
		<i>Peromyscus hylocetes</i>	13	0		
		<i>Peromyscus maniculatus</i>	2	0		
		<i>Reithrodontomys megalotis</i>	25	2		
		<i>Baiomys musculus</i>	5	0		
		<i>Heteromys irruratus</i>	13	0		
		<i>Heteromys pictus</i>	5	0		
		<i>Hodomys alleni</i>	4	0		
		<i>Megadontomys thomasi</i>	9	1		
		<i>Neotoma picta</i>	6	1		
		<i>Handleyomys melanotis</i>	2	0		
		<i>Oryzomys couesi</i>	16	0		
		<i>Handleyomys alfaroi</i>	3	0		
	Guerrero	<i>Osgoodomys banderanus</i>	36	0	ELISA	SNV & MTNV
		<i>Peromyscus mexicanus</i>	10	0		
		<i>Peromyscus aztecus</i>	1	1		
		<i>Peromyscus batae</i>	127	31		
		<i>Peromyscus lepturus</i>	5	0		
		<i>Peromyscus levipes</i>	11	0		
		<i>Peromyscus megalops</i>	41	1		
		<i>Peromyscus melanocarpus</i>	2	0		
		<i>Peromyscus melanophrys</i>	9	0		
		<i>Peromyscus spp</i>	1	0		
Kariwa, H., Yoshida, H., Sánchez-Hernández, C., Romero-Almaraz, M. D. L., Almazán-Catalán, J. A., Ramos, C., ... Takashima, I. (2012). Genetic diversity of hantaviruses in Mexico: Identification of three novel hantaviruses from Neotominae rodents. <i>Virus Research</i> , 163(2), 486–494. http://doi.org/10.1016/j.virusres.2011.11.013	Article					
Saasa, N., Sánchez-Hernández, C., de Lourdes Romero-Almaraz, M., Guerrero-Ibarra, E., Almazán-Catalán, A., Yoshida, H., ... Kariwa, H. (2012). Ecology of hantaviruses in Mexico: Genetic identification of rodent host species and spillover infection. <i>Virus Research</i> , 168(1–2), 88–96. http://doi.org/10.1016/j.virusres.2012.06.020						

			<i>Reithrodontomys spp</i>	1	0		
			<i>Reithrodontomys sumichrasti</i>	15	6		
			<i>Sigmodon mascotensis</i>	1	0		
			<i>Tylomys nudicaudus</i>	11	0		
Arellano, E., Castro-Arellano, I., Suzán, G., González-Cózatl, F. X., & Jiménez, R. M. (2012). Antibody Seroprevalence to Hantaviruses in Rodents from Reserva De La Biosfera Sierra De Huautla, Morelos. Western North American Naturalist, 72(1), 105–109. http://doi.org/10.3398/064.072.0114	Article	Morelos	<i>Liomys irroratus</i>	91	1		
			<i>Baiomys musculus</i>	24	0		
			<i>Peromyscus levipes</i>	2	0	ELISA	SNV
			<i>Peromyscus melanophrys</i>	12	0		
			<i>Reithrodontomys fulvescens</i>	19	0		
			<i>Sigmodon hispidus</i>	3	0		
González-Padrón, S. K. (2014). Diversidad y abundancia de roedores reservorios de hantavirus en un gradiente de impacto antropogénico en México. Universidad Nacional Autónoma de México.	Thesis	Veracruz	<i>Microtus quasiater</i>	3	0		
			<i>Mus musculus</i>	14	1		
			<i>Oryzomys couesi</i>	4	0		
			<i>Peromyscus furvus</i>	23	1		
			<i>Peromyscus leucopus</i>	2	0		
			<i>Peromyscus levipes</i>	6	1	ELISA	SNV
			<i>Peromyscus maniculatus</i>	28	1		
			<i>Peromyscus mexicanus</i>	15	0		
			<i>Rattus rattus</i>	1	0		
			<i>Reithrodontomys fulvescens</i>	1	0		
			<i>Reithrodontomys mexicanus</i>	1	0		
			<i>Sigmodon hispidus</i>	1	0		
	Hidalgo	<i>Baiomys taylori</i>	14	4			
		<i>Liomys irroratus</i>	14	2			
		<i>Mus musculus</i>	5	3			
		<i>Perognathus flavus</i>	2	1			
		<i>Peromyscus difficilis</i>	29	11	ELISA	SNV	
		<i>Peromyscus gratus</i>	21	13			
		<i>Peromyscus leucopus</i>	2	1			
		<i>Peromyscus maniculatus</i>	42	28			
		<i>Peromyscus spp</i>	6	1			
		<i>Rattus spp</i>	1	1			
Campeche	<i>Heteromys guameri</i>	7	0	ELISA	SNV		
	<i>Ototylomys phyllotis</i>	1	0				

			<i>Peromyscus spp</i>	2	0		
			<i>Rattus rattus</i>	3	0		
			<i>Reithrodontomys gracilis</i>	1	0		
			<i>Sigmodon hispidus</i>	13	1		
			<i>Liomys pictus</i>	13	0		
			<i>Peromyscus banderanus</i>	14	2		
	Jalisco		<i>Peromyscus perfulvus</i>	14	4	ELISA	SNV
			<i>Reithrodontomys fulvescens</i>	1	0		
			<i>Sigmodon mascotensis</i>	1	0		
			<i>Dipodomys merriami</i>	29	0		
			<i>Peromyscus maniculatus</i>	26	3		
			<i>Sigmodon hispidus</i>	9	0		
			<i>Neotoma albigula</i>	9	0		
			<i>Onychomys leucogaster</i>	22	0		
Moreno-Torres, K., Gual-Sill, F., Morales-Jiménez, R., Rubio, A. V., Ceballos, G., & Suzán, G. (2014). Serological Survey of Hantavirus In Rodents From Prairie Dog Ecosystems In Chihuahua, Mexico. The Southwestern Naturalist, 59(July 2015), 590–594. http://doi.org/10.1894/SGM-37.1	Article	Chihuahua	<i>Perognathus flavus</i>	16	0	ELISA	CADV
			<i>Dipodomys ordii</i>	3	0		
			<i>Dipodomys spectabilis</i>	7	0		
			<i>Peromyscus leucopus</i>	1	0		
			<i>Reithrodontomys megalotis</i>	1	0		
			<i>Baiomys taylori</i>	26	0		
			<i>Heteromys desmarestianus</i>	7	0		
			<i>Heteromys gaumeri</i>	53	3		
			<i>Mus musculus</i>	51	0		
			<i>Oligoryzomys fulvescens</i>	22	2		
			<i>Oryzomys couesi</i>	4	1		
Ortiz Chabolla, D. J. Efecto Del Paisaje Sobre La Diversidad de Roedores y Prevalencia de Anticuerpos Contra Hantavirus En Una Región Ganadera Del Este de Yucatán, México, Universidad Nacional Autónoma de México, 2018	Thesis	Yucatán	<i>Ototylomys phyllotis</i>	20	0	ELISA	SNV
			<i>Peromyscus leucopus</i>	39	2		
			<i>Peromyscus yucatanicus</i>	46	2		
			<i>Rattus rattus</i>	10	2		
			<i>Reithrodontomys gracilis</i>	19	0		
			<i>Sigmodon hispidus</i>	82	13		
			<i>Baiomys taylori</i>	3	2		
Rubio, A. V., Viguera-Galván, A. L., Schountz, T., Moreno-Torres, K., List, R., Sarmiento-Silva, R. E., ... Suzán, G. (2015). Abundance of hantavirus hosts in a landscape with black-tailed prairie dog colonies in	Article	Chihuahua	<i>Chaetodipus hispidus</i>	22	1	ELISA	SNV
			<i>Chaetodipus penicillatus</i>	86	11		

northwestern Mexico. *Mammalian Biology - Zeitschrift Für Säugetierkunde*, 80(6), 491–495.
<http://doi.org/10.1016/j.mambio.2015.06.004>

		<i>Dipodomys merriami</i>	263	54		
		<i>Dipodomys ordii</i>	9	0		
		<i>Dipodomys spectabilis</i>	114	27		
		<i>Neotoma albigula</i>	8	4		
		<i>Onychomys arenicola</i>	92	20		
		<i>Onychomys leucogaster</i>	13	2		
		<i>Perognathus flavus</i>	42	5		
		<i>Peromyscus boylii</i>	6	1		
		<i>Peromyscus leucopus</i>	18	6		
		<i>Peromyscus maniculatus</i>	46	11		
		<i>Xerospermophilus spilosoma</i>	9	1		
		<i>Peromyscus melanotis</i>	16	0		
		<i>Peromyscus leucopus</i>	1	0		
		<i>Peromyscus levipes</i>	4	0		
		<i>Microtus mexicanus</i>	3	0		
		<i>Reithrodontomys mexicanus</i>	3	0		
		<i>Peromyscus mexicanus</i>	1	0		
		<i>Liomys irroratus</i>	17	0		
	Hidalgo	<i>Reithrodontomys mexicanus</i>	10	0	ELISA	SNV
		<i>Peromyscus maniculatus</i>	2	0		
		<i>Mus musculus</i>	1	0		
		<i>Rattus rattus</i>	1	0		
		<i>Peromyscus melanotis</i>	20	0		
		<i>Peromyscus difficilis</i>	2	0		
		<i>Reithrodontomys megalotis</i>	1	0		
		<i>Liomys irroratus</i>	1	0		
		<i>Peromyscus difficilis</i>	1	0		
		<i>Peromyscus gratus</i>	14	6		
		<i>Peromyscus difficilis</i>	1	0		
	Mexico City	<i>Mus musculus</i>	4	0	ELISA	SNV
		<i>Peromyscus melanotis</i>	1	1		
		<i>Mus musculus</i>	2	0		
		<i>Peromyscus melanophrys</i>	1	0		
	Sonora	<i>Dipodomys merriami</i>	1	0	ELISA	SNV

Laboratorio de Ecología de Enfermedades y Una Salud (Laboratory of Disease Ecology and One Health) of the FMVZ-UNAM

Material
not
intended
for
publication

<i>Onychomys arenicola</i>	4	4
<i>Chaetodipus penicillatus</i>	6	0
<i>Peromyscus maniculatus</i>	2	1
<i>Sigmodon hispidus</i>	3	1
<i>Chaetodipus hispidus</i>	2	0
<i>TOTAL</i>	3862	392

ELISA: Enzyme-Linked Immunosorbent Assay. IFA: Immunofluorescence Assay. The Laboratorio de Ecología de Enfermedades y Una Salud of the FMVZ-UNAM collected the unpublished data with different sampling designs, all samples obtained by retro-orbital plexus puncture, preserved in Nobuto blood filter strips (Cole-Parmer, Vernon Hills,IL) and analyzed in the Laboratorio de Virología of the FMVZ-UNAM.

Supplementary table S2. Seroprevalence by State

State	Analyzed	Positives	SP(%)	WSP (%)
Campeche	27	1	3.70	5.30
Chiapas	13	2	15.38	17.14
Chihuahua	880	147	16.70	49.19
Coahuila	19	0	-	-
Colima	590	20	3.39	9.39
Mexico City	33	9	27.27	41.41
Mexico State	35	8	22.86	35.29
Guanajuato	8	0	-	-
Guerrero	384	45	11.72	30.29
Hidalgo	220	65	29.55	69.21
Jalisco	88	9	10.23	19.89
Michoacan	5	3	6-	41.94
Morelos	223	3	1.35	3.16
Nayarit	27	1	3.70	5.30
Nuevo Leon	225	13	5.78	13.59
Oaxaca	70	0	-	-
Puebla	15	0	-	-
San Luis Potosi	43	4	9.30	15.20
Sinaloa	9	0	-	-
Sonora	40	6	15.00	24.03
Tamaulipas	254	9	3.54	8.52
Tlaxcala	16	0	-	-
Veracruz	184	11	5.98	13.54
Yucatan	445	25	5.62	14.88

SP. Seroprevalence. WSP. Weighted seroprevalence

Supplementary table S3. Seroprevalence by species

Family	Species	Analyzed	Positives	SP (%)	WSP
Cricetidae	<i>Baiomys musculus</i>	130	2	1.54	3.25
Cricetidae	<i>Baiomys taylori</i>	83	7	8.43	16.18
Cricetidae	<i>Habromys ixtlani</i>	5	0	-	-
Cricetidae	<i>Handleyomys alfaroi</i>	3	0	-	-
Cricetidae	<i>Handleyomys melanotis</i>	2	0	-	-
Cricetidae	<i>Hodomys alleni</i>	1	0	-	-
Cricetidae	<i>Megadontomys thomasi</i>	9	1	11.11	10.60
Cricetidae	<i>Microtus mexicanus</i>	19	0	-	-
Cricetidae	<i>Microtus quasiater</i>	3	0	-	-
Cricetidae	<i>Neotoma albigula</i>	30	4	13.33	19.69
Cricetidae	<i>Neotoma alstoni</i>	2	0	-	-
Cricetidae	<i>Neotoma mexicana</i>	5	0	-	-
Cricetidae	<i>Neotoma micropus</i>	29	0	-	-
Cricetidae	<i>Neotoma picta</i>	6	1	16.67	12.97
Cricetidae	<i>Nyctomys sumichrasti</i>	1	0	-	-
Cricetidae	<i>Oligoryzomys fulvescens</i>	29	2	6.90	10.09
Cricetidae	<i>Onychomys arenicola</i>	96	24	25.00	49.56
Cricetidae	<i>Onychomys leucogaster</i>	44	2	4.55	7.47
Cricetidae	<i>Onychomys torridus</i>	3	0	-	-
Cricetidae	<i>Oryzomys alfaroi</i>	1	0	-	-
Cricetidae	<i>Oryzomys chapmani</i>	4	0	-	-
Cricetidae	<i>Oryzomys couesi</i>	414	25	6.04	15.80
Cricetidae	<i>Oryzomys palustris</i>	1	0	-	-
Cricetidae	<i>Oryzomys rostratus</i>	1	0	-	-
Cricetidae	<i>Osgoodomys banderanus</i>	51	0	-	-
Cricetidae	<i>Ototylomys phyllotis</i>	21	0	-	-
Cricetidae	<i>Peromyscus aztecus</i>	2	1	50	15.05
Cricetidae	<i>Peromyscus banderanus</i>	14	2	14.29	16.37
Cricetidae	<i>Peromyscus beatae</i>	148	31	20.95	45.46
Cricetidae	<i>Peromyscus boylii</i>	15	1	6.67	7.84
Cricetidae	<i>Peromyscus difficilis</i>	42	11	26.19	42.51
Cricetidae	<i>Peromyscus eremicus</i>	27	1	3.70	5.30
Cricetidae	<i>Peromyscus furvus</i>	23	1	4.35	5.92
Cricetidae	<i>Peromyscus gratus</i>	40	19	47.50	76.10
Cricetidae	<i>Peromyscus hooperi</i>	6	0	-	-
Cricetidae	<i>Peromyscus hylocetes</i>	29	4	13.79	20.17
Cricetidae	<i>Peromyscus lepturus</i>	5	0	-	-
Cricetidae	<i>Peromyscus leucopus</i>	133	13	9.77	20.76
Cricetidae	<i>Peromyscus levipes</i>	107	14	13.08	26.55
Cricetidae	<i>Peromyscus maniculatus</i>	183	48	26.23	59.34
Cricetidae	<i>Peromyscus megalops</i>	70	2	2.86	5.27
Cricetidae	<i>Peromyscus melanocarpus</i>	2	0	-	-
Cricetidae	<i>Peromyscus melanophrys</i>	32	0	-	-
Cricetidae	<i>Peromyscus melanotis</i>	115	6	5.22	10.75
Cricetidae	<i>Peromyscus merriami</i>	6	0	-	-
Cricetidae	<i>Peromyscus mexicanus</i>	26	0	-	-

Cricetidae	<i>Peromyscus ochraventer</i>	22	2	9.09	12.20
Cricetidae	<i>Peromyscus pectoralis</i>	83	2	2.41	4.62
Cricetidae	<i>Peromyscus perfulvus</i>	30	4	13.33	19.69
Cricetidae	<i>Peromyscus schmidlyi</i>	1	0	-	-
Cricetidae	<i>Peromyscus spicilegus</i>	9	2	22.22	21.21
Cricetidae	<i>Peromyscus spp</i>	38	2	5.26	8.31
Cricetidae	<i>Peromyscus truei</i>	1	0	-	-
Cricetidae	<i>Peromyscus yucatanicus</i>	115	2	1.74	3.58
Cricetidae	<i>Reithrodontomys fulvescens</i>	44	0	-	-
Cricetidae	<i>Reithrodontomys gracilis</i>	22	0	-	-
Cricetidae	<i>Reithrodontomys megalotis</i>	69	7	10.14	18.65
Cricetidae	<i>Reithrodontomys mexicanus</i>	14	0	-	-
Cricetidae	<i>Reithrodontomys spp</i>	1	0	-	-
Cricetidae	<i>Reithrodontomys sumichrasti</i>	36	12	33.33	51.88
Cricetidae	<i>Reithrodontomys microdon</i>	2	1	50	15.05
Cricetidae	<i>Sigmodon hispidus</i>	138	17	12.32	26.36
Cricetidae	<i>Sigmodon mascotensis</i>	105	6	5.71	11.55
Cricetidae	<i>Sigmodon ochrognathus</i>	1	0	-	-
Cricetidae	<i>Sigmodon toltecus</i>	34	0	-	-
Cricetidae	<i>Tylomys nudicaudus</i>	11	0	-	-
Heteromyidae	<i>Chaetodipus hispidus</i>	33	1	3.03	4.60
Heteromyidae	<i>Chaetodipus penicilatus</i>	109	11	10.09	20.56
Heteromyidae	<i>Dipodomys merriami</i>	299	54	18.06	44.71
Heteromyidae	<i>Dipodomys ordii</i>	12	0	-	-
Heteromyidae	<i>Dipodomys spectabilis</i>	121	27	22.31	46.48
Heteromyidae	<i>Heteromys desmarestianus</i>	7	0	-	-
Heteromyidae	<i>Heteromys guameri</i>	60	3	5.00	8.89
Heteromyidae	<i>Heteromys irruratus</i>	15	0	-	-
Heteromyidae	<i>Heteromys pictus</i>	5	0	-	-
Heteromyidae	<i>Hodomys alleni</i>	4	0	-	-
Heteromyidae	<i>Liomys irroratus</i>	137	3	2.19	4.68
Heteromyidae	<i>Liomys pictus</i>	45	0	-	-
Heteromyidae	<i>Liomys spectabilis</i>	6	0	-	-
Heteromyidae	<i>Perognatus flavus</i>	61	6	9.84	17.56
Muridae	<i>Mus musculus</i>	112	4	3.57	7.32
Muridae	<i>Rattus rattus</i>	32	2	6.25	9.41
Muridae	<i>Rattus spp</i>	1	1	100	-

SP. Seroprevalence. WSP. Weighted seroprevalence