

Supplemental Table 1

Bivariate associations among residualized neurophysiological variables and psychiatric symptoms in adolescents and young adults with Borderline Personality Disorder (n = 33)

	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
1. RewP	--	0.46**	-0.08	0.24	0.04	-0.13	-0.20	-0.21	0.002	-0.10
2. P300		--	-0.05	0.10	0.26	-0.15	-0.42*	-0.21	-0.26	0.18
3. Theta (wins)			--	0.65***	0.11	0.23	-0.11	0.06	-0.07	0.20
4. Theta (losses)				--	0.16	0.28	-0.18	-0.11	0.13	-0.08
5. Delta (wins)					--	0.72***	-0.13	-0.22	-0.08	0.04
6. Delta (losses)						--	-0.02	-0.07	0.17	-0.07
7. BPD Symptoms							--	0.54**	0.45**	-0.09
8. Depression								--	0.34^	0.46**
9. Anxious Arousal									--	-0.18
10. Anhedonia										--

Note. $\wedge p = 0.067$; * $p < 0.050$; ** $p < 0.010$; *** $p < 0.001$. RewP = Reward Positivity; BPD = Borderline Personality Disorder. The RewP and P300 are standardized residuals computed by regressing losses onto wins.