

<i>M. annua</i>	<i>M. perennis</i>	<i>M. tomentosa</i>	MOLECULE	CHEMICAL GROUP
[1]			Quercetin-3- <i>O</i> -rutinoside (Rutin)	FLAVONOIDS
[1]			Isorhamnetin-3- <i>O</i> -rutinoside (Narcissin)	
[1]			Quercetin-3- <i>O</i> -(2 <i>G</i> -glucosyl)-rutinoside	
[1]			Isorhamnetin-3- <i>O</i> -rutinoside-4'- <i>O</i> -glucoside	
[1]			Isorhamnetin-3- <i>O</i> -rutinoside-7- <i>O</i> -glucoside	
	[2]		Quercetin	
	[2]		Kaempferol	
		[3]	Scopoletin	
[4]			Pyridine-3-carbonitrile	ALKALOIDS
[4]			Nicotinamide	
[4]	[4,5]	[3]	Hermidin	
[4]	[4,5]	[3]	Hermidin quinone	
[4]	[4,5]		<i>cis</i> -myrtanal	CARBALDEHIDE
	[5]		(-)- <i>trans</i> -myrtanol (<i>trans</i> -MyrOH)	TERPENES
[4]	[4,5]		<i>cis</i> -myrtanol	
	[5]		<i>trans</i> -phytol	
	[5]		Squalene	
	[5]		β -carotene	
	[5]		Phytadiene isomers	
	[5]		Nonacosane	ALKANE
	[5]		4-Methoxyphenol (Mequinol, 4-Hydroxyanisole)	AROMATIC ALCOHOLS
	[5]		3,4-Dimethoxyphenol	
		[3]	4-Hydroxybenzaldehyde	
		[3]	4-Hydroxybenzotrile	
		[3]	4-Hydroxyacetophenone	
		[3]	Ethyl 4-hydroxybenzoate	
		[3]	Ethyl (E)-2-hydroxycinnamate	
		[3]	Methyl (E)-4-hydroxycinnamate	
		[3]	Ethyl (E)-4-hydroxycinnamate	
		[3]	Sinapyl alcohol	
[4]	[4,5]		Benzyl Alcohol	
[4]	[4,5]		2-Phenylethyl alcohol (2-Phenylethanol)	
[4]	[4]		N-ethylaniline	

[4]	[4]		6,6-dimethylbicyclo[3.1.1]heptan-2-one (β -pinone, nopinone)	
[4]	[2,4,5]	[3]	<i>n</i> -Alkylresorcinols	PHENOLIC LIPIDS
	[5]		α,γ , δ -Tocopherol	TOCOPHEROLS
		[3]	Coniferyl alcohol	PHENYLPROPANOIDS
	[5]		Campesterol	STEROIDS
	[5]		Stigmasterol	
	[5]		β -sitosterol	
	[5]		Cycloartenol	
	[5]	[3]	α -Linolenic acid	FATTY ACIDS
	[5]		Linoleic acid	
	[5]		<i>cis</i> -Oleic acid	
	[2,5]	[3]	Palmitic acid	
	[5]		Stearic acid	
	[5]		Linolenic acid ethyl ester (Linolen-E)	
	[5]		<i>trans</i> -Oleic acid	
[4]	[2,4]		Phaselic acid (2- <i>O</i> -(<i>E</i>)-caffeoyl malic acid)	DEPSIDES
	[2,4]		Mercurialis acid ((-)-(2 <i>R</i>)-2-[(<i>E</i>)-caffeoyloxy]-glutaric acid)	
	[2]		<i>p</i> -Coumaric acid	PHENOLIC ACIDS
	[2]		Ferulic acid	
	[2]		Caffeic acid	
		[3]	Vanillic acid	
	[2]		Caffeoyl glucarate	SUGAR ACIDS
	[2]		<i>p</i> -Coumaroyl glucarate	
	[2]		Feruloyl glucarate	
	[2]		Glucaric acid	
	[2]		Glyceric acid	
	[2]		Malonic acid	DICARBOXYLIC ACIDS
	[2]		Succinic acid	
	[2]		Fumaric acid	
	[2]		Malic acid	
	[2]		2-Hydroxyglutaric acid	
	[2]		Citric acid	ORGANIC ACID
	[2]		Arabinoic acid-1,4-lactone	LACTONE

Bibliography

1. Aquino, R.; Behar, I.; D'agostino, M.; De. Simone, F.; Schettino, O.; Pizza, C. Phytochemical investigation on *Mercurialis annua*. *Biochem. Syst. Ecol.* **1987**, *15*, 667–669.
2. Lorenz, P.; Stintzing, F.C.; Meyer, U.; Conrad, J.; Berger, M.; Duckstein, S.; Bertrams, J. Investigations into the Phenolic Constituents of Dog's Mercury (*Mercurialis perennis* L.) by LC-MS/MS and GC-MS analyses. *Phytochem. Anal.* **2011**, *23*, 60–71.
3. Lorenz, P.; Heinrich, M.; Conrad, J.; Heller, A.; Stintzing, F.C.; Kammerer, D.R. Comprehensive Characterisation of *n*-Alkylresorcinols and Other Lipid Constituents of *Mercurialis tomentosa* L. from Alicante, Spain. *Chem. Biodivers.* **2017**, *14*.

4. Lorenz, P.; Duckstein, S.; Conrad, J.; Knödler, M.; Meyer, U.; Stintzing, F.C. An approach to the chemotaxonomic differentiation of two European Dog's mercury species: *Mercurialis annua* L. and *M. perennis* L. *Chem. Biodivers.* **2012**, *9*, 282–297.
5. Lorenz, P.; Hradecky, M.; Berger, M.; Bertrams, J.; Meyer, U.; Stintzing, F.C. Lipophilic constituents from aerial and root parts of *Mercurialis perennis* L. *Phytochem. Anal.* **2010**, *21*, 234–245.