

Supplementary Table SII Patient/cycle characteristics of included single-embryo transfers.

	Live birth		P-value
	No (n = 133)	Yes (n = 99)	
Maternal age (y)	31.0 ± 4.5	30.6 ± 3.8	0.496
Paternal age (y)	34.0 ± 5.9	33.1 ± 5.4	0.233
Maternal BMI (kg/m ²)	24.0 ± 4.3	23.7 ± 4.2	0.608
Ovarian reserve			
Basal FSH (UI/L)	7.1 ± 2.3	7.4 ± 2.0	0.386
AMH (ng/ml)	4.4 ± 4.1	4.3 ± 4.6	0.897
Maternal smoking			
Yes	12 (9.0)	9 (9.2)	0.423
No. never	89 (66.9)	58 (59.2)	
Yes. former	32 (24.1)	31 (31.6)	
Cause of infertility			
Male	45 (33.8)	44 (44.5)	0.081
Female	24 (18.1)	20 (20.2)	
Mixed	62 (46.6)	31 (31.3)	
Idiopathic	2 (1.5)	4 (4.0)	
Controlled ovarian stimulation protocol			
Long agonist	83 (62.4)	82 (82.8)	0.003
Short agonist	10 (7.5)	3 (3.0)	
Antagonist	40 (30.1)	14 (14.2)	
Rank of attempt			
1	122 (91.7)	92 (92.9)	0.681
2	10 (7.5)	7 (7.1)	
3	1 (1.0)	0 (0)	
Retrieved oocytes per cycle	12.5 ± 5.1	12.3 ± 4.3	0.734
Injected oocytes per cycle	9.3 ± 3.8	9.5 ± 3.2	0.581
Embryos per cycle	7.3 ± 3.5	7.5 ± 3.1	0.685
No. of transferred embryos			
at Day 2	111 (83.5)	86 (86.9)	0.473
at Day 3	22 (16.5)	13 (13.1)	
Transferred plus cryopreserved embryos per cycle	3.7 ± 2.0	4.0 ± 1.8	0.250

For categorical variables, n (%) are presented. For continuous variables, mean (± SD) are presented.