

Tabelle1

Characteristics of stakeholder involvement in systematic and rapid reviews: Study characteristics

General Information

Study type	Study ID	Year of study	version number	Citation	Institution performing review	country	year	contact details, corresponding author (not shown)	specific topic	Thematic Focus	Type of intervention	Setting specified	Setting
CSR	101	2012	1	Olsen O, Clausen JA. Planned hospital birth versus planned home birth. <i>Cochrane Database of Systematic Reviews</i> 2012, Issue 9. Art. No.: CD000352. DOI: 10.1002/14651858.CD000352.pub2.	General Practice and Section of General Practice, Department of Public Health, University of	DNK	2012		childbirth	Treatment	Type of birth	birth setting hospital/home	Multiple
CSR	102	2013	1	Moi JHY, Sriranganathan MK, Edwards CJ, Buchbinder R. Lifestyle interventions for acute gout. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 11. Art. No.: CD010519. DOI: 10.1002/14651858.CD010519.pub2.	Department of Rheumatology, The Royal Melbourne Hospital, Parkville, Australia.	AUS	2013		Acute gout treatment	Treatment	lifestyle interventions	inpatients and outpatients	multiple
CSR	103	2011	1	Thomas RE, Lorenzetti D, Spragins W. Mentoring adolescents to prevent drug and alcohol use. <i>Cochrane Database of Systematic Reviews</i> 2011, Issue 11. Art. No.: CD007381. DOI: 10.1002/14651858.CD007381.pub2.	University of Calgary, Department of Medicine, Calgary, Alberta, Canada	CAN	2011		drug/alcohol prevention	Prevention	mentoring acts of any kind	mentoring programs	Multiple
CSR	104	2012	1	Garrison SR, Allan GM, Sekhon RK, Musini VM, Khan KM. Magnesium for skeletal muscle cramps. <i>Cochrane Database of Systematic Reviews</i> 2012, Issue 9. Art. No.: CD009402. DOI: 10.1002/14651858.CD009402.pub2.	University of British Columbia, Vancouver, BC, Canada	CAN	2012		Skeletal muscle cramps	Treatment	Magnesium supplementation	outpatients (primary care, community)	Outpatient
CSR	105	2012 update		Tejani AM, Wasdell M, Spiwak R, Rowell G, Nathwani S. Carnitine for fatigue in multiple sclerosis. <i>Cochrane Database of Systematic Reviews</i> 2012, Issue 5. Art. No.: CD007280. DOI: 10.1002/14651858.CD007280.pub3.	University of British Columbia, Vancouver, BC, Canada	CAN	2012		Multiple Sclerosis fatigue	Treatment	Carnitine supplementation	outpatients	Outpatient
CSR	106	2013 update		Taylor F, Huffman MD, Macedo AF, Moore THM, Burke M, Davey Smith G, Ward K, Ebrahim S. Statins for the primary prevention of cardiovascular disease. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 1. Art. No.: CD004816. DOI: 10.1002/14651858.CD004816.	& Tropical Medicine, Department of Non-communicable Disease Epidemiology, London, UK	GBR	2013		primary prevention of cardiovascular disease	Prevention	statins	community setting	Community
CSR	107	2013 update		Jorge EC, Jorge EN, El Dib RP. Early light reduction for preventing retinopathy of prematurity in very low birth weight infants. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 8. Art. No.: CD000122. DOI: 10.1002/14651858.CD000122.pub2.	Botucatu Medical School, Universidade Estadual Paulista (UNESP), Botucatu, São Paulo, Brazil	BRA	2013		ROP prevention in premature infants	Prevention	light reduction	hospital	Inpatient/Hospital
CSR	108	2012	1	Jin H, Leng Q, Li C. Dietary flavonoid for preventing colorectal neoplasms. <i>Cochrane Database of Systematic Reviews</i> 2012, Issue 8. Art. No.: CD009350. DOI: 10.1002/14651858.CD009350.pub2.	University of Traditional Chinese Medicine, National Center of Colorectal Surgery, Nanjing, Jiangsu	CHN	2012		colorectal neoplasm prevention	Prevention	Flavonoid intake	community setting	Community

Tabelle1

Population	N	overall age range	sex	Funding (who?)	notable conflicts of interests of authors	review	Stakeholder involvement SHI	PRISMA
						protocol	SHI: yes = 1, no = 0	Procedure according to PRISMA-guidelines
Low risk pregnant women	11	pregnant	f	governmental, institutional: National Institute for Health Research, UK.	none	yes		1
adults with acute gout	19	adult	f/m	governmental, institutional	none	yes		0
adolescents	1994	13 - 18	f/m	governmental, institutional	none	yes		0
adults	406	adult	f/m	governmental, institutional: Canadian Institutes of Health Research	and Khan are co-authors of a RCT which was included	yes		0
adults with MS diagnosed	36	adult	f/m	institutional: Fraser Health Research Administration and Development Office,	none	yes		1
adults	56934	adult	f/m	institutional: Department of Social Medicine, University of Bristol, UK.,	none	yes		0
Premature human infants	897	premature	f/m	institutional: University of Rochester, NY, USA., Department of	served as a member of the Data Safety	yes		0
adults	390769	adult	f/m	governmental, institutional	none	yes		0

Tabelle1

CSR	109	2014	update	1	Karmali KN, Davies P, Taylor F, Beswick A, Martin N, Ebrahim S. Promoting patient uptake and adherence in cardiac rehabilitation. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 6. Art. No.: CD007131. DOI: 10.1002/14651858.CD007131.pub3.	Feinberg School of Medicine, Departments of Preventive Medicine and Medicine (Cardiology), USA	2014	Secondary prevention of cardiovascular disease	Prevention	cardiac rehabilitation	rehabilitation setting	Inpatient/Hospital	
CSR	110	2014		1	Bjelakovic G, Gluud LL, Nikolova D, Whitfield K, Krstic G, Wetterslev J, Gluud C. Vitamin D supplementation for prevention of cancer in adults. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 6. Art. No.: CD007469. DOI: 10.1002/14651858.CD007469.pub2.	Medical Faculty, University of Nis, Department of Internal Medicine, Nis, Serbia	SRB	2014	Cancer Prevention	Prevention	Vitamin D supplementation	community setting	Community
CSR	111	2014		1	Carney T, Myers BJ, Louw J, Okwundu CI. Brief school-based interventions and behavioural outcomes for substance-using adolescents. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 2. Art. No.: CD008969. DOI: 10.1002/14651858.CD008969.pub2.	Research Council, Alcohol and Drug Abuse Research Unit, Cape Town, Western Cape, South Africa	ZAF	2014	drug/alcohol prevention	Prevention	Brief Interventions (psychotherapy)	High schools, colleges	Community
CSR	112	2013	update		Taylor MJ, Rudkin L, Bullemor-Day P, Lubin J, Chukwujekwu C, Hawton K. Strategies for managing sexual dysfunction induced by antidepressant medication. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 5. Art. No.: CD003382. DOI: 10.1002/14651858.CD003382.	Institute of Psychiatry, King's College London, Department of Psychosis Studies, London, UK	GBR	2013	sexual dysfunction	Treatment	sildenafil, bupropion, etc.	outpatients phase lia	Outpatient
CSR	113	2012		1	Fonner VA, Denison J, Kennedy CE, O'Reilly K, Sweat M. Voluntary counseling and testing (VCT) for changing HIV-related risk behavior in developing countries. <i>Cochrane Database of Systematic Reviews</i> 2012, Issue 9. Art. No.: CD001224. DOI: 10.1002/14651858.CD001224.	School of Public Health, Department of International Health, Social and Behavioral Interventions	USA	2012	HIV-prevention	Prevention	voluntary counseling and testing VCT	clinical, mobile or home setting	Multiple
CSR	114	2012	update		Shields L, Zhou H, Pratt J, Taylor M, Hunter J, Pascoe E. Family-centred care for hospitalised children aged 0-12 years. <i>Cochrane Database of Systematic Reviews</i> 2012, Issue 10. Art. No.: CD004811. DOI: 10.1002/14651858.CD004811.pub3.	Tropical Health Research Unit for Nursing and Midwifery Practice, Townsville, QLD, Australia	AUS	2012	pediatric care	Treatment	family-centred models of care	hospital	Inpatient/Hospital
CSR	115	2014		1	Nava F, Ghilotti F, Maggi L, Hatemi G, Del Bianco A, Merlo C, Filippini G, Tramacere I. Biologics, colchicine, corticosteroids, immunosuppressants and interferon-alpha for Neuro-Behçet's Syndrome. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 12. Art. No.: CD009103. DOI: 10.1002/14651858.CD009103.	University of Milano-Bicocca, Faculty of Statistical Science, Milan, Italy	ITA	2014	Neuro-Behçet Syndrome (NBS)	Treatment	different treatments	inpatients and outpatients	Multiple
CSR	116	2013		1	Njei B, Kongnyuy EJ, Kumar S, Okwen MP, Sankar MJ, Mbuagbaw L. Optimal timing for antiretroviral therapy initiation in patients with HIV infection and concurrent cryptococcal meningitis. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 2. Art. No.: CD007796. DOI: 10.1002/14651858.CD007796.pub3.	School of Medicine, Department of Medicine, Farmington, Connecticut, USA	USA	2013	HIV treatment	Treatment	antiretroviral therapy	outpatients	Outpatient
CSR	117	2014		1	Lager KE, Mistri AK, Khunti K, Haunton VJ, Sett AK, Wilson AD. Interventions for improving modifiable risk factor control in the secondary prevention of stroke. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 5. Art. No.: CD009103. DOI: 10.1002/14651858.CD009103.	University of Leicester, Department of Health Sciences, Leicester, UK	GBR	2014	secondary stroke prevention	Prevention	modifiable risk factor control	outpatients	Outpatient
CSR	118	2013	update		Chen W, Zhang Y, Li X, Yang G, Liu JP. Chinese herbal medicine for diabetic peripheral neuropathy. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 10. Art. No.: CD007796. DOI: 10.1002/14651858.CD007796.pub3.	Chinese Medicine, Centre for Evidence-Based Chinese Medicine, Beijing, China	CHN	2013	chinese herbal medicine	Treatment	chinese herbs, chinese medicine	inpatients and outpatients	Multiple
CSR	119	2011	update		Fede G, Germani G, Gluud C, Gurusamy KS, Burroughs AK. Propylthiouracil for alcoholic liver disease. <i>Cochrane Database of Systematic Reviews</i> 2011, Issue 6. Art. No.: CD002800. DOI: 10.1002/14651858.CD002800.pub3.	Royal Free Hampstead NHS Foundation Trust, Sheila Sherlock Liver Centre, London, UK	GBR	2011	alcoholic liver disease	Treatment	Propylthiouracil administration	outpatients	Outpatient
CSR	120	2012	update		Jefferson T, Rivetti A, Di Pietrantonj C, Demicheli V, Ferroni E. Vaccines for preventing influenza in healthy children. <i>Cochrane Database of Systematic Reviews</i> 2012, Issue 8. Art. No.: CD004879. DOI: 10.1002/14651858.CD004879.pub4.	The Cochrane Collaboration, Roma, Italy	ITA	2012	influenza prevention	Prevention	vaccination	outpatients	Outpatient

Tabelle1

adults with past cardiovascular event	2505	adult	f/m	institutional: National Institute for Health Research (NIHR) programme grant, institutional: Centre for Clinical Intervention Research,	none	yes	0
adults	390769	adult	f/m	institutional: South African Medical Research Council, South Africa., Open institutional: Department of Psychiatry, University of Oxford, UK.,	none	previously acted as a temporary consultant for	0
adolescents antidepressant-induced sexual dysfunction	1139	< 19	f/m	institutional: World Health Organization, Department of HIV/AIDS,	none	yes	0
adults, low- or middle-income country	40309	adult	f/m	governmental, institutional: Fondazione I.R.C.C.S. Istituto Neurologico Carlo	none	yes	0
children 0 - 12	288	0 - 12	f/m	governmental, institutional: Cochrane HIV/AIDS Review Group, USA.	none	yes	0
patients > 13 with NBS diagnosed	0	> 13	f/m	institutional: Department of Health Sciences, University of Leicester, UK.	has received speaker fees for talks on stroke from	yes	0
HIV patients with cryptococcal meningitis	337	adult	f/m	institutional: National Basic Research Program of China, Centre for Evidence-	none	yes	0
patients with ischaemic/hemorrhagic stroke or TIA	8021	adult	f/m	institutional: The Copenhagen Trial Unit, Denmark., The Danish Medical	none	yes	0
diabetic peripheral neuropathy	no restriction			institutional: REGIONE PIEMONTE ASL 20 ALESSANDRIA,	Jefferson was an ad hoc consultant for	yes	0
DPN	3639	s	f/m				0
alcoholic steatosis, fibrosis, hepatitis,	710	adult	f/m				0
healthy children	300000	0 - 16	f/m				0

Tabelle1

CSR	121	2011	1	Akl EA, Oxman AD, Herrin J, Vist GE, Terrenato I, Sperati F, Costiniuk C, Blank D, Schünemann H. Framing of health information messages. <i>Cochrane Database of Systematic Reviews</i> 2011, Issue 12. Art. No.: CD006777. DOI: 10.1002/14651858.CD006777.pub2.	Department of Clinical Epidemiology and Biostatistics, Hamilton, Ontario, Canada	CAN	2011	framing of health information messages	Health Services	negatively/positively framed health messages	hospital	Inpatient/Hospital
CSR	122	2011	1	Smart NA, Marshall BJ, Daley M, Boulos E, Windus J, Baker N, Kwok N. Low-fat diets for acquired hypercholesterolaemia. <i>Cochrane Database of Systematic Reviews</i> 2011, Issue 2. Art. No.: CD007957. DOI: 10.1002/14651858.CD007957.pub2.	Bond University, Faculty of Health Science and Medicine, Robina, Queensland, Australia	AUS	2011	acquired hypercholesterolaemia	Treatment	any kind of low-fat diet	community setting	Community
CSR	123	2011	1	Cheuk DKL, Chiang AKS, Lee TL, Chan GCF, Ha SY. Vaccines for prophylaxis of viral infections in patients with hematological malignancies. <i>Cochrane Database of Systematic Reviews</i> 2011, Issue 3. Art. No.: CD006505. DOI: 10.1002/14651858.CD006505.pub2.	Kong, Queen Mary Hospital, Department of Pediatrics and Adolescent Medicine, Hong Kong SAR, China	CHN	2011	viral vaccines in patients with hematological malignancies	Treatment	viral vaccination	hospital	Inpatient/Hospital
CSR	124	2015 update	1	Kwong JSW, Lau HLC, Yeung F, Chau PH. Yoga for secondary prevention of coronary heart disease. <i>Cochrane Database of Systematic Reviews</i> 2015, Issue 7. Art. No.: CD009506. DOI: 10.1002/14651858.CD009506.pub4.	Sichuan University, Chinese Cochrane Center, Chinese Evidence-Based Medicine Center, Chengdu, China	CHN	2015	prevention of coronary heart disease	Prevention	any type of yoga exercises	yoga program-setting	Outpatient
CSR	125	2015	1	Overvest GM, Jacobs W, Vleggeert-Lankamp C, Thomé C, Gunzburg R, Peul W. Effectiveness of posterior decompression techniques compared with conventional laminectomy for lumbar stenosis. <i>Cochrane Database of Systematic Reviews</i> 2015, Issue 3. Art. No.: CD010000. DOI: 10.1002/14651858.CD010000.pub3.	Leiden University Medical Center, Department of Neurosurgery, Leiden, Netherlands	NED	2015	treatment of lumbar stenosis	Treatment	bilateral laminotomy	hospital (surgery)	Inpatient/Hospital
CSR	126	2014 update	1	Martí-Carvajal AJ, Knight-Madden JM, Martínez-Zapata MJ. Interventions for treating leg ulcers in people with sickle cell disease. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 12. Art. No.: CD008394. DOI: 10.1002/14651858.CD008394.pub3.	Iberoamerican Cochrane Network, Valencia, Venezuela	VEN	2014	leg ulcers in people with sickle cell disease	Treatment	any clinical interventions	hospital or community setting	Multiple
CSR	127	2014 update	1	Junker AE, Als-Nielsen B, Gluud C, Gluud LL. Dopamine agents for hepatic encephalopathy. <i>Cochrane Database of Systematic Reviews</i> 2014, Issue 2. Art. No.: CD003047. DOI: 10.1002/14651858.CD003047.pub3.	Gentofte Hospital, Department of Medicine F, Hellerup, Denmark	DNK	2014	treatment of hepatic encephalopathy	Treatment	dopamine agonists	hospital	Inpatient/Hospital
CSR	128	2013	1	Peckham EJ, Nelson EA, Greenhalgh J, Cooper K, Roberts ER, Agrawal A. Homeopathy for treatment of irritable bowel syndrome. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 11. Art. No.: CD009710. DOI: 10.1002/14651858.CD009710.pub2.	University of York, Department of Health Sciences, Heslington, UK	GBR	2013	irritable bowel syndrome	Treatment	homeopathic treatment	inpatients and outpatients	Multiple
CSR	129	2013	1	Okwundu CI, Nagpal S, Musekiwa A, Sinclair D. Home- or community-based programmes for treating malaria. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 5. Art. No.: CD009527. DOI: 10.1002/14651858.CD009527.pub2.	Centre for Evidence-based Health Care, Faculty of Medicine and Health Sciences, Tygerberg, South Africa	ZAF	2013	malaria treating programmes	Treatment	Home- or community-based programmes	home or community setting	Multiple
CSR	130	2013	1	Rahimi-Movaghgar A, Amin-Esmaeili M, Hefazi M, Yousefi-Nooraie R. Pharmacological therapies for maintenance treatments of opium dependence. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 1. Art. No.: CD007775. DOI: 10.1002/14651858.CD007775.pub2.	for HIV/AIDS (IRCHA), Tehran University of Medical Sciences, Department for Mental Health, Tehran, Iran	IRN	2013	opium dependence	Treatment	any pharmacological therapies	outpatients	Outpatient
Systematic reviews (non-Cochrane)												
SR	131	2015	1	Rush CJ, Campbell RT, Jhund PS, et al. Falling cardiovascular mortality in heart failure with reduced ejection fraction and implications for clinical trials. <i>JACC Heart Fail.</i> 2015;3(8):603-14.	Hairmyres Hospital, East Kilbride, Scotland, United Kingdom	GBR	2015	heart failure mortality	Treatment	disease-modifying therapies, esp. beta-blockers	outpatients and inpatients	Multiple

Tabelle1

consumers, health professionals, policy acquired (not familial) hypercholesterolaemia patients with hematological malignancies adults with diagnosis of acute or chronic CHD	16342	adult	f/m	institutional: State University of New York at Buffalo, NY, USA., Italian National institutional: Primary Healthcare Research Education and Development institutional: The University of Hong Kong, Hong Kong, Cochrane institutional: The Chinese University of Hong Kong, Hong Kong.	review authors were also authors of one	yes	0	
patients with lumbar stenosis	733	adult	f/m	governmental, institutional: Leiden University Medical Center, Netherlands.	none	yes	0	
adults with sickle cell disease	198	adult	f/m	institutional: Iberoamerican Cochrane Center, Spain., Cystic institutional: Copenhagen Trial Unit, Denmark., The 1991 Pharmacy institutional: University of Leeds, UK., Homeopathy Research Institute, institutional: Centre for Evidence-Based Health Care, Stellenbosch, governmental, institutional: Tehran University of Medical Sciences, Iran.	Carvajal was employed by Eli Lilly to run a four-hour	yes	1	
patients with hepatic encephalopathy	144	adult	f/m	institutional: University of Leeds, UK., Homeopathy Research Institute, institutional: Centre for Evidence-Based Health Care, Stellenbosch, governmental, institutional: Tehran University of Medical Sciences, Iran.	none	yes	0	
patients with irritable bowel syndrome and adults with fever or malaria symptoms	213	adult	f/m	institutional: Centre for Evidence-Based Health Care, Stellenbosch, governmental, institutional: Tehran University of Medical Sciences, Iran.	contributed to the design and management	yes	0	
opium dependant adults	870	adult	f/m	institutional: Tehran University of Medical Sciences, Iran.	none	yes	0	
patients with chronic heart failure	136182	adult	f/m	institutional: universities, British Heart Foundation Project Grant,	not mentioned	none mentioned	0	0

Tabelle1

SR	132	2015	1	<p>Foersch M, Jacobs C, Wriedt S, Hechtner M, Wehrbein H. Effectiveness of maxillary protraction using facemask with or without maxillary expansion: a systematic review and meta-analysis. <i>Clinical Oral Investigations</i> [serial online]. July 2015;19(6):1181-119</p>	and Dentofacial Orthopedics, Johannes Gutenberg-University Mainz Medical Center, Analysis, and Library Services, Center for Surveillance, Epidemiology, and Laboratory Services,	DEU	2015	deficient maxilla and reverse overbite	Treatment	maxillary protraction with face mask therapy	home setting	Home
SR	133	2015	1	<p>Sipe TA, Finnie RKC, Knopf JA, et al. Effects of mental health benefits legislation: A Community Guide systematic review. <i>Am J Prev Med.</i> 2015;48(6):755–766.</p>		USA	2015	mental health	Health Services	Health insurance benefits for mental health services	outpatients	Outpatient
SR	134	2013	1	<p>A.A. Ahmed, E. Alsharief, A. Alsharief, Intensive versus conventional glycemic control: what is best for patients with type 2 diabetes? <i>Diabetes Metab Syndr,</i> 7 (2013), pp. 48–51</p>	Cardiff University, UK School of Psychological Sciences, University of Manchester, United Kingdom	GBR	2013	Type 2 Diabetes	Treatment	intensive and conventional insulin therapy	home setting	Home
SR	135	2012	1	<p>M. Panagioti, P.A. Gooding, N. Tarrow A meta-analysis of the association between posttraumatic stress disorder and suicidality: the role of comorbid depression; <i>Compr. Psychiatry,</i> 53 (2012), pp. 915–930</p>	School of Medicine, University of Queensland, Brisbane, Queensland, Australia	GBR	2012	posttraumatic stress disorder	community-based	measuring frequency of suicidality	outpatients	Outpatient
SR	136	2015	1	<p>Z. Wang Age-dependent decline of association between obesity and mortality: a systematic review and meta-analysis <i>Obes Res Clin Pract,</i> 9 (2015), pp. 1–11</p>	School of Music, 100 Ferguson Hall, 2106 4th Street South, Minneapolis, MN 55455, USA	AUS	2015	obesity–mortality association	community-based	assessing effect of obesity on mortality	community setting	Community
SR	137	2015	1	<p>E. Rolka A systematic review of music and dyslexia, <i>The Arts in Psychotherapy,</i> 46 (2015), pp 24-32</p>		USA	2015	dyslexia	Treatment	music interventions	therapy setting	Outpatient
SR	138	2011	1	<p>Wu S, Cohen D, Shi Y, Pearson M, Sturm R. Economic analysis of physical activity interventions. <i>Am J Prev Med.</i> 2011;40(2):149–58.</p>	RAND Corporation, Santa Monica, California	USA	2011	physical activity	Prevention	interventions promoting physical activity	school and community setting	Community
SR	139	2012	1	<p>Rodgers M, Asaria M, Walker S, McMillan D, Lucock M, Harden M, et al.The clinical effectiveness and cost-effectiveness of low-intensity psychological interventions for the secondary prevention of relapse after depression: a systematic review. <i>Health Technol Treat Aromatase Inhibitor–Related Arthralgia in Breast Cancer: A Systematic Review and Meta-Analysis.</i> <i>Journal of Alternative and Complementary Medicine.</i> 2015;21(5):251-260. doi:10.1089/acm.2014.0083.</p>	Centre for Reviews and Dissemination, University of York, York, UK	GBR	2012	secondary prevention of depression	Prevention	low- intensity psychological interventions	inpatients and outpatients	Multiple
SR	140	2015	1	<p>Int J Integr Care 2013; Jul–Sep; URN:NBN:NL:UI:10-1-114740 , Community services' involvement in the discharge of older adults from hospital into the community, Comparison of labor and delivery care provided by certified nurse-midwives and physicians: a systematic review, 1990 to 2008. <i>Women's Health Issues Off Publ Jacobs Inst Womens Health.</i> 2012;22:e73–e81. doi: 10.1016/j.whi.2011.06.005.</p>	Institute of Traditional Medicine, National Yang-Ming University, Taipei, Taiwan.	TWN	2015	arthralgia in breast cancer patients	Treatment	acupuncture	therapy setting (acupuncture)	Outpatient
SR	141	2013	1	<p>Division of Health Sciences, University of South Australia, Adelaide, Australia</p>		AUS	2013	discharge procedure	Health Services	community services	community setting	Community
SR	142	2012	1	<p>C., Soulié, A6:1134 (2015). [Management of low-risk prostate cancer]. <i>Progrès En Urologie : Journal de l'Association Française d'urologie et de La Société Française d'urologie,</i> 25(1), 1–10. https://doi.org/10.1016/j.purol.2014.10.007</p>	University of Maryland School of Nursing, Baltimore, USA	USA	2012	Labor and Delivery Care	Treatment	labor and delivery care	birth setting	Inpatient/Hospital
SR	143	2015	1	<p>Université Paris Descartes, institut Montsouris, 42, boulevard Jourdan, 75014 Paris, France</p>		FRA	2015	low-risk prostate cancer	Treatment	different treatments	inpatients and outpatients	Multiple

Tabelle1

patients treated with face mask covered by private or public insurance	936	adult	f/m	governmental, institutional	none	yes	0	1
patients with type 2 diabetes diagnosed with posttraumatic stress	23182	adult	f/m	governmental, institutional	none	yes (not mentioned)	0	0
individuals with BMI > 30	4650877	adult	f/m	governmental, institutional: National Health and Medical Research Council of Australia	not mentioned	none	0	1
patients suffering from dyslexia	2726	6 to 36	f/m	governmental, institutional	not mentioned	no	0	1
Population adults receiving treatment for depression	not mentioned	no restrictions	f/m	governmental, institutional: National Cancer research institute, UK	not mentioned	none	0	1
women with breast cancer stages I - III	207	adult	f	governmental, institutional	none	yes	0	0
patients > 65 discharged from hospital	8440	> 65	f/m	governmental, institutional	not mentioned	none	0	0
pregnant women	2836410	no restrictions	f	institutional, supported by Tri-Council for Nursing and the Advanced	not mentioned	none	0	0
patients with low-risk prostate cancer	not mentioned	adult	m	governmental, institutional	none	none	0	1

Tabelle1

SR	144	2014	1	Maglione, Margaret A.; Das, Lopamudra; Raaen, Laura; et al. Safety of Vaccines Used for Routine Immunization of US Children: A Systematic Review PEDIATRICS Volume: 134 Issue: 2 Pages: 325-337 Published: AUG 2014 DOI http://dx.doi.org/10.1542/peds .	RAND Corporation, Santa Monica, California;	USA	2014	vaccination	Treatment	assessing safety and adverse effects	outpatients	Outpatient
SR	145	2014	1	Albrecht B, Staiger PK, Hall K, et al. (2014) Benzodiazepine use and aggressive behaviour: A systematic review. Australian and New Zealand Journal of Psychiatry 48: 1096–1114. doi: 10.1177/0004867414548902	School of Psychology, Deakin University, Melbourne, Australia	AUS	2014	benzodiazepines	Treatment	benzodiazepine consumption	community and hospital setting	Multiple
SR	146	2012	1	Te Morenga Lisa, Mallard Simonette, Mann Jim. Dietary sugars and body weight: systematic review and meta-analyses of randomised controlled trials and cohort studies BMJ 2013; 346 :e7492 doi: http://dx.doi.org/10.1136/bmj.e7492	Nutrition and Medicine, University of Otago, PO Box 56, Dunedin 9054, New Zealand	NZL	2012	association between dietary sugar and bodyweight	community-based	ad libitum diets	community setting	Community
SR	147	2014	1	Pierre M. J. Zelissen & Frank J. G. Backx (2014) Impact of Overt and Subclinical Hypothyroidism on Exercise Tolerance: A Systematic Review, Research Quarterly for Exercise and Sport, 85:3, 365-389, DOI: 10.1080/02701367.2014.930405	Rehabilitation, Nursing Science and Sport, University Medical Center Utrecht	NED	2014	primary hypothyreosis	community-based	exercise	outpatients	Outpatient
SR	148	2013	1	Vanessa Siffredi , Vicki Anderson , Richard J. Leventer & Megan M. Spencer- Smith (2013) Neuropsychological Profile of Agenesis of the Corpus Callosum: A Systematic Review, Developmental Neuropsychology, 38:1, 36-57, DOI: 10.1080/87565641.2012.721421	Murdoch Childrens Research Institute , Melbourne , Australia	AUS	2013	Agenesis of Corpus Callosum	community-based	measuring of IQ (quantitative)	laboratory setting	different/ other
SR	149	2015	1	Llewellyn, A., Simmonds, M., Owen, C. G., and Woolacott, N. (2015) Childhood obesity as a predictor of morbidity in adulthood: a systematic review and meta-analysis. Obes Rev, 17: 56–67. doi: 10.1111/obr.12316.	Centre for Reviews and Dissemination, University of York, York, UK	GBR	2015	childhood obesity	community-based	assessing effect of obesity on mortality	community setting	Community
SR	150	2014	1	Matsuda, A., Yamaoka, K., Tango, T., Matsuda, T., Nishimoto, H. (2014). Effectiveness of psychoeducational support on quality of life in early-stage breast cancer patients: A systematic review and meta-analysis of randomized controlled trials. Qual Life R	Center for Cancer Control and Information Services, National Cancer Center, 5-1-1 Tsukiji, Chuo-ku, Tokyo	JPN	2014	breast cancer	Treatment	psychoeducational support	psychotherapy setting	Outpatient
SR	151	2013	1	A. Bak, J. Browne, H. P. Loveday and A. Tsiami (2013). Systematic review of nutritional interventions to prevent healthcare-associated infections in undernourished elderly. Proceedings of the Nutrition Society, 72, E212 doi:10.1017/S0029665113002371.	Joanna Briggs Institute Collaboration Centre, University of West London, Brentford TW8 9GA, UK	GBR	2013	undernourishment of older people	Treatment	nutritional interventions	healthcare setting	different/other
SR	152	2014	1	L. Bourke, K. E. Homer, M. A. Thaha, L. Steed, D. J. Rosario, K. A. Robb, J. M. Saxton and S. J. C. Taylor Interventions to improve exercise behaviour in sedentary people living with and beyond cancer: A systematic review British Journal of Cancer (2014)	School of Medicine and Dentistry, Blizard Institute,	GBR	2014	cancer and exercise	Treatment	improving exercise behaviour	community setting	Community
SR	153	2013	1	Library of Systematic Reviews, [S.I.], v. 8, n. 16 Suppl, p. S34 - 45, jul. 2010. ISSN 1838-2142. http://www.joannabriggslibrary.org/jbillibrary/index.php/jbisrir/article/view/571/	School of Health Sciences, Faculty of Health, University of Newcastle.	GBR	2013	childhood obesity	Prevention	parent-centered interventions	community , family setting	Community
SR	154	2014	1	peptidase-4 inhibitors versus intermediate-acting insulin or placebo for patients with type 2 diabetes failing two oral antihyperglycaemic agents: a systematic review and network meta-analysis. BMJ Open 2014;4:e005752. doi:10.1136/bmjopen-2014-005752	Li Ka Shing Knowledge Institute, St. Michael's Hospital, Toronto, Ontario, Canada.	CAN	2014	DPP-4 inhibitors in type 2 diabetes	Treatment	DPP-4 inhibitors/therapy	Home setting	Home
SR	155	2012	1	Agarwal R, Goldenberg M, Perry R, Ishak WW. The Quality of Life of Adults with Attention Deficit Hyperactivity Disorder: A Systematic Review. Innovations in Clinical Neuroscience. 2012;9(5-6):10-21.	Brookdale University Hospital, Brooklyn, New York	USA	2012	quality of life in ADHD patients	community-based	quality of life measurement	community setting	community

Tabelle1

children	not mention ed	children	f/m	institutional: Agency for Healthcare Research and Quality, US	none	yes (not mentione d)	1	1
adults	74536	adult	f/m	governmental, institutional	has received speaking honorarium from	yes (not mentione d)	1	1
Population patients with primary hypothyreosi s	517844	no restriction s	f/m	institutional: University of Otago and the Riddet Institute, a New	the University of Otago, Riddet Institute, and	yes	1	1
with diagnosed agenesis of Corpus	1379	16 - 80	f/m	governmental, institutional	not mentioned	none mentione d	0	1
	110	0 - 73	f/m	institutional: Victorian Government's Operational Infrastructure	not mentioned	none mentione d	0	0
children and adolescents	4648420	0 - 18	f/m	governmental, institutional: NIHR HTA Programme,	none	yes	0	1
early- stage breast cancer patients (some undernourish ed, some well	1159	adult	f	institutional: Ministry of Education, Culture, Sports, Science and Technology in Japan	not mentioned	none mentione d	0	1
people with primary cancer diagnosis school, primary and secondary school)	2485	> 59	m/f	governmental, institutional	not mentioned	yes (not mentione d)	0	0
	648	adult	m/f	governmental, institutional	not mentioned	yes (not mentione d)	0	1
patients with type 2 diabetes	2967	adult	m/f	institutional: Canadian Institutes for Health Research/Drug	none	yes	1	1
no restriction	18933	no restriction s	m/f	governmental, institutional	none	no	0	0

Tabelle1

SR	156	2013	1	Ian C. Scott, Rachael Tan, Daniel Stahl, Sophia Steer, Cathryn M. Lewis, and Andrew P. Cope The protective effect of alcohol on developing rheumatoid arthritis: a systematic review and meta-analysis Rheumatology (2013) 52 (5): 856-867 first published online 15 October 2013. doi:10.1093/rheumatology/ket311	Cellular Biology of Inflammation, Department of Medical and Molecular Genetics, Guy's Hospital, Huashan Hospital, Fudan University, No.12 Wulumuqi Road, Shanghai, 200040, China	GBR	2013	rheumatoid arthritis	community-based	alcohol intake	community setting	Community
SR	157	2014	1	Hu MB, Xu H, Bai PD, et al. Obesity has multifaceted impact on biochemical recurrence of prostate cancer: a dose-response meta-analysis of 36,927 patients. Med Oncol 2014; 31:829. DOI: 10.1007/s12032-013-0829-8	College of Medicine, University of Illinois at Chicago, Chicago, Illinois	CHN	2014	prostate cancer	Prevention	assessing effect of obesity (BMI) on recurrence	clinical setting	Outpatient
SR	158	2014	1	Blasco, M.A., Redleaf, M.I., 2014. Cochlear implantation in unilateral sudden deafness improves tinnitus and speech comprehension: meta-analysis and systematic review. Otol. Neurotol. 35 (8), 1426-1432. DOI: 10.1097/MAO.0000000000000431	College of Medicine, University of Illinois at Chicago, Chicago, Illinois	USA	2014	cochlear implants	Treatment	hearing loss	outpatients	Outpatient
SR	159	2014	1	Physical Activity in Overweight and Obese Adolescents: Systematic Review of the Effects on Physical Fitness Components and Cardiovascular Risk Factors SPORTS MEDICINE Volume: 44 Issue: 8 Pages: 1139-1152 Published: AUG 2014	Janeiro, Lab Phys Act & Hlth Promot, Inst Phys Educ & Sports, BR-20550013 Rio De Janeiro, Division of Mental Health and Wellbeing, Warwick Medical School, University of Warwick, CV4 7AL, UK	BRA	2014	obesity prevention	Prevention	physical activity	community, therapy setting	Multiple
SR	160	2015	1	Gibbs et al., 2014, M. Gibbs, C. Winsper, S. Marwaha, E. Gilbert, M. Broome, S.P. Singh, Cannabis use and mania symptoms: a systematic review and meta-analysis J. Affect. Disord., 171C (2014), pp. 39–47, doi:10.1016/j.jad.2014.09.016	Division of Mental Health and Wellbeing, Warwick Medical School, University of Warwick, CV4 7AL, UK	GBR	2015	cannabis use	community-based	cannabis use and association with mania	community setting	Community

Rapid reviews

Tabelle1

drinkers/non-drinkers	96462	adult	m/f	governmental, institutional: Arthritis Research UK	undertaking a clinical research fellowship,	none mentioned	0	0
patients with primary prostate cancer	36927	adult	m	governmental, institutional: National Natural Science Foundation of China	none	none mentioned	0	0
patients with unilateral hearing loss	36	adult	m/f	governmental, institutional	none	none mentioned	0	0
overweight and obese adolescents who had experienced mania symptoms	1616	12 - 17	m/f	institutional: Carlos Chagas Filho Foundation for the Research Support in	none	none mentioned	0	1
	2391	> 12	m/f	governmental, institutional	none	yes (not mentioned)	0	1

Tabelle1

RR	161	2015	1	Sedation and Anesthesia Options for Diagnostic Procedures: A Review of Clinical Effectiveness and Guidelines Menear M, Briand C. Implementing a continuum of evidence-based psychosocial interventions for people with severe mental illness: part 1- review of major initiatives and implementation strategies. <i>Can J Psychiatry</i> (2014) 59(4):178–86.	Canadian Agency for Drugs and Technologies in Health Preventive Medicine, School of Public Health, University of Montreal, Montreal, Quebec	CAN	2015	sedation/anesthesia Treatment	Sedation and anesthesia options	anesthesia setting hospital	Inpatient/Hospital
RR	162	2014	1	Saeed S, Golfam M, Beall RF, Ashbury FD, Palmer LJ, Little J. Effectiveness of individual-focused interventions to prevent chronic disease. <i>Eur J Clin Invest</i> 2014;44:883–91.	Department of Epidemiology and Community Medicine, University of Ottawa, Ottawa, ON, Canada	CAN	2014	prevention of chronic disease Prevention	different psychological interventions	mental health service setting	Inpatient/Hospital
RR	163	2014	1	Sara A Kreindler, Yang Cui, Colleen J Metge, Melissa Raynard, Patient characteristics associated with longer emergency department stay: a rapid review, <i>Emerg Med J</i> 2016;33:3 194-199 Published Online First: 4 September 2015 doi:10.1136/emmermed-2015-204913	Department of Community Health Sciences, University of Manitoba, Winnipeg, Manitoba, Canada	CAN	2015	length of emergency department stay Health Services	assessing length of stay	emergency department	Inpatient/Hospital
RR	164	2015 update	1	Chetan R Trivedy, Matthew W Cooke, Unscheduled return visits (URV) in adults to the emergency department (ED): a rapid evidence assessment policy review, <i>Emerg Med J</i> 2015;32:4 324-329 Published Online First: 28 October 2013 doi:10.1136/emmermed-2013-202719	<i>Division of Health Sciences, Warwick Medical School, Coventry, UK</i>	GBR	2015	unscheduled return visits to emergency department Health Services	assessing reasons for URVs	emergency department	Inpatient/Hospital
RR	165	2015	1	J. Yu, Y. Wang, Y. Li, X. Li, C. Li, J.T. Shen, PHP74 - The DA Vinci Surgical System: A Rapid Review of the Clinical and Economic Evidence, <i>Value in Health, Volume 17, Issue 7, November 2014, Page A798, ISSN 1098-3015, http://dx.doi.org/10.1016/j.jval.2014.08.476.</i>	West China Hospital, Sichuan University, Chengdu, China	CHN	2014	Da Vinci Surgical System Treatment	using DVSS for surgical procedures	hospital, surgery	Inpatient/Hospital
RR	166	2014	1	Lal S, Adair CE. E-mental health: a rapid review of the literature. <i>Psychiatr Serv.</i> 2014;65:24–32.	McGill University Institute / Douglas Mental Health University Institute, Montreal, Quebec, Canada	CAN	2014	e-mental health Health Services	different types of e-mental health initiatives	e-health setting	different/other
RR	167	2014	1	Beall RF, Baskerville N, Golfam M, Saeed S, Little J. Modes of delivery in prevention intervention studies: a rapid review. <i>Eur J Clin Invest</i> 2014;44:688–96. DOI: 10.1111/eci.12279	Epidemiology and Community Medicine, University of Ottawa, Ottawa, ON, Canada	CAN	2014	promoting primary prevention Prevention	promoting physical activity, diet etc	community setting	Community
RR	168	2014	1	Jiwa, M., McManus, A., and Dadich, A. (2013) Continuity of cancer care: Where do primary care practitioners fit in? <i>Cancer Forum</i> , 37(1): 31-34.	Curtin Health Innovation Research Institute, Curtin University, Perth Western Australia.	AUS	2013	primary cancer care Treatment	cancer care	outpatients (primary care)	outpatient
RR	169	2013	1	Movement Therapies for the Self-Management of Chronic Pain Symptoms, Courtney Lee, Cindy Crawford, Eric Schoomaker, <i>Active Self-Care Therapies for Pain (PACT) Working Group, Pain Medicine</i> Apr 2014, 15 (S1) S40-S53; DOI: 10.1111/pme.12411	Samueli Institute, Alexandria, Virginia, USA	USA	2014	chronic pain management Treatment	movement therapy	therapy setting	Outpatient
RR	170	2014	1	Boyce T, Holmes A (2012) Addressing Health Inequalities in the Delivery of the Human Papillomavirus Vaccination Programme: Examining the Role of the School Nurse. <i>PLoS ONE</i> 7(9): e43416. doi:10.1371/journal.pone.0043416	Department of Medicine, Imperial College London, Hammersmith Hospital,	GBR	2012	HPV immunisation Treatment	HPV vaccination	"school nurse" setting	Community
RR	171	2012	1	experience of community engagement for individuals: a rapid review of evidence. <i>Health & Social Care In The Community</i> [serial online]. May 2011;19(3):250-260. Available from: MEDLINE, Ipswich, MA. doi: 10.1111/j.1365-2524.2010.00976.x	Division of Health Research, School of Health and Medicine, Lancaster University	GBR	2011	community engagement Prevention	different forms of community engagement	community setting	Community
RR	172	2011	1								

Tabelle1

Anesthesia patients of all ages	3538	no restriction	m/f	governmental, institutional	not mentioned	no protocol	1
adults with severe mental illness SMI	not mentioned	adult	m/f	governmental, institutional: Canadian Psychiatric Association	none	no protocol	0
adults	not mentioned	adult	m/f	institutional: Cancer Care Ontario, Ministry of Health and Long-Term Care	not mentioned	none mentioned	1
patients in emergency department repeatedly visiting ED within 48 or 72h	> 1700000	no restriction	m/f	governmental, institutional	none	yes	1
patients undergoing surgery receiving mental health services	not mentioned	no restriction	m/f	governmental, institutional	none	none mentioned	0
Population	not mentioned	no restriction	m/f	governmental, institutional: Cancer Care Ontario, Ministry of Health and Long-Term Care	not mentioned	yes	0
Patients with cancer	not mentioned	no restriction	m/f	governmental, institutional: Cancer Institute NSW	not mentioned	yes (not mentioned)	0
patients with chronic pain symptoms	2418	adult	m/f	governmental, institutional	none	yes (not mentioned)	1
adolescent girls	16744	adolescent	f	institutional; National Institute for Health Research (NIHR), UK Clinical Research Society	the authors of The Marmot Review's Fair Society	none mentioned	
Population	not mentioned	no restriction	m/f	institutional: National Institute for Health and Clinical Excellence (NICE),	none	none mentioned	0

Tabelle1

RR	173	2014	1	Sensory Art Therapies for the Self-Management of Chronic Pain Symptoms, Cindy Crawford, Courtney Lee, John Bingham, Active Self-Care Therapies for Pain (PACT) Working Group, Pain Medicine Apr 2014, 15 (S1) S66-S75; DOI: 10.1111/pme.12409	Samueli Institute, Alexandria, Virginia, USA	USA	2014	chronic pain management	Treatment	sensory art & music therapies	therapy setting	Outpatient
RR	174	2013	1	Ndumbe-Eyoh S, Moffatt H. Intersectoral action for health equity: a rapid systematic review. BMC Public Health. 2013;13:1056-2458-13-1056. DOI: 10.1186/1471-2458-13-1056	Centre for Determinants of Health, P.O.Box 5000, Antigonish NS B2G 2 W5, Canada	CAN	2013	health equity	Health Services	Any intersectoral intervention involving public health	community and school setting	Community
RR	175	2014	1	Brunton, G., Paraskeva, N., Caird, J., Bird, K. S., Kavanagh, J., Kwan, I., & ... Thomas, J. (2014). Psychosocial predictors, assessment, and outcomes of cosmetic procedures: a systematic rapid evidence assessment. Aesthetic Plastic Surgery, 38(5), 1030-1040. doi:10.1007/s00266-014-0369-4	Social Science Research Unit, EPPI-Centre, Institute of Education, University of London	GBR	2014	psychological outcomes of cosmetic procedures	Treatment	cosmetic interventions	inpatient	Inpatient/Hospital
RR	176	2011	1	Geddes et al., 2011, R. Geddes, J. Frank, S. Haw, A rapid review of key strategies to improve the cognitive and social development of children in Scotland, Health Policy, 101 (2011), pp. 20–28 doi:10.1016/j.healthpol.2010.08.013	Public Health Research and Policy, MRC Human Genetics Unit building, Western General Hospital, Activity Research (CEDAR), Institute of Public Health, University of Cambridge	GBR	2011	cognitive and social development of children	Treatment	early childhood interventions	community setting	Community
RR	177	2013	1	Humphreys, DK, Ogilvie, D. Synthesising evidence for equity impacts of population-based physical activity interventions: A pilot study. Int J Behav Nutr Phys Act. 2013;10:76. DOI: 10.1186/1479-5868-10-76	Public Health, University of Cambridge	GBR	2013	population-level interventions on social inequalities	Prevention	population-based physical activity interventions	community setting	Community
RR	178	2014	1	Muñoz, K., Caballero, A., & White, K. (2014). Effectiveness of questionnaires for screening hearing of school-age children: a comprehensive literature review. International Journal Of Audiology, 53(12), 910-914. doi:10.3109/14992027.2014.943846	Communication Disorders & Deaf Education, Utah State University, Logan, Utah, USA	USA	2014	hearing loss in children	community-based	screening for hearing loss	school setting	Community
RR	179	2014	1	Physically Oriented Therapies for the Self-Management of Chronic Pain Symptoms, Cindy Crawford, Courtney Lee, Todd May, Active Self-Care Therapies for Pain (PACT) Working Group, Pain Medicine Apr 2014, 15 (S1) S54-S65; DOI: 10.1111/pme.12410	Samueli Institute, Alexandria, Virginia, USA	USA	2014	chronic pain management	Treatment	Physically oriented therapies	therapy setting	Outpatient
RR	180	2014	1	Moe-Byrne, T., Chambers, D., Harden, M., McDaid, C., Behaviour change interventions to promote prescribing of generic drugs: A rapid evidence synthesis and systematic review (2014) BMJ Open, 4 (5), art. no. e004623. doi: 10.1136/bmjopen-2013-004623	University of York, Centre for Reviews and Dissemination, York, UK	GBR	2014	prescribing generic drugs	Health Services	behaviour change interventions	National Health Service and similar	different/other
RR	181	2014	1	health interventions to monitor, promote and improve the health of adults with intellectual disabilities in the community: a systematic review. Research in Developmental Disabilities 35, 887–907. doi: 10.1016/j.ridd.2014.01.010	Mental Health Sciences, Charles Bell House, 2nd Floor, 67-73 Riding House Street, London W1W 7EJ, Department of Health Sciences, University of York, York, YO10 5DD, United Kingdom (UK)	GBR	2014	intellectual disabilities	Treatment	carer-led interventions	community setting (carer-led)	Community
RR	182	2011	1	Mann R, Gilbody S. Validity of two case finding questions to detect postnatal depression: a review of diagnostic test accuracy. J Affect Disord. 2011;133:388–97. doi:10.1016/j.jad.2010.11.015.	Health Promotion Research Centre, National University of Ireland Galway, Galway, Ireland	IRL	2013	postnatal depression	community-based	Assessing PND with different methods	post-birth setting	Outpatient
RR	183	2013	1	Barry, M. M., D'Eath, M., & Sixsmith, J. (2013). Interventions for improving population health literacy: insights from a rapid review of the evidence. Journal Of Health Communication, 18(12), 1507-1522. doi:10.1080/10810730.2013.840699	Health Promotion Research Centre, National University of Ireland Galway, Galway, Ireland	IRL	2013	population health literacy	Health Services	Communication / health literacy interventions	community setting	Community
RR	184	2013	1	Kessel, A., Zambon, M., Nguyen-Van-Tam, J. S. and on behalf of the UK Antiviral Effectiveness Review Group (2013), Neuraminidase inhibitors for influenza: a review and public health perspective in the aftermath of the 2009 pandemic. Influenza and Other Respiratory Viruses, 7: 14–24. doi:	Influenza Research Group, Division of Epidemiology and Public Health, School of Community Health	GBR	2013	influenza management and prevention	Treatment	neuraminidase inhibitors (NAIs)	community (focuses on epidemics)	Community

Tabelle1

patients suffering from chronic pain	711	adult	m/f	governmental, institutional	none	none mentioned	0
general population participants requesting cosmetic procedures	115613	no restriction	m/f	governmental, institutional: Policy Research Programme in the Department of Health	none	yes (not mentioned)	1
children 0–5 years	not mentioned	no restriction	m/f	institutional: SCPHRP is funded by the Medical Research Council	not mentioned	none mentioned	0
general population	not mentioned	no restriction	m/f	institutional: British Heart Foundation, Economic and Social Research Council,	none	none mentioned	0
school age children	2717	2 - 13	m/f	governmental, institutional	none	yes (not mentioned)	0
patients suffering from chronic pain	1087	adult	m/f	governmental, institutional	none	none mentioned	0
healthcare providers	not mentioned	adult	m/f	institutional: NIHR CLAHRC for Leeds, York & Bradford	none	yes	1
patients with and without intellectual disabilities	4721	> 2	m/f	governmental, institutional: National Institute for Health Research (NIHR)	none	yes	0
adult women with live birth	506	adult	f	institutional: Hull York Medical School (HYMS), University of York, York	none	yes (not mentioned)	0
adult health service users	not mentioned	adult	m/f	institutional: European Centre for Disease Prevention and Control (ECDC)	not mentioned	yes (not mentioned)	1
Population	not mentioned	no restriction	m/f	institutional: Health Protection Agency (HPA) and the Department of	funding for influenza-related research from		1

Tabelle1

RR	185	2012	1	McMurrin, M. (2012). Individual-level interventions for alcohol-related violence: a rapid evidence assessment. <i>Criminal Behaviour And Mental Health: CBMH</i> , 22(1), 14-28. doi:10.1002/cbm.821	Institute of Mental Health, University of Nottingham, Nottingham, UK	GBR	2012	alcohol-related violence	Treatment	psychological interventions	therapy setting	Outpatient
RR	186	2014	1	Smit, Jonna K. van Vulpen, Inge Wegner, Inge Stegeman, and Wilko Grolman, Rapid Systematic Review of Normal Audiometry Results as a Predictor for Benign Paroxysmal Positional Vertigo. <i>Otolaryngology -- Head and Neck Surgery</i> June 2014 150: 919-924, KONNYU, K., KWOK, E., SKIDMORE, B., MOHER, D.. The effectiveness and safety of emergency department short stay units: a rapid review. <i>Open Medicine</i> , North America, 6, jan. 2012. Available at: http://www.openmedicine.ca/article/view/478/449 .	Otorhinolaryngology--Head and Neck Surgery, University Medical Center, Utrecht, The Netherlands	NED	2014	benign paroxysmal positional vertigo	community-based	pure-tone audiometry	audiometry setting	Outpatient
RR	187	2012	1	P., Rankin, N., and Kirsten, L. (2015) Clinical pathway for the screening, assessment and management of anxiety and depression in adult cancer patients: Australian guidelines. <i>Psycho-Oncology</i> , 24: 987–1001. doi: 10.1002/pon.3920.	Department of Emergency Medicine at The Ottawa Hospital	CAN	2012	length of emergency department stay	Health Services	ED short stay units (SSU)	emergency department	Inpatient/Hospital
RR	188	2015	1	R.B. Costello, C.V. Lentino, C.C. Boyd, M.L. O'Connell, C.C. Crawford, M.L. Sprengel, et al., The effectiveness of melatonin for promoting healthy sleep: a rapid evidence assessment of the literature, <i>Nutr. J.</i> , 13 (2014), p. 106 DOI: 10.1186/1475-2891-13-106	operative Research Group (PoCoG), The University of Sydney, Sydney, NSW, Australia	AUS	2015	anxiety and depression in adult cancer patients	community-based	screening for anxiety and depression	hospital community setting (night and shift work)	Inpatient/Hospital
RR	189	2014	1	Lee, C., Crawford, C., & Swann, S. (2014). Multimodal, integrative therapies for the self-management of chronic pain symptoms. <i>Pain Medicine</i> (Malden, Mass.), 15 Suppl 1S76-S85. doi:10.1111/pme.12408	Emergency Medicine, Uniformed Services University of the Health Sciences	USA	2014	sleep quality / sleep disorders	Treatment	Melatonin application		Community
RR	190	2014	1		Samueli Institute, Alexandria, Virginia, USA	USA	2014	chronic pain management	Treatment	Multimodal, Integrative Therapies	community (self-management)	Community

Rapid reviews (CRD databases)

CRD Rf	191	2015	1	Health Quality Ontario. Prophylactic antibiotics for individuals with chronic obstructive pulmonary disease (COPD): a rapid review. <i>Health Quality Ontario</i> ; 2015 February. 26 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-ghazipura	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	prophylactic use of azithromycin for COPD patients	Treatment	Azithromycin	outpatients	Outpatient
CRD Rf	192	2013	1	Ghazipura M. Community versus inpatient rehabilitation in hip fracture patients: a rapid review. <i>Toronto, Ontario</i> ; 2013 Apr. 23 p. Available from: http://www.hqontario.ca/evidence/publications-and-oh-tac-recommendations/rapid-reviews .	Health Quality Ontario, http://www.hqontario.ca	CAN	2013	Hip fracture rehabilitation	Treatment	physiotherapy	inpatient vs outpatient	Multiple
CRD Rf	193	2015	1	Health Quality Ontario. Sodium restriction in heart failure: a rapid review. <i>Toronto: Health Quality Ontario</i> ; 2015 February. 20 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-chf	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	heart failure	Prevention	restricting sodium	community setting	Community
CRD Rf	194	2014	1	Lambrinos, A. Preoperative consultations: a rapid review. <i>Toronto: Health Quality Ontario</i> ; 2014 March. 19 p. Available from: http://www.hqontario.ca/evidence/evidence-process/appropriateness-initiative#preop-consult .	Health Quality Ontario, http://www.hqontario.ca	CAN	2014	preoperative assessment	Health Services	preoperative consultations	hospital (surgery)	Inpatient/Hospital
CRD Rf	195	2013	1	Ling D. Role of screening for respiratory syncytial virus or influenza and empirical antiviral treatment for patients with community-acquired pneumonia: a rapid review. <i>Toronto, ON: Health Quality Ontario</i> ; 2013 November. 17 p. Available from: http://www.hqontario.ca	Health Quality Ontario, http://www.hqontario.ca	CAN	2013	CAP (pneumonia) management	Treatment	screening for RSV or influenza	hospital inpatients	inpatient/Hospital

Tabelle1

alcohol-associated violence problems	1265 > 14	m/f	governmental, institutional	not mentioned	yes (not mentioned)	0
Patients with vertigo	102 adult	m/f	governmental, institutional	none	none mentioned	0
patients at emergency department	no restriction 9963 s	m/f	governmental, institutional: Canadian Institutes of Health Research	is a contributing editor for Open	no protocol	1
cancer patients	not mentioned adult	m/f	governmental, institutional	not mentioned	no protocol	1
healthy population or patients with insomnia	1903 adult	m/f	institutional: Defense Health Program and USUHS, Consortium for Health and	none	not published	1
patients with chronic pain symptoms	3561 adult	m/f	governmental, institutional	none	yes (not mentioned)	1
COPD patients	176 adult	m/f	governmental, institutional	none	none mentioned	1
hip fracture patients	195 > 65	m/f	governmental, institutional	none	none mentioned	1
patients with heart failure	3318 > 53	m/f	governmental, institutional	none	none mentioned	1
surgery patients	372746 adult	m/f	governmental, institutional	none	none mentioned	1
patients with CAP	0 adult	f/m	governmental, institutional	none	none mentioned	1

Tabelle1

CRD RF	196	2015	1	Health Quality Ontario. Communication of discharge instructions: a rapid review. Toronto: Health Quality Ontario; 2015 February. 18 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-chf .	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	discharge procedure	Health Services	providing a written discharge plan	acute hospital to home (discharge-setting)	different/ other
CRD RF	197	2013	1	Community-Acquired Pneumonia. Toronto, ON: Health Quality Ontario; 2013 November. 23 p. Available from: http://www.hqontario.ca/evidence/publications-and-ohnac-recommendations/rapid-review	Health Quality Ontario, http://www.hqontario.ca	CAN	2013	CAP (pneumonia) management	Treatment	timing of antibiotics administration	hospital	inpatient/ Hospital
CRD RF	198	2013	1	pulmonary disease (COPD): a rapid review. Toronto, ON: Health Quality Ontario; 2013 Jan. 20 p. Available from: www.hqontario.ca/evidence/publications-and-ohnac-recommendations/rapid-review	Health Quality Ontario, http://www.hqontario.ca	CAN	2013	COPD management	Treatment	action plans	home and outpatients setting	Multiple
CRD RF	199	2015	1	Wang M. Pulmonary rehabilitation in the home versus other settings for individuals with chronic obstructive pulmonary disease (COPD): a rapid review. Toronto: Health Quality Ontario; 2015 February. 23 p. Available from: http://www.hqontario.ca/evidence/ev	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	pulmonary rehabilitation	Treatment	home-based rehabilitation	home setting	Home
CRD RF	200	2013	1	Bungay, H., & Vella-Burrows, T. (2013). The effects of participating in creative activities on the health and well-being of children and young people: A rapid review of the literature. <i>Perspectives in Public Health</i> , 133(1), 44–52.	Department of Allied Health, Anglia Ruskin University, East Road, Cambridge, CB1 1 PT, UK	GBR	2013	lifestyle	Prevention	participating in creative activities	community setting (activities)	Community
CRD RF	201	2015	1	Lambrinos A. Home-based exercise programs in heart failure: a rapid review. Toronto: Health Quality Ontario; 2015 February. 21 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-chf .	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	secondary prevention of heart failure	Prevention	home-based exercise programs	home setting	Home
CRD RF	202	2015	1	Health Quality Ontario. Home-based versus centre-based rehabilitation for community-dwelling postacute stroke patients: an economic rapid review. Toronto: Health Quality Ontario; 2015 February. 23 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-chf	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	stroke rehabilitation	Treatment	centre-based vs home-based rehabilitation	rehabilitation centre vs home setting	Multiple
CRD RF	203	2013	1	Nikitovic M. Intensity of rehabilitation after hip fracture: a rapid review. Toronto, ON: Health Quality Ontario; 2013 Apr. 17 p. Available from: http://www.hqontario.ca/evidence/publications-and-ohnac-recommendations/rapid-reviews .	Health Quality Ontario, http://www.hqontario.ca	CAN	2013	rehabilitation after hip fracture	Treatment	increasing rehabilitation intensity	rehabilitation setting	Inpatient/ Hospital
CRD RF	204	2015	1	Self-management and educational interventions in the postacute stroke population: a rapid review. Toronto, ON: Health Quality Ontario; 2015 February. 23 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-strok	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	secondary prevention of stroke, COPD, heart failure	Prevention	self-management or educational interventions	home and community setting	Multiple
CRD RF	205	2015	1	Health Quality Ontario. Criteria for referral to home care: a rapid review. Toronto: Health Quality Ontario; 2015 February. 20 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-chf .	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	criteria for referring to home care services	Health Services	home care services	home care setting	Home
CRD RF	206	2014	1	Baidoobonso S. Effect of supportive interventions on informal caregivers of people at the end of life: a rapid review. Toronto: Health Quality Ontario; 2014 December. 25 p. Available from: http://www.hqontario.ca/evidence/publications-and-ohnac-recommendations/rapid-reviews	Health Quality Ontario, http://www.hqontario.ca	CAN	2014	palliative care	Health Services	supportive interventions	palliative care setting	Inpatient/ Hospital
CRD RF	207	2014	1	Miani C, Ball S, Pitchforth E, Exley J, King S, Roland M, et al. Organisational interventions to reduce length of stay in hospital: a rapid evidence assessment. <i>Health Serv Deliv Res</i> 2014;2(52). DOI: 10.3310/hsdr02520	RAND Europe, Cambridge, UK	GBR	2014	length of stay in acute care hospitals	Health Services	various	hospital	Inpatient/ Hospital

Tabelle1

patients being discharged from hospital	0	adult	f/m	governmental, institutional	none	none mentioned	1
patients with CAP	not mentioned	adult	m/f	governmental, institutional	none	none mentioned	1
patients with COPD	574	adult	m/f	governmental, institutional	none	none mentioned	1
patients with COPD	ca 400	> 40	m/f	governmental, institutional	none	none mentioned	1
children 11 - 18	ca 3500	11 to 18	m/f	funded by Lambeth PCT	not mentioned	none mentioned	0
heart failure patients	296	adult	m/f	governmental, institutional	none	none mentioned	1
postacute stroke patients	not mentioned	adult	m/f	governmental, institutional	none	none mentioned	1
patients with hip fracture	0	adult	f/m	governmental, institutional	none	none mentioned	1
post-acute stroke, CHF, and COPD patients	not mentioned	adult	m/f	governmental, institutional	none	none mentioned	1
adults	895	adult	m/f	governmental, institutional	none	none mentioned	1
patients at the end of life	1836	adult	m/f	governmental, institutional	none	none mentioned	1
acute hospital patients	142899	adult	m/f	governmental, institutional: funded by the HS&DR programme, NIHR	none	yes	0

Tabelle1

CRD Rf	208	2015	1	Wang M. Airway clearance techniques for patients with stable chronic obstructive pulmonary disease (COPD): a rapid review. Toronto: Health Quality Ontario; 2015 February. 23 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-chf .	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	COPD management	Treatment	airway clearance techniques	outpatients	Outpatient
CRD Rf	209	2015	1	Health Quality Ontario. Exercise programs after pulmonary rehabilitation for patients with chronic obstructive pulmonary disease (COPD). Toronto: Health Quality Ontario; 2015 February. 20 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-chf .	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	COPD rehabilitation	Treatment	exercise programs	community setting (exercise)	Community
CRD Rf	210	2015	1	Health Quality Ontario. Respiratory services in home care for individuals with chronic obstructive pulmonary disease (COPD): a rapid review. Toronto: Health Quality Ontario; 2015 February. 20 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-chf .	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	respiratory rehabilitation	Treatment	respiratory therapy	therapy setting	Outpatient
CRD Rf	211	2013	1	Brener S. Optimal timing to begin an active rehabilitation program after a hip fracture: a rapid review. Toronto, ON: Health Quality Ontario; 2013 Apr. 20 p. Available from: http://www.hqontario.ca/evidence/publications-and-ohtac-recommendations/rapid-reviews .	Health Quality Ontario, http://www.hqontario.ca	CAN	2013	rehabilitation after hip fracture	Treatment	active rehabilitation program	rehabilitation setting	Inpatient/Hospital
CRD Rf	212	2013	1	Schlink A. The effectiveness of statins for primary prevention: a rapid review. Toronto, ON: Health Quality Ontario; 2013 Feb. 23 p. Available from: http://www.hqontario.ca/evidence/publications-and-ohtac-recommendations/rapid-reviews .	Health Quality Ontario, http://www.hqontario.ca	CAN	2013	coronary/stroke prevention	Prevention	statin administration	community setting	Community
CRD Rf	213	2015	1	Health Quality Ontario. Physical activity counselling: a rapid review. Toronto: Health Quality Ontario; 2015 February. 20 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-chf .	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	secondary prevention of heart failure	Prevention	exercise counselling	community setting (exercise)	Community
CRD Rf	214	2015	1	Health Quality Ontario. Cognitive-behavioural therapy for anxiety and depression in patients with COPD: a rapid review. Toronto: Health Quality Ontario; 2015 February. 21 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-chf .	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	anxiety and depression in COPD patients	Treatment	cognitive-behavioural therapy (CBT)	therapy setting	Outpatient
CRD Rf	215	2015	1	Ghazipura M. Cardiovascular and aerobic exercise in postacute stroke patients: a rapid review. Toronto, ON: Health Quality Ontario; 2015 February. 17 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-stroke .	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	secondary prevention of stroke	Treatment	aerobic training/cardiovascular exercise	community setting (exercise)	Community
CRD Rf	216	2015	1	Health Quality Ontario. Aerobic exercise training in patients with heart failure: a rapid review. Toronto: Health Quality Ontario; 2015 February. 19 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-chf .	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	secondary prevention of heart failure	Prevention	aerobic exercise	community setting (exercise)	Community
CRD Rf	217	2015	1	Health Quality Ontario. Care coordination for postacute stroke, chronic obstructive pulmonary disease, and heart failure clients: an economic rapid review. Toronto: Health Quality Ontario; 2015 February. 20 p. Available from: http://www.hqontario.ca/evidence .	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	post-acute stroke, COPD, or CHF	Health Services	care coordination intervention	hospital hospital to home (discharge-setting)	Inpatient/Hospital
CRD Rf	218	2015	1	Lambrinos A. Medication reconciliation at discharge: a rapid review. Toronto: Health Quality Ontario; 2015 February. 24 p. Available from: http://www.hqontario.ca/evidence/evidence-process/episodes-of-care#community-chf .	Health Quality Ontario, http://www.hqontario.ca	CAN	2015	Discharge procedure	Health Services	medication reconciliation		Different/other
CRD Rf	219	2013	1	McCurdy BR. Inhospital physiotherapy for acute exacerbations of chronic obstructive pulmonary disease (AECOPD): a rapid review. Toronto, ON: Health Quality Ontario; 2012 Dec. 28 p. Available from: http://www.hqontario.ca/evidence/publications-and-ohtac-recommendations .	Health Quality Ontario, http://www.hqontario.ca	CAN	2013	acute exacerbating COPD	Treatment	inhospital physiotherapy	hospital	Inpatient/Hospital

Tabelle1

patients with stable COPD	525	adult	m/f	governmental, institutional	none	none mentioned	1
patients with COPD or pneumonia	not mentioned	adult	m/f	governmental, institutional	none	none mentioned	1
patients with respiratory disease	37	adult	m/f	governmental, institutional	none	none mentioned	1
patients with hip fracture	339	adult	m/f	governmental, institutional	none	none mentioned	1
adults	169921	adult	m/f	governmental, institutional	none	none mentioned	1
patients with heart failure	1628	adult	m/f	governmental, institutional	none	none mentioned	1
patients with COPD	not mentioned	adult	m/f	governmental, institutional	none	none mentioned	1
postacute stroke patients	399	adult	m/f	governmental, institutional	none	none mentioned	1
patients with heart failure post-acute stroke, COPD, or CHF	3662	adult	m/f	governmental, institutional	none	none mentioned	1
being discharged, receiving medication	0 -		f/m	governmental, institutional	none	none mentioned	1
patients with acute exacerbating COPD	2447	adult	m/f	governmental, institutional	none	none mentioned	1
patients with acute exacerbating COPD	not mentioned	adult	m/f	governmental, institutional	none	none mentioned	1

Tabelle1

CRD RF	220	2013	1	Health Quality Ontario. Effectiveness and safety of thrombolytics for ischemic stroke: a rapid review. Toronto, ON: Health Quality Ontario; 2013 Jan. 25 p. Available from: http://www.hqontario.ca/evidence/publications-and-ohrac-recommendations/rapid-revi	Health Quality Ontario, http://www.hqontario.ca	CAN	2013	treatment of ischemic stroke	Treatment	intravenous thrombolytics administration	hospital	Inpatient/Hospital
--------	-----	------	---	---	---	-----	------	------------------------------	-----------	--	----------	--------------------

Tabelle1

patients with ischaemic stroke	6288	adult	m/f	governmental, institutional	none	none mentione d	1
--------------------------------------	------	-------	-----	--------------------------------	------	-----------------------	---