

**Characteristics of stakeholder involvement in systematic and rapid reviews:  
a methodological review in the area of health services research**

**Jonas Feldmann, Milo A. Puhan, Margot Mutsch\***

**Supplementary Table S2:**

**Characteristics of the study population by type of included review**

	Cochrane SR (%)	Non-Cochrane SR (%)	RR (%)	CRD RR (%)	Total (%)
<b>Setting</b>					
Hospital setting, inpatients	7 (23)	1 (3)	8 (27)	10 (33)	26 (22)
Outpatients	9 (30)	9 (30)	7 (23)	4 (13)	29 (24)
Home setting	0	3 (10)	0	3 (10)	6 (5)
Community setting	5 (17)	10 (33)	13 (43)	7 (23)	35 (29)
Multiple	9 (30)	5 (17)	0	4 (13)	18 (15)
Other	0	2 (7)	2 (7)	2 (7)	6 (5)
<b>Population size<sup>1</sup></b>					
Median (range)	733 (0; 390,769)	2,846.5 (36; 4,650,877)	2,717 (102; 1,700,000)	349.5 (0; 372,746)	1,622 (0; 4,650,877)
<b>Population type</b>					
Patients with disease/condition	18 (60)	18 (60)	20 (67)	26 (87)	82 (68)
Healthy population	9 (30)	8 (27)	9 (30)	3 (10)	29 (24)
Other	3 (10)	4 (13)	1 (3)	1 (3)	9 (8)
<b>Age range (yrs)</b>					
Adults (>18)	20 (67)	14 (47)	13 (43)	25 (83)	72 (60)

Adolescents (13-18)	2 (7)	1 (3)	1 (3)	1 (3)	5 (4)
Children (0-12)	3 (10)	1 (3)	1 (3)	0	5 (4)
Youth (0-18)	1 (3)	2 (7)	0	0	3 (3)
Other subgroups	1 (3)	6 (20)	2 (7)	3 (10)	12 (10)
Population	3 (10)	6 (20)	13 (43)	1 (3)	23 (19)
<b>Sex</b>					
Females and males	29 (97)	28 (93)	24 (80)	30 (100)	111 (93)
Females only	1 (3)	1 (3)	4 (13)	0	6 (5)
Males only	0	1 (3)	2 (7)	0	3 (3)

CRD: University of York, Centre for Reviews and Dissemination; RR: rapid review; SR: systematic review; WHO: World Health Organisation

<sup>1</sup> Zero means that there were no participants mentioned or included in the review.