

Expected adverse events and serious adverse events**Cardiac**

Angina
Ankle swelling and
peripheral oedema
Arrhythmias
Cardiac arrest
Cardiac failure
Myocardial infarction
Palpitations
Poor exercise tolerance
Shortness of breath
Tiredness and exhaustion

Respiratory

Chest infection
Cough
Exacerbation of COPD
Pneumonia
Pulmonary embolus
Respiratory failure

Leg problems

Bruising
Cellulitis
Debridement of leg/foot
wound
DVT
Foot amputation
Haematoma
Lymph leak
Minor amputation of toes
Osteomyelitis of
leg/foot/toes
Pain
Phlebitis
Wound breakdown
Wound infection

Diabetes

Drug reactions
Hyperglycaemia
Hypoglycaemia
Infections
Injections site problems
Neuropathy

General

Abdominal pain
Anxiety
Arm / hand pain
Backache
Breast lumps
Breast pain
Cellulitis
Constipation
Delirium
Depression
Diarrhoea
Earache
Falls
Fractures
Gastrointestinal bleeding
Gastro-oesophageal
reflux disease
Gynaecological bleeding
Head injury
Headache
Indigestion
Influenza
Intra-abdominal
infections and sepsis
Jaundice
Joint inflammation
Joint pain
Leg/foot pain
Liver disease
Malaise
Malignancy
Neck and spine pain
Neck pain
Necrotising fasciitis
Nose bleeds
Osteoarthritis
Other forms of arthritis
Parkinson disease
Pelvic pain
Peptic ulcer disease
Piles and perianal disease
Prostatism
Psychiatric illness

Rectal bleeding
Renal impairment
Sciatica
Skin lesions
Skin rashes
Soft tissue inflammation
Stress
Stroke
Transient ischaemic
attack
Toothache
Urinary retention
Urinary tract infection
Vomiting