

High throughput circRNA sequencing analysis reveals novel insights into the mechanism of nitidine chloride against hepatocellular carcinoma

Running title: circRNA as therapeutic target of nitidine chloride in hepatocellular carcinoma

Dan-dan Xiong^{1*}, Zhen-bo Feng^{1*}, Ze-feng Lai², Yue Qin², Li-min Liu³, Hao-xuan Fu², Rong-quan He⁴, Hua-yu Wu⁵, Yi-wu Dang^{1#}, Gang Chen^{1#}, Dian-zhong Luo¹

¹Department of Pathology, First Affiliated Hospital of Guangxi Medical University, Nanning, China

²Pharmaceutical College, Guangxi Medical University, Nanning, China

³Department of Toxicology, Pharmaceutical College, Guangxi Medical University, Nanning, China

⁴Department of Medical Oncology, First Affiliated Hospital of Guangxi Medical University, Nanning, China

⁵Department of Cell Biology & Genetics, School of Preclinical Medicine, Guangxi Medical University, Nanning, China


Corresponding authors:

Professor Dr. Gang Chen, Department of Pathology, First Affiliated Hospital of Guangxi Medical University, No. 6. Shuangyong Rd., Nanning, Guangxi Zhuang Autonomous Region, 530021, P.R. China.
Email: chengang@gxmu.edu.cn. Tel: +8615277192143


Yi-wu Dang, Department of Pathology, First Affiliated Hospital of Guangxi Medical University, No. 6. Shuangyong Rd., Nanning, Guangxi Zhuang Autonomous Region, 530021, P.R. China. Email: dangyiwu@126.com. Tel: +8613737034122

* These authors contributed equally to this work


Supplementary Fig S1




Supplementary Fig S2



Supplementary Fig S3



Supplementary Fig S4



Supplementary Fig S5

