

Serafino *et al.* “Thymosin α 1 activates complement receptor-mediated phagocytosis in human monocyte-derived macrophages”

SUPPLEMENTARY Materials and Methods and SUPPLEMENTARY Table

Supplementary Table 1 Primer sequences for *Quantitative Reverse Transcription Polymerase Chain Reaction (QPCR)*.

Cytokines		
Gene	Direction	Primer
<i>TNFα</i>	forward	5'-CTTCTGCCTGCTGCACTTT-3'
	reverse	5'-GGTTCAGCCACTGGAGCTG-3'
<i>IL-6</i>	forward	5'-GTACATCCTCGACGGCATCT-3'
	reverse	5'-GCCTCTTTGCTGCTTTCACA-3'
Toll-like Receptors (TLR)		
Gene	Direction	Primer
<i>TLR-2</i>	forward	5'-CTCTCAGGTGACTGCTCGGA-3'
	reverse	5'-CCAGTGCTTCAACCCACAAC-3'
<i>TLR-4</i>	forward	5'-GGTCACCTTTTCTTGATTCCA-3'
	reverse	5'-TCAGAGGTCCATCAAACATCA-3'
<i>TLR-5</i>	forward	5'-GCTTAATCACACCAATGTCAC-3'
	reverse	5'-GAAACCCAGAGAACGAGT-3'
<i>TLR-6</i>	forward	5'-GCTTAATCACACCAATGTCAC-3'
	reverse	5'-GAAACCCAGAGAACGAGT-3'
<i>TLR-7</i>	forward	5'-GCTATCAGATTCAAAAACAACAG-3'
	reverse	5'-AAACACCTTTGTAGATCACTTCT-3'
<i>TLR-8</i>	forward	5'-TTTCTTTCTGAAGTCAGTAGTCT-3'
	reverse	5'-TTTCCGTGTAGTTCCAACATAGA-3'
<i>TLR-9</i>	forward	5'-TGAGTGAGAACTTCCTCTACA-3'
	reverse	5'-TTTTGGTAATTGAAGGACAGGT-3'