

SUPPLEMENTARY TABLE S9. CHARACTERISTICS OF PREGNANCIES INCLUDED AND EXCLUDED FROM ANALYSES

	<i>Included</i> (N=87,600)	<i>Excluded</i>	
		N	N (%)
Sociodemographic characteristics			
Age (years), mean (SD)	30.2 (5.4)	48,897	30.4 (5.6)
Race/ethnicity, <i>n</i> (%)		48,727	
White	35,991 (41)		17,159 (36)
Black	5011 (6)		3429 (7)
Hispanic	21,733 (25)		12,377 (25)
Asian/Pacific Islander	20,994 (24)		13,133 (27)
Native American/multiracial	3117 (4)		1764 (4)
Other/unknown	754 (1)		505 (1)
Prepregnancy BMI category, <i>n</i> (%)		42,147	
Underweight	2394 (3)		1588 (4)
Normal weight	42,020 (48)		20,511 (49)
Overweight	23,740 (27)		11,164 (26)
Obese	19,446 (22)		8884 (21)
Medicaid, <i>n</i> (%)	5688 (6)	48,893	3109 (6)
Pregnancy characteristics			
Nulliparous, <i>n</i> (%)	31,545 (36)	47,698	17,547 (37)
Smoking during early pregnancy, <i>n</i> (%)	3591 (4)	48,897	814 (2)
Alcohol use during early pregnancy, <i>n</i> (%)	31,411 (36)	48,897	7443 (15)
Gestational age at first prenatal visit (weeks), mean (SD)	6.3 (2.2)	48,895	6.8 (2.7)
Year of conception			
2011	10,207 (12)		9288 (19)
2012	15,624 (18)		10,577 (22)
2013	17,652 (20)		9052 (19)
2014	18,623 (21)		8968 (18)
2015	20,243 (23)		8897 (18)
2016	5251 (6)		2115 (4)