

Supplementary Table S1 Adverse Events N=50

| AE (%) | G2/3/4 | Grade 2 | Grade 3 | Grade 4 |
|---------------|--------|---------|---------|---------|
| Neutropenia | 48% | 22% | 22% | 4% |
| Leukopenia | 22% | 22% | 0 | 0 |
| Fatigue | 14% | 14% | 0 | 0 |
| ALT elevation | 6% | 2% | 4% | 0 |
| AST elevation | 2% | 0 | 2% | 0 |
| Hypertension | 4% | 2% | 2% | 0 |
| Cholecystitis | 2% | 0 | 2% | 0 |

AEs with >10% incidence or if Grade 3 and above are included

Supplementary Table S2 Clinical and Radiologic response for patients received at least 3 cycles of therapy (n=41)

| | Clinical (n=41)* N (%) | Ultrasound (n=27)* N (%) | Mammogram (n=29)* N (%) |
|--|---------------------------|-----------------------------|----------------------------|
| CR (Complete response) | 11 | 1 | 3 |
| PR (Partial response) | 22 | 10 | 12 |
| SD (Stable disease) | 6 | 16 | 14 |
| PD (Progressive disease) | 2# | 0 | 0 |
| Response rate (%CR+ %PR) | 80% (68-90%) | 41% (25-58%) | 52% (35-68%) |
| * number of patients with tumor measured at baseline and end of therapy; #not confirmed by imaging | | | |