

Supplementary Table 3. CCCs between Different Slice Thicknesses before and after SR Application and after Interpolation Method

RF Classes	1 mm vs. 3 mm			1 mm vs. 5 mm			3 mm vs. 5 mm		
	Original	SR	Interpolation	Original	SR	Interpolation	Original	SR	Interpolation
Total									
Tumor intensity	0.75 ± 0.17	0.97 ± 0.05	0.81 ± 0.17	0.60 ± 0.21	0.92 ± 0.11	0.68 ± 0.22	0.90 ± 0.06	0.96 ± 0.05	0.95 ± 0.03
Texture	0.62 ± 0.19	0.84 ± 0.15	0.54 ± 0.20	0.42 ± 0.18	0.72 ± 0.19	0.39 ± 0.21	0.76 ± 0.16	0.88 ± 0.13	0.86 ± 0.11
Wavelet	0.38 ± 0.22	0.54 ± 0.37	0.30 ± 0.31	0.25 ± 0.19	0.41 ± 0.34	0.23 ± 0.28	0.63 ± 0.22	0.71 ± 0.21	0.56 ± 0.32
Tumor intensity + texture + wavelet	0.41 ± 0.23	0.58 ± 0.37	0.34 ± 0.32	0.27 ± 0.21	0.45 ± 0.34	0.26 ± 0.29	0.65 ± 0.22	0.72 ± 0.21	0.60 ± 0.32
GGN									
Tumor intensity	0.79 ± 0.17	0.97 ± 0.05	0.79 ± 0.17	0.68 ± 0.19	0.89 ± 0.11	0.67 ± 0.22	0.91 ± 0.17	0.93 ± 0.05	0.95 ± 0.03
Texture	0.63 ± 0.23	0.80 ± 0.20	0.47 ± 0.22	0.44 ± 0.22	0.66 ± 0.21	0.34 ± 0.22	0.74 ± 0.19	0.82 ± 0.17	0.84 ± 0.11
Wavelet	0.39 ± 0.23	0.54 ± 0.38	0.29 ± 0.30	0.26 ± 0.21	0.40 ± 0.33	0.22 ± 0.27	0.63 ± 0.22	0.67 ± 0.23	0.57 ± 0.31
Tumor intensity + texture + wavelet	0.42 ± 0.25	0.56 ± 0.37	0.32 ± 0.31	0.29 ± 0.22	0.44 ± 0.34	0.24 ± 0.28	0.65 ± 0.22	0.69 ± 0.23	0.60 ± 0.31
Solid									
Tumor intensity	0.58 ± 0.19	0.92 ± 0.19	0.73 ± 0.24	0.40 ± 0.19	0.87 ± 0.22	0.57 ± 0.24	0.83 ± 0.06	0.95 ± 0.09	0.92 ± 0.05
Texture	0.51 ± 0.19	0.82 ± 0.15	0.51 ± 0.23	0.31 ± 0.16	0.68 ± 0.22	0.37 ± 0.24	0.71 ± 0.14	0.87 ± 0.13	0.83 ± 0.14
Wavelet	0.35 ± 0.23	0.53 ± 0.36	0.29 ± 0.31	0.22 ± 0.20	0.41 ± 0.34	0.22 ± 0.28	0.59 ± 0.26	0.71 ± 0.23	0.55 ± 0.33
Tumor intensity + texture + wavelet	0.37 ± 0.23	0.57 ± 0.36	0.32 ± 0.32	0.24 ± 0.20	0.44 ± 0.34	0.25 ± 0.29	0.60 ± 0.25	0.73 ± 0.23	0.58 ± 0.33

GGN = ground-glass nodule, RF = radiomic feature