

Supplementary Data

Supplementary Table S1. Cannabis for Medical Reasons and Effect of Legalization

Question	<i>n</i> = 104
	<i>n</i> (%)
If you were to be prescribed cannabis for medicinal purposes, method of administration-preferred ^a	
Joint	84 (81)
Pipe	15 (14)
Bong	8 (8)
Sublingual spray	8 (8)
Vaporizer	12 (12)
Inhaler	7 (7)
Rectal suppository	2 (2)
Patch on the skin	5 (5)
Do you anticipate you will continue to use cannabis in the future	
Yes	46 (44)
No	3 (3)
Maybe	7 (7)
Probably	11 (11)
Definitely	37 (36)
Scenarios that would make you more likely to continue using cannabis (yes/no/maybe)	
Legalized for recreational use in Canada	51 (49)/47 (45)/6 (6)
Prescribed by a health care practitioner	48 (46)/49 (47)/7 (7)
Confirmed by researchers to be safe	40 (39)/51 (49)/13 (13)
Confirmed by researchers not to be addictive	35 (34)/57 (55)/12 (12)
Confirmed by researchers to relieve specific symptoms	56 (54)/37 (36)/11 (11)
Easy to obtain/more accessible	53 (51)/44 (42)/7 (7)
Side effects were milder/more accessible	37 (36)/55 (53)/12 (12)
No high associated with the use of cannabis	16 (15)/79 (76)/9 (9)
Prefer not to answer	4 (4)/7 (7)/3(3)

^aPatients were allowed to choose more than one option.