

CReSA building UAB Campus 08193 Bellaterra Tel. +34 902 78 94 49 www.irta.cat www.cresa.es



S2 Table. Individual animal GEC per mL of the nasal swabs samples collected from the 2^{nd} experiment at 5, 7, 11 and 14 dpi. Clinical signs recorded for each of the animals are also depicted.

Group	Anim al Id	Log 10 GEC/mL				Clinical signs
		5 dpi	7 dpi	11 dpi	14 dpi	Chincai signs
Unvaccinated	1	2,404	2,488			Fever at 6-7 dpi /coughing at 3 dpi
	2	3,560	2,169			Fever at day of challenge
	3	5,575	2,441	1,240	1,240	
	4	4,425	2,654	2,370	2,627	
	5	4,125	2,098			Fever 3,4 dpi
	6	3,232	2,880	2,277	2,528	Fever 3-7 dpi
Vaccinated	7	3,631	2,336			Fever (4 dpi)/ coughing at 3 dpi
	8	4,329	1,240	1,240	1,240	Coughing at 3 dpi
	9	2,933	2,163			
	10	3,473	1,240	1,240	1,240	Fever at 3 and 7 dpi
	11	2,413	1,240	1,240	1,240	Fever at 2, 5 and 7 dpi/ coughing at 4 dpi
	12	2,519	1,240			Fever at 2 to 4 dpi

Numbers in bold type represent samples from which viral RNA was not detected (there were given the value of the detection limit of the technique).



