



SUPPLEMENTAL FIGURE 1.

Table III	TMS Pain Formulation			
	Kampo		TCM	
	<i>Goshajinkigan</i>	<i>Goshuyuto</i>	<i>Xie Xin Tang</i>	<i>Si Mo Tang</i>
Plant composition	Jukujio (<i>Rehmanniae Radix preparata</i>), Goshitsu (<i>Achyranthis bidentatae</i>), Sanshuyu (<i>Corni fructus</i>), Sanyaku (<i>Dioscoreae rhizoma</i>), Shazenshi (<i>Plantaginis semen.</i>), Takusha (<i>Alismatis Rhizoma</i>), Bukuryo (<i>Sclerotium Poriae Cocos</i>), Botanpi (<i>Paeoniae Moutan Cortex</i>), Keihi (<i>Cinnamomi Cortex</i>), Bushi (<i>Aconiti Radix lateralis preparata</i>)	Goshuyu (<i>Evodiae Fructus</i>), Ninjin (<i>Ginseng Radix</i>), Taiso (<i>Jujubae Fructus</i>), Shokyo (<i>Zingiberis Rhizoma</i>).	Hange (<i>Pinelliae Rhizoma</i>), Ogon (<i>Scutellariae Radix</i>), Oren (<i>Coptidis Rhizoma</i>), Ninjin (<i>Ginseng Radix</i>), Kankyo (<i>Zingiberis Siccatum Rhizoma</i>), Kanzo (<i>Glycyrrhizae Radix</i>), Taiso (<i>Jujubae Fructus</i>).	Lignum Aquilariae Resinatum (<i>Aquilaria agallocha Roxb</i>) Arecae Semen (<i>Areca catechu</i>), Ginseng (<i>Panax notoginseng</i>).
Bioactive compounds	374	373	498	208
Convergent Compounds	123	16		28
Nocioceptive TRP ligands represented in compound sets: Myrcene, piperine, camphor, vanillin, cinnamaldehyde, geraniol, eugenol, gingerol, ginsenosides				

SUPPLEMENTAL FIGURE 2.



Degree



Group

