

Online Resource 3

Article title: Metabolomics: a search for biomarkers of visceral and liver fat content

Journal name: Metabolomics

Author names:

Sebastiaan Boone¹, Dennis Mook-Kanamori^{1,2}, Frits Rosendaal¹, Martin den Heijer^{1,8}, Hildo Lamb³, Albert de Roos³, Saskia le Cessie^{1,4}, Ko Willems van Dijk^{5,6,7}, Renée de Mutsert¹

Affiliations:

1 Department of Clinical Epidemiology, Leiden University Medical Center, Leiden, the Netherlands

2 Department of Public Health and Primary Care, Leiden University Medical Center, Leiden, the Netherlands

3 Department of Radiology, Leiden University Medical Center, Leiden, the Netherlands

4 Department of Biomedical Data Sciences, section Medical Statistics and Bioinformatics, Leiden University Medical Center, Leiden, the Netherlands

5 Department of Endocrinology, Leiden University Medical Center, Leiden, the Netherlands

6 Eindhoven Laboratory for Experimental Vascular Medicine, Leiden University Medical Center, Leiden, the Netherlands

7 Human Genetics, Leiden University Medical Center, Leiden, the Netherlands

8 Endocrinology, VU Medical Centre, Amsterdam, The Netherlands

Corresponding author:

S.C. Boone, MD, PhD candidate

Leiden University Medical Center (LUMC), Department of Clinical Epidemiology

PO Box 9600, 2300 RC Leiden

Department C7-P, Postal Zone C7-Q

Fax: +31 (0)71 526 6994



Tel: +31 (0)71 526 4037

Email: s.c.boone@lumc.nl

ORCID: 0000-0002-2411-0699

Online Resource 3 Heatmaps of regression coefficients for the analyses on HTGC in (a) the crude model, (b) adjusted for age, sex and total body fat, (c) adjusted additionally for waist circumference and fasting concentrations of triglycerides, HDL and cholesterol. Outcomes represent a relative increase in HTGC per SD of metabolite concentration. Green: positive associations, red: negative associations. Hashtag symbols (#): significant after FDR adjustment

Color Key and Histogram



Color Key
and Histogram

