
Figure 1


Whole cell lysate



Anti-SAG1


Whole cell lysate

SAG1 SAG1 RH F2* F2* X X X -Azi +Azi




Anti-ROP7


Figure 2



UPRT-HA blot



Myc-UPRT blot



ILP1-HA blot







Figure 4






ILP1-HA blot

IMC3-Myc blot







ILP1-HA blot

IMC3-Myc blot


Figure 5Whole cell lysate




30 sec exposure anti-HA IP



300 sec exposure anti-HA IP



20 sec anti-V5 IP



200 sec anti-V5 IP





Figure 6



ILP1-HA blot






Figure 7Whole cell lysate




ILP1-HA blot


30 sec exposure anti-HA IP




120 sec exposure anti-HA IP




200 sec exposure anti-HA IP




30 sec exposure anti-HA IP






N+A strain anti-HA IP





anti-HA (ILP1)









Figure 8ILP11 Y160 large scale crosslinking IP




IMC27 fractionation anti-HA blot




IMC27 fractionation anti-IMC1 blot



IMC27 fractionation anti-ISP3 blot




ILP1-IMC27 whole cell lysate ILP1-3xHA Azi+UV




ILP1-IMC27 denaturing IP

ILP1-3xHA Azi+UV



S2 Fig



Gene primer genomic PCR

KO primer genomic PCR

