

Multimedia Appendix 4. Associations between user characteristics and response and abstinence rates, complete case analysis.

| Characteristic | Response Rate ^a | | | |
|---|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| | Quit Date <i>n</i> = 753 | Day 7 <i>n</i> = 551 | Day 14 <i>n</i> = 496 | Day 21 <i>n</i> = 463 |
| | aOR (95% CI) (<i>p</i> -value) |
| Age (Winsorized) | 0.98 (0.96-1.01) (.20) | 0.97 (0.93-1.01) (.14) | 0.99 (0.95-1.03) (.64) | 1.01 (0.97-1.05) (.56) |
| Race/Ethnicity (Ref: White) | | | | |
| Black | 0.89 (0.56-1.42) (.62) | 0.74 (0.39-1.44) (.38) | 0.65 (0.31-1.34) (.24) | 1.12 (0.56-2.22) (.75) |
| Latina | 0.40 (0.19-0.86) (.02) | 0.40 (0.13-1.24) (.11) | 1.35 (0.49-3.68) (.56) | 0.36 (0.08-1.67) (.19) |
| Multiracial, Asian, AI/AN, NHPI, Other | 0.83 (0.45-1.53) (.56) | 0.75 (0.34-1.67) (.48) | 0.89 (0.36-2.20) (.81) | 0.82 (0.29-2.33) (.71) |
| Education (Ref: ≥college degree) | | | | |
| ≤High school | 0.52 (0.32-0.85) (.01) | 0.18 (0.09-0.36) (<.001) | 0.40 (0.18-0.88) (.02) | 0.63 (0.24-1.66) (.35) |
| Some college | 0.93 (0.59-1.47) (.76) | 0.54 (0.30-0.95) (.03) | 1.19 (0.59-2.38) (.62) | 1.69 (0.72-3.98) (.23) |
| Region (ref: South) | | | | |
| Northeast | 1.17 (0.71-1.93) (.55) | 1.89 (0.98-3.62) (.06) | 1.44 (0.70-2.98) (.32) | 2.00 (0.92-4.36) (.08) |
| Midwest | 1.04 (0.70-1.55) (.84) | 1.22 (0.69-2.16) (.49) | 1.34 (0.72-2.50) (.36) | 1.98 (1.06-3.71) (.03) |
| West | 1.01 (0.63-1.62) (.95) | 1.28 (0.67-2.47) (.45) | 1.04 (0.48-2.25) (.93) | 0.57 (0.20-1.60) (.28) |
| Cigarettes per day (Ref: Light) | | | | |
| Moderate | 1.17 (0.81-1.68) (.40) | 0.88 (0.53-1.47) (.62) | 1.07 (0.60-1.91) (.83) | 0.60 (0.32-1.14) (.12) |
| Heavy | 1.59 (0.81-3.12) (.18) | 1.25 (0.39-4.06) (.71) | 2.92 (0.99-8.61) (.052) | 3.16 (0.96-10.4) (.06) |
| Smoking Frequency (Ref: Non-daily) | | | | |
| Daily | 0.78 (0.46-1.30) (.34) | 0.84 (0.43-1.63) (.61) | 0.46 (0.23-0.92) (.03) | 1.37 (0.57-3.28) (.48) |
| Pre-quit time | 1.02 (0.99-1.05) (.20) | 0.99 (0.95-1.03) (.76) | 1.03 (0.99-1.08) (.14) | 1.01 (0.96-1.06) (.76) |

Multimedia Appendix 4. Associations between user characteristics and response rates and abstinence (complete case analysis), continued

| Characteristic | Day 28 | Day 35 | Day 42 | Day 72 |
|---|---|---|---|---|
| | n = 437 | n = 409 | n = 392 | n = 361 |
| Age (Winsorized) | aOR (95% CI) (<i>p</i> -value) 0.99 (0.94-1.04) (.69) | aOR (95% CI) (<i>p</i> -value) 1.01 (0.96-1.06) (.74) | aOR (95% CI) (<i>p</i> -value) 1.00 (0.96-1.05) (.92) | aOR (95% CI) (<i>p</i> -value) 0.99 (0.91-1.07) (.74) |
| Race/Ethnicity (Ref: White) | | | | |
| Black | 1.11 (0.51-2.42) (.79) | 0.25 (0.08-0.76) (.01) | 0.55 (0.21-1.47) (.23) | 0.76 (0.18-3.15) (.70) |
| Latina | 0.58 (0.12-2.72) (.49) | 0.53 (0.11-2.51) (.42) | 1.18 (0.30-4.58) (.81) | 0.60 (0.07-5.53) (.65) |
| Multiracial, Asian, AI/AN, NHPI, Other | 0.85 (0.27-2.66) (.78) | 0.60 (0.16-2.17) (.43) | 1.09 (0.34-3.52) (.89) | 1.83 (0.43-7.74) (.41) |
| Education (Ref: ≥college degree) | | | | |
| ≤High school | 0.40 (0.14-1.13) (.08) | 0.81 (0.26-2.46) (.70) | 0.60 (0.20-1.86) (.38) | 0.47 (0.09-2.43) (.37) |
| Some college | 1.22 (0.50-2.99) (.66) | 2.19 (0.81-5.92) (.12) | 1.53 (0.56-4.16) (.41) | 1.05 (0.25-4.41) (.94) |
| Region (ref: South) | | | | |
| Northeast | 1.18 (0.50-2.81) (.71) | 1.04 (0.40-2.68) (.94) | 1.16 (0.43-3.13) (.76) | 1.45 (0.37-5.59) (.59) |
| Midwest | 0.54 (0.24-1.23) (.14) | 0.88 (0.40-1.94) (.75) | 1.41 (0.65-3.07) (.39) | 0.73 (0.18-2.90) (.65) |
| West | 0.67 (0.25-1.78) (.42) | 0.64 (0.22-1.88) (.42) | 0.45 (0.12-1.64) (.22) | 1.09 (0.25-4.79) (.91) |
| Cigarettes per day (Ref: Light) | | | | |
| Moderate | 0.75 (0.37-1.53) (.42) | 1.21 (0.59-2.46) (.61) | 0.90 (0.41-1.97) (.79) | 1.12 (0.34-3.69) (.85) |
| Heavy | 2.47 (0.60-10.2) (.21) | 1.38 (0.27-7.12) (.70) | 2.37 (0.56-9.97) (.24) | 2.64 (0.27-25.8) (.40) |
| Smoking Frequency (Ref: Non-daily) | | | | |
| Daily | 1.02 (0.41-2.50) (.97) | 0.37 (0.16-0.86) (.02) | 0.54 (0.22-1.33) (.18) | 0.26 (0.09-0.79) (.02) |
| Pre-quit time | 1.02 (0.97-1.08) (.40) | 1.02 (0.96-1.08) (.58) | 1.03 (0.97-1.09) (.39) | 0.96 (0.88-1.05) (.35) |

Multimedia Appendix 4. Associations between user characteristics and response rates and abstinence (complete case analysis), continued

| Characteristic | Abstinence (intent-to-treat) ^b | | | |
|---|---|------------------------------------|------------------------------------|------------------------------------|
| | Quit Date <i>n</i> = 753 | Day 7 <i>n</i> = 753 | Day 14 <i>n</i> = 753 | Day 21 <i>n</i> = 753 |
| | aOR (95% CI) (<i>p</i> -value) | aOR (95% CI) (<i>p</i> -value) | aOR (95% CI) (<i>p</i> -value) | aOR (95% CI) (<i>p</i> -value) |
| Age (Winsorized) | 1.00 (0.96-1.03) (.81) | 0.98 (0.93-1.04) (.54) | 1.01 (0.96-1.06) (.74) | 0.99 (0.94-1.05) (.81) |
| Race/Ethnicity (Ref: White) | | | | |
| Black | 1.19 (0.67-2.11) (.54) | 0.97 (0.41-2.30) (.95) | 0.79 (0.33-1.90) (.60) | 1.12 (0.44-2.83) (.81) |
| Latina | 0.39 (0.14-1.14) (.09) | 0.42 (0.09-1.85) (.25) | 0.56 (0.13-2.47) (.44) | Undefined ^c |
| Multiracial, Asian, AI/AN, NHPI, Other | 0.83 (0.37-1.85) (.64) | 0.85 (0.28-2.55) (.77) | 0.47 (0.11-2.05) (.31) | 0.32 (0.04-2.50) (.28) |
| Education (Ref: ≥college degree) | | | | |
| ≤High school | 0.42 (0.22-0.78) (.007) | 0.23 (0.08-0.61) (.003) | 0.43 (0.16-1.13) (.09) | 0.87 (0.24-3.12) (.83) |
| Some college | 0.84 (0.48-1.46) (.53) | 0.71 (0.33-1.50) (.37) | 0.98 (0.43-2.22) (.96) | 1.55 (0.50-4.82) (.45) |
| Region (ref: South) | | | | |
| Northeast | 0.90 (0.46-1.74) (.75) | 1.12 (0.47-2.67) (.79) | 0.98 (0.39-2.46) (.97) | 2.19 (0.86-5.60) (.10) |
| Midwest | 0.92 (0.55-1.54) (.75) | 0.42 (0.17-1.06) (.07) | 0.77 (0.35-1.70) (.52) | 0.99 (0.42-2.33) (.97) |
| West | 0.93 (0.50-1.71) (.81) | 1.18 (0.53-2.64) (.68) | 0.60 (0.22-1.66) (.32) | 0.20 (0.03-1.54) (.12) |
| Cigarettes per day (Ref: Light) | | | | |
| Moderate | 1.02 (0.63-1.64) (.95) | 0.68 (0.34-1.39) (.30) | 0.86 (0.41-1.81) (.69) | 0.90 (0.40-1.99) (.79) |
| Heavy | 1.78 (0.78-4.05) (.17) | 0.34 (0.04-2.64) (.30) | 1.39 (0.38-5.07) (.62) | 1.19 (0.25-5.62) (.83) |
| Smoking Frequency (Ref: Non-daily) | | | | |
| Daily | 0.52 (0.29-0.95) (.03) | 1.25 (0.46-3.40) (.67) | 0.36 (0.16-0.82) (.01) | 4.25 (0.56-32.4) (.16) |
| Pre-quit time | 0.97 (0.93-1.01) (.10) | 1.00 (0.95-1.06) (.99) | 1.04 (0.99-1.10) (.14) | 1.02 (0.95-1.08) (.63) |

Multimedia Appendix 4. Associations between user characteristics and response rates and abstinence (complete case analysis), continued

| Characteristic | Day 28 | Day 35 | Day 42 | Day 72 |
|---|--|--|--|--|
| | <i>n</i> = 753 aOR (95% CI) (<i>p</i> -value) | <i>n</i> = 753 aOR (95% CI) (<i>p</i> -value) | <i>n</i> = 753 aOR (95% CI) (<i>p</i> -value) | <i>n</i> = 724 aOR (95% CI) (<i>p</i> -value) |
| Age (Winsorized) | 0.99 (0.94-1.05) (.80) | 1.01 (0.95-1.08) (.65) | 0.99 (0.93-1.06) (.82) | 1.02 (0.91-1.13) (.78) |
| Race/Ethnicity (Ref: White) | | | | |
| Black | 1.74 (0.73-4.12) (.21) | 0.43 (0.12-1.59) (.21) | 0.45 (0.12-1.68) (.24) | 0.21 (0.02-2.03) (.18) |
| Latina | 0.91 (0.20-4.16) (.91) | 0.51 (0.07-4.04) (.53) | 0.60 (0.08-4.78) (.63) | Undefined |
| Multiracial, Asian, AI/AN, NHPI, Other | 1.14 (0.32-4.06) (.83) | 0.44 (0.06-3.39) (.43) | 0.97 (0.21-4.44) (.97) | 1.09 (0.12-9.68) (.94) |
| Education (Ref: ≥college degree) | | | | |
| ≤High school | 0.43 (0.13-1.43) (.17) | 0.56 (0.16-1.99) (.37) | 0.85 (0.23-3.13) (.81) | 2.15 (0.18-25.9) (.55) |
| Some college | 1.45 (0.55-3.84) (.45) | 1.48 (0.50-4.32) (.48) | 1.53 (0.47-4.97) (.48) | 4.35 (0.43-44.3) (.21) |
| Region (ref: South) | | | | |
| Northeast | 0.79 (0.28-2.22) (.65) | 0.72 (0.22-2.34) (.59) | 0.61 (0.17-2.28) (.46) | Undefined |
| Midwest | 0.52 (0.20-1.35) (.18) | 0.80 (0.33-1.98) (.64) | 1.01 (0.42-2.43) (.98) | 0.36 (0.07-1.87) (.23) |
| West | 0.73 (0.26-2.05) (.54) | 0.17 (0.02-1.31) (.09) | 0.17 (0.02-1.33) (.09) | 0.32 (0.04-2.75) (.30) |
| Cigarettes per day (Ref: Light) | | | | |
| Moderate | 0.84 (0.37-1.94) (.69) | 1.63 (0.69-3.85) (.27) | 1.36 (0.56-3.32) (.50) | 0.64 (0.12-3.58) (.61) |
| Heavy | 1.16 (0.25-5.41) (.85) | 1.56 (0.32-7.64) (.58) | 1.42 (0.29-6.90) (.66) | 1.21 (0.13-11.0) (.87) |
| Smoking Frequency (Ref: Non-daily) | | | | |
| Daily | 0.66 (0.25-1.74) (.40) | 0.36 (0.12-1.07) (.06) | 0.35 (0.12-1.04) (.06) | 0.17 (0.03-0.82) (.03) |
| Pre-quit time | 1.02 (0.95-1.08) (.63) | 1.04 (0.97-1.12) (.23) | 1.06 (0.98-1.13) (.13) | 1.01 (0.90-1.13) (.89) |

^aResponse rate *ns* reflect the number of users who had not dropped out of the intervention and had the opportunity to respond (or not) each time smoking status was assessed; On Day 72, in addition to dropouts on quit day through day 42, we users whose quit days were 43-71 days before the end of study and those who opted out on days 43-71 because they did not receive the Day 72 prompt

^bFor abstinence, *n* = 753 reflects total users who made it to quit date. On Day 72, *n* = 724 because 29 users enrolled 43-71 days before the end of the study and did not have the opportunity to respond to the Day 72 smoking status prompt.

^cDue to quasi-complete separation of data points, aOR was undefined