

**Lef1 regulates caveolin expression and caveolin dependent endocytosis, a process
necessary for Wnt5a/Ror2 signaling during *Xenopus* gastrulation**

Katharina Puzik^{*1}, Veronika Tonnier^{*1}, Isabell Opper¹, Antonia Eckert², Lu Zhou², Marie-Claire Kratzer¹, Ferdinand le Noble^{1,3}, Gerd Ulrich Nienhaus^{2,3,4,5}, Dietmar Grasl^{1#}

*Equal contribution

Corresponding author

KP: katharina.puzik@kit.edu

VT: veronika.tonnier@gmx.de

IO: isabelopper@googlemail.com

AE: antonia.eckert@kit.edu

LZ: lu.zhou@kit.edu

MCK: kratzer.marieclaire@gmx.de

FLN: ferdinand.noble@kit.edu

GUN: uli@uiuc.edu

DG: dietmar.gradl@kit.edu

Affiliations:




¹*Department of Cell and Developmental Biology, Karlsruhe Institute of Technology, 76128 Karlsruhe, Germany*


²*Institute of Applied Physics, Karlsruhe Institute of Technology, 76128 Karlsruhe, Germany*

³*Institute of Toxicology and Genetics, Karlsruhe Institute of Technology, 76344 Eggenstein-Leopoldshafen, Germany*


⁴*Institute of Nanotechnology, Karlsruhe Institute of Technology, 76344 Eggenstein-Leopoldshafen, Germany*

⁵*Department of Physics, University of Illinois at Urbana-Champaign, Urbana, Illinois 61801, USA*







a




b




c





d






a





b





Fit No.	FWHM
1	$(720 \pm 50) \text{ nm}$
2	$(710 \pm 60) \text{ nm}$
3	$(442 \pm 27) \text{ nm}$
4	$(570 \pm 80) \text{ nm}$
5	$(390 \pm 90) \text{ nm}$



a



b



c

