

Dopamine agonists in prolactinoma

Table S6. hsCRP, blood pressure and lipids before and after treatment with dopamine receptor antagonists in patients with prolactinomas.

Study (Ref.nr.)	hsCRP baseline, mg/L (SD)	hsCRP follow-up, mg/L (SD)	Systolic BP baseline, mmHg (SD)	Systolic BP follow-up, mmHg (SD)	Diastolic BP baseline, mmHg (SD)	Diastolic BP follow-up, mmHg (SD)	Total cholesterol Baseline, mmol/L (SD)	Total cholesterol follow-up, mmol/L (SD)	LDL baseline, mmol/L (SD)	LDL follow-up, mmol/L (SD)	P-TRG baseline, mmol/L (SD)	P-TRG follow-up mmol/L (SD)
Schwetz (25)	-	-	-	-	-	-	5.1 (1.4)	4.8 (0.9)	3.1 (1.0)	2.9 (1.0)	1.1 (0.8)	1.1 (0.6)
Auriemma II (26)	-	-	-	-	-	-	5.7 (0.8)	5 (0.9)	3.7 (0.8)	3.2 (0.8)	2.1 (1)	1.3 (0.5)
Medic (31)	-	-	113 (26.3)	112 (21.5)	76.1 (17.7)	75.1 (15.1)	5.1 (1.5)	4.4 (1.3)	3.3 (1.2)	2.7 (0.8)	1.0 (0.5)	1.0 (0.6)
Pala (27)	-	-	-	-	-	-	4.5 (1)	3.6 (0.5)	2.8 (0.9)	2.0 (0.3)	1.8 (0.4)	1.2 (0.2)
Barbosa (33)	-	-	-	-	-	-	-	-	3.4 (1.0)	2.7 (1.2)	1.6 (0.8)	1.5 (0.8)
Auriemma (5)	-	-	-	-	-	-	5.1 (0.8)	4.4 (0.7)	3.3 (0.9)	2.5 (0.7)	1.4 (0.8)	0.9 (0.4)
Ciresi (4)	-	-	-	-	-	-	4.7 (1)	4.3 (0.7)	2.9 (0.9)	2.4 (0.7)	1.4 (0.7)	1.3 (0.5)
Inancli (29)	3.5 (7.9)	1.2 (2.2)	-	-	-	-	4.5 (0.8)	4.1 (1.1)	2.8 (0.7)	2.4 (0.9)	-	-
Berinder (6)	3.6 (8.4)	4.1 (10.1)	122 (19.0)	-	76 (9)	-	5.4 (1)	4.8 (0.8)	3.4 (0.9)	2.9 (0.6)	1.7 (1.9)	1.2 (0.8)
Silva (8)	-	-	-	-	-	-	-	-	3.4 (1.0)	2.8 (0.6)	1.5 (0.8)	1.5 (2.5)
Serri (7)	2.4 (3.3)	1.7 (2.4)	-	-	-	-	4.5 (1.1)	4.4 (0.8)	2.9 (0.8)	2.7 (0.8)	1.3 (1.0)	1.3 (0.9)
Yavuz (28)	3.5 (0.5)	2.5 (1.3)	123 (12.2)	121 (13.6)	75.3 (9.7)	75.9 (8.9)	5.1 (0.8)	4.8 (1)	3.2 (0.8)	3.0 (0.9)	1.0 (0.3)	0.9 (0.3)
Doknic (30)	-	-	-	-	-	-	-	-	-	-	-	-
Iglesias (32)	-	-	-	-	-	-	5.5 (1.1)	5.1 (0.8)	-	-	1.5 (1.0)	1.4 (0.7)

(-) Not reported