

Supplementary Table 1. Rank Order of Symptom Occurrence, Severity, and Distress Ratings Over One Cycle of Chemotherapy

Occurrence Rates						
Rank	T1		T2		T3	
	Symptom	%	Symptom	%	Symptom	%
1	Lack of energy	79.1	Lack of energy	76.2	Lack of energy	67.2
2	Numbness/tingling in hands/feet	62.2	Numbness/tingling in hands/feet	63.4	Difficulty sleeping	55.1
3	Difficulty sleeping	60.7	Difficulty sleeping	56.6	Numbness/tingling in hands/feet	54.4
4	Pain	59.4	Feeling drowsy	56.6	Pain	50.6
5	Feeling drowsy	57.1	Nausea	55.1	Feeling drowsy	46.9
6	Nausea	50.9	Pain	52.4	Nausea	43.1
7	Change in the way food tastes	49.9	Change in the way food tastes	47.1	Change in the way food tastes	39.8
8	Worrying	47.1	Lack of appetite	46.4	Difficulty concentrating	39.3
9	Difficulty concentrating	44.6	Difficulty concentrating	43.9	Lack of appetite	36.3
10	Dry mouth	44.4	Hair loss	39.8	Worrying	35.1
Severity Ratings ^a						
Rank	T1		T2		T3	
	Symptom	Mean (SD)	Symptom	Mean (SD)	Symptom	Mean (SD)
1	Problems with sexual interest or activity	2.39 (1.0)	Problems with sexual interest or activity	2.42 (0.9)	Problems with sexual interest or activity	2.49 (0.9)
2	Change in the way food tastes	2.10 (0.8)	Change in the way food tastes	2.12 (0.8)	Lack of energy	2.05 (0.7)
3	Lack of energy	2.03 (0.7)	Swelling of arms or legs	2.11 (0.9)	Lack of appetite	2.01 (0.8)
4	Difficulty sleeping	1.99 (0.7)	Lack of energy	2.06 (0.7)	Pain	1.97 (0.7)
5	Constipation	1.99 (0.8)	Diarrhea	2.03 (0.8)	Constipation	1.96 (0.8)
6	Lack of appetite	1.98 (0.8)	Lack of appetite	2.01 (0.7)	Difficulty sleeping	1.94 (0.7)
7	Diarrhea	1.97 (0.8)	Numbness/tingling in hands/feet	1.99 (0.8)	Feeling bloated	1.93 (0.7)
8	Swelling of arms or legs	1.97 (0.8)	Difficulty sleeping	1.98 (0.7)	Change in the way food tastes	1.92 (0.8)
9	Numbness/tingling in hands/feet	1.95 (0.8)	Constipation	1.96 (0.7)	Abdominal cramps	1.92 (0.7)
10	Hair loss	1.95 (0.9)	Feeling bloated	1.96 (0.8)	Changes in skin	1.91 (0.8)
Distress Ratings ^b						
Rank	T1		T2		T3	
	Symptom	Mean (SD)	Symptom	Mean (SD)	Symptom	Mean (SD)
1	“I don’t look like myself”	1.77 (1.1)	Problems with sexual interest or activity	2.01 (1.2)	Problems with sexual interest or activity	1.96 (1.2)

2	Difficulty swallowing	1.77 (1.2)	Lack of energy	1.88 (1.0)	Pain	1.75 (1.1)
3	Difficulty sleeping	1.73 (1.3)	"I don't look like myself"	1.81 (1.2)	Lack of energy	1.71 (1.1)
4	Vomiting	1.73 (1.1)	Pain	1.79 (1.0)	Changes in skin	1.70 (1.2)
5	Lack of energy	1.72 (1.1)	Change in the way food tastes	1.77 (1.2)	Hair loss	1.69 (1.2)
6	Pain	1.72 (1.1)	Hair loss	1.71 (1.2)	Abdominal cramps	1.62 (1.0)
7	Nausea	1.68 (1.1)	Diarrhea	1.71 (1.1)	Constipation	1.60 (1.1)
8	Problems with urination	1.68 (1.2)	Difficulty sleeping	1.70 (1.0)	Feeling bloated	1.60 (1.0)
9	Constipation	1.67 (1.2)	Feeling bloated	1.70 (1.1)	Difficulty sleeping	1.57 (1.0)
10	Diarrhea	1.65 (1.1)	Vomiting	1.68 (1.1)	Diarrhea	1.57 (1.1)
	Feeling bloated	1.65 (1.3)				

Abbreviation: SD = standard deviation

Timing of symptom assessments: Time 1 = prior to the initiation of next cycle of chemotherapy (i.e, recovery from the second or third cycle of chemotherapy), Time 2 = approximately one week after chemotherapy (i.e., acute symptoms), Time 3 = approximately two weeks after chemotherapy (i.e., potential nadir).

^aSeverity ratings without zeros: 1 = slight, 2 = moderate, 3 = severe, 4 = very severe.

^bDistress ratings: 0 = not at all, 1 = a little bit, 2 = somewhat, 3 = quite a bit, 4 = very much.

Supplementary Table 2. Exploratory Factory Analysis Using Ratings of Symptom Occurrence Prior to the Initiation of Next Dose of Chemotherapy (Time 1)^a

Symptoms	Factor 1	Factor 2	Factor 3	Factor 4
	Psychological Symptom Cluster	Chemotherapy-related Symptom Cluster	Gastrointestinal Symptom Cluster	Weight change Symptom Cluster
Lack of energy	0.463	0.307	0.135	-0.128
Difficulty concentrating	0.712	0.057	0.023	-0.079
Feeling nervous	0.822	0.030	-0.113	-0.011
Feeling drowsy	0.404	0.365	-0.014	-0.036
Feeling sad	0.863	-0.039	-0.017	-0.016
Worrying	0.895	-0.213	0.115	-0.001
Feeling irritable	0.642	0.080	0.095	0.025
Dry mouth	0.084	0.451	-0.039	0.121
Nausea	0.025	0.464	0.330	-0.056
Itching	0.048	0.489	-0.174	0.337
Lack of appetite	-0.162	0.844	0.083	-0.147
Weight loss	-0.022	0.617	0.059	-0.220
Change in the way food tastes	0.035	0.466	0.035	0.158
Changes in skin	0.420	0.500	-0.232	0.047
Dizziness	0.073	0.504	0.094	0.121
Feeling bloated	0.072	0.083	0.689	0.126
Abdominal cramps	0.052	-0.001	0.734	0.159
Constipation	0.011	0.302	0.431	-0.116
Increased appetite	-0.061	0.047	0.094	0.836
Weight gain	-0.005	-0.139	0.024	0.962
Pain	0.310	-0.034	0.268	0.061
Cough	0.231	0.268	-0.138	0.141
Numbness/tingling in hands/feet	0.147	0.185	0.086	0.020
Difficulty sleeping	0.254	0.265	0.109	0.084
Diarrhea	0.006	0.207	0.341	0.145
Sweats	0.333	0.051	0.169	0.187
Problems with sexual interest or activity	0.341	0.177	0.065	0.077
Hair loss	0.105	0.320	0.000	0.190
"I don't look like myself"	0.241	0.272	-0.007	0.121

^aExtraction method: unweighted least squares. Rotation method: Geomin (oblique) rotation. Bold fonts indicate factor loading for symptom was >0.40.

Supplementary Table 3. Exploratory Factory Analysis Using Ratings of Symptom Occurrence Approximately One Week After Chemotherapy Administration (Time 2)^a

Symptoms	Factor 1	Factor 2	Factor 3	Factor 4
	Psychological Symptom Cluster	Chemotherapy-related Symptom Cluster	Weight change Symptom Cluster	Epithelial Symptom Cluster
Lack of energy	0.414	0.486	-0.164	-0.012
Cough	-0.007	0.501	0.114	-0.027
Dry mouth	-0.105	0.641	0.059	0.095
Nausea	0.002	0.702	-0.040	-0.083
Abdominal cramps	0.095	0.530	0.132	-0.114
Lack of appetite	0.058	0.688	-0.419	0.110
Weight loss	-0.006	0.453	-0.330	0.132
Feeling bloated	0.188	0.478	0.092	-0.091
Diarrhea	-0.003	0.476	-0.136	-0.106
Feeling drowsy	0.283	0.447	0.012	0.003
Numbness/tingling in hands/feet	-0.060	0.489	0.041	0.017
Difficulty concentrating	0.653	0.175	-0.023	0.068
Feeling nervous	0.656	0.120	0.007	0.042
Feeling sad	0.814	-0.006	-0.072	0.061
Worrying	0.926	0.079	0.000	-0.077
Feeling irritable	0.654	0.061	-0.088	0.114
Problems with sexual interest or activity	0.510	0.030	0.100	-0.153
“I don’t look like myself”	0.403	0.026	-0.001	0.347
Increased appetite	-0.026	0.228	0.784	0.065
Weight gain	0.107	-0.033	0.808	0.024
Hair loss	0.282	0.034	0.153	0.420
Change in the way food tastes	-0.029	0.439	-0.141	0.573
Changes in skin	0.312	-0.087	0.034	0.610
Itching	0.172	0.145	0.203	0.339
Constipation	0.122	0.384	-0.035	-0.030
Pain	0.390	0.273	0.030	-0.317
Difficulty sleeping	0.308	0.329	0.099	-0.055
Sweats	0.249	0.324	0.169	-0.021
Dizziness	0.200	0.338	0.079	0.195

^aExtraction method: unweighted least squares. Rotation method: Geomin (oblique) rotation. Bold fonts indicate factor loading for symptom was >0.40.

Supplementary Table 4. Exploratory Factory Analysis Using Ratings of Symptom Occurrence Approximately Two Weeks After Chemotherapy Administration (Time 3)^a

Symptoms	Factor 1	Factor 2	Factor 3	Factor 4
	Psychological Symptom Cluster	Chemotherapy-related Symptom Cluster	Weight change Symptom Cluster	Epithelial Symptom Cluster
Lack of energy	0.544	0.462	0.018	-0.044
Difficulty concentrating	0.510	0.255	-0.006	0.025
Feeling nervous	0.787	-0.012	0.009	0.007
Difficulty sleeping	0.421	0.272	0.129	0.054
Feeling sad	0.943	-0.174	-0.023	0.131
Worrying	0.951	-0.040	-0.011	-0.119
Feeling irritable	0.585	0.050	-0.127	0.277
Problems with sexual interest or activity	0.463	0.043	-0.095	0.136
Cough	-0.072	0.545	-0.013	0.026
Dry mouth	0.196	0.535	0.029	0.011
Nausea	0.184	0.560	-0.042	-0.079
Abdominal cramps	0.206	0.478	-0.049	-0.035
Weight loss	-0.092	0.618	-0.412	0.159
Lack of appetite	0.034	0.690	-0.467	0.029
Change in the way food tastes	-0.081	0.505	0.048	0.201
Diarrhea	0.034	0.497	-0.244	-0.043
Feeling drowsy	0.196	0.535	0.029	0.011
Increased appetite	-0.068	0.174	0.600	0.113
Weight gain	0.001	-0.024	1.020	0.038
“I don’t look like myself”	0.303	0.081	0.151	0.513
Changes in skin	0.278	-0.016	-0.059	0.666
Itching	-0.020	-0.036	0.106	0.622
Feeling bloated	0.388	0.315	0.138	-0.223
Numbness/tingling in hands/feet	0.093	0.324	0.136	-0.051
Pain	0.315	0.251	0.162	-0.097
Hair loss	0.115	0.246	0.098	0.315
Constipation	0.347	0.295	-0.006	0.033
Sweats	0.396	0.088	0.253	0.022
Dizziness	0.194	0.354	0.133	0.203

^aExtraction method: unweighted least squares. Rotation method: Geomin (oblique) rotation. Bold fonts indicate factor loading for symptom was >0.40.

Supplementary Table 5. Exploratory Factory Analysis Using Ratings of Symptom Severity Prior to the Initiation of Next Dose of Chemotherapy (Time 1)^a

Symptoms	Factor 1	Factor 2	Factor 3	Factor 4
	Psychological Symptom Cluster	Chemotherapy-related Symptom Cluster	Gastrointestinal Symptom Cluster	Weight change Symptom Cluster
Lack of energy	0.498	0.218	0.151	-0.248
Difficulty concentrating	0.716	0.052	0.009	-0.107
Feeling nervous	0.775	-0.062	0.006	0.045
Feeling drowsy	0.458	0.271	0.033	-0.124
Feeling sad	0.845	-0.064	-0.057	0.030
Worrying	0.800	-0.105	0.063	0.025
Feeling irritable	0.528	0.094	0.175	0.040
Problems with sexual interest or activity	0.428	0.149	-0.006	-0.044
Dizziness	0.051	0.507	0.137	0.035
Weight loss	-0.019	0.582	0.027	-0.278
Lack of appetite	-0.073	0.768	0.079	-0.260
Itching	0.061	0.466	-0.033	0.295
Hair loss	-0.039	0.443	0.026	0.177
Change in the way food tastes	0.029	0.606	0.029	0.100
“I don’t look like myself”	0.241	0.418	-0.122	0.089
Changes in skin	0.347	0.586	-0.249	0.006
Nausea	0.104	0.305	0.404	-0.140
Feeling bloated	0.034	0.102	0.616	0.154
Diarrhea	0.018	0.035	0.561	0.065
Abdominal cramps	0.035	-0.072	0.858	0.004
Constipation	0.108	0.321	0.200	-0.164
Increased appetite	-0.038	0.022	0.297	0.785
Weight gain	0.050	-0.003	0.101	0.871
Cough	0.185	0.295	-0.098	0.119
Dry mouth	0.157	0.269	0.192	0.049
Difficulty sleeping	0.361	0.195	0.081	0.081
Numbness/tingling in hands/feet	0.241	0.068	0.190	-0.077
Pain	0.282	0.056	0.267	0.003
Sweats	0.314	0.108	0.159	0.151

^aExtraction method: unweighted least squares. Rotation method: Geomin (oblique) rotation. Bold fonts indicate factor loading for symptom was >0.40.

Supplementary Table 6. Exploratory Factory Analysis Using Ratings of Symptom Severity Approximately One Week After Chemotherapy Administration (Time 2)^a

Symptoms	Factor 1	Factor 2	Factor 3	Factor 4
	Psychological Symptom Cluster	Chemotherapy-related Symptom Cluster	Weight change Symptom Cluster	Epithelial Symptom Cluster
Cough	-0.081	0.544	0.173	0.001
Dry mouth	-0.160	0.676	0.015	0.072
Nausea	0.037	0.615	-0.049	-0.057
Feeling bloated	0.192	0.443	0.146	0.011
Change in the way food tastes	-0.062	0.538	-0.188	0.320
Abdominal cramps	0.061	0.571	0.041	-0.083
Feeling drowsy	0.208	0.440	-0.016	0.035
Sweats	0.143	0.486	0.208	-0.052
Lack of appetite	0.036	0.669	-0.451	0.088
Weight loss	-0.008	0.481	-0.430	0.118
Numbness/tingling in hands/feet	0.054	0.521	0.022	-0.187
Lack of energy	0.435	0.430	-0.190	-0.018
Difficulty concentrating	0.517	0.217	0.043	0.118
Feeling nervous	0.606	0.115	0.090	0.022
Feeling sad	0.811	-0.004	-0.042	0.072
Worrying	0.940	-0.057	-0.025	-0.011
Feeling irritable	0.562	0.183	-0.033	0.085
Problems with sexual interest or activity	0.402	0.128	0.103	-0.037
Increased appetite	-0.073	0.153	0.708	0.085
Weight gain	0.120	-0.041	0.781	0.068
Itching	0.067	0.132	0.136	0.433
Hair loss	0.082	0.098	0.089	0.450
“I don’t look like myself”	0.381	0.029	-0.031	0.459
Changes in skin	0.217	-0.044	0.017	0.705
Diarrhea	0.010	0.541	-0.124	-0.161
Constipation	0.161	0.336	-0.023	0.020
Dizziness	0.050	0.397	-0.003	0.184
Difficulty sleeping	0.239	0.386	0.100	-0.021
Pain	0.314	0.354	0.086	-0.197

^aExtraction method: unweighted least squares. Rotation method: Geomin (oblique) rotation. Bold fonts indicate factor loading for symptom was >0.40.

Supplementary Table 7. Exploratory Factory Analysis Using Ratings of Symptom Severity Approximately Two Weeks After Chemotherapy Administration (Time 3)^a

Symptoms	Factor 1	Factor 2	Factor 3	Factor 4
	Psychological Symptom Cluster	Chemotherapy-related Symptom Cluster	Weight change Symptom Cluster	Epithelial Symptom Cluster
Difficulty concentrating	0.453	0.307	0.026	0.029
Feeling nervous	0.773	0.031	0.027	0.017
Feeling sad	0.872	-0.087	-0.028	0.115
Worrying	0.949	-0.038	-0.051	-0.073
Feeling irritable	0.594	0.095	-0.029	0.178
Constipation	0.404	0.121	0.010	0.158
Lack of energy	0.429	0.516	0.025	-0.133
Cough	-0.036	0.428	0.057	0.060
Dry mouth	-0.010	0.518	0.015	0.020
Nausea	0.202	0.518	-0.066	-0.044
Feeling drowsy	0.095	0.626	0.105	-0.054
Numbness/tingling in hands/feet	0.040	0.416	0.144	-0.014
Diarrhea	-0.035	0.557	-0.156	-0.070
Abdominal cramps	0.259	0.423	-0.126	0.027
Dizziness	0.105	0.425	0.145	0.175
Change in the way food tastes	-0.100	0.440	-0.031	0.347
Lack of appetite	0.036	0.629	-0.442	0.200
Weight loss	-0.054	0.605	-0.411	0.249
Increased appetite	-0.076	0.089	0.621	0.102
Weight gain	-0.011	-0.017	1.094	0.051
Itching	-0.039	0.045	0.115	0.483
“I don’t look like myself”	0.298	0.024	0.133	0.632
Changes in skin	0.261	-0.056	-0.028	0.698
Sweats	0.348	0.176	0.196	-0.004
Feeling bloated	0.369	0.253	0.045	-0.061
Problems with sexual interest or activity	0.363	0.129	-0.019	0.071
Hair loss	0.147	0.153	0.018	0.333
Difficulty sleeping	0.314	0.341	0.123	0.054
Pain	0.314	0.280	0.103	-0.103

^aExtraction method: unweighted least squares. Rotation method: Geomin (oblique) rotation. Bold fonts indicate factor loading for symptom was >0.40.

Supplementary Table 8. Exploratory Factory Analysis Using Ratings of Symptom Distress Prior to the Initiation of Next Dose of Chemotherapy (Time 1)^a

Symptoms	Factor 1	Factor 2	Factor 3	Factor 4
	Psychological Symptom Cluster	Chemotherapy-related Symptom Cluster	Weight change Symptom Cluster	Gastrointestinal Symptom Cluster
Difficulty concentrating	0.767	-0.030	-0.083	0.037
Feeling nervous	0.707	-0.060	0.047	0.001
Feeling sad	0.760	0.041	0.084	-0.137
Worrying	0.959	-0.166	0.040	-0.102
Feeling irritable	0.618	0.071	-0.013	0.119
Lack of energy	0.552	0.252	-0.235	0.051
Feeling drowsy	0.488	0.240	-0.099	0.079
Difficulty sleeping	0.407	0.140	0.030	0.095
Pain	0.459	0.109	0.002	0.117
Sweats	0.502	0.031	0.093	0.075
Dizziness	0.093	0.564	0.031	0.022
Change in the way food tastes	0.046	0.559	0.058	0.052
Lack of appetite	-0.041	0.807	-0.246	-0.030
Weight loss	-0.010	0.602	-0.233	0.048
Itching	-0.089	0.516	0.263	0.024
“I don’t look like myself”	0.187	0.537	0.059	-0.207
Changes in skin	0.268	0.622	0.034	-0.293
Hair loss	0.020	0.449	0.118	0.100
Increased appetite	-0.004	0.050	0.779	0.241
Weight gain	0.050	-0.018	0.929	0.001
Diarrhea	0.064	0.063	0.087	0.620
Abdominal cramps	0.289	-0.029	0.024	0.621
Constipation	0.297	0.279	-0.135	0.089
Cough	0.066	0.322	0.075	0.028
Dry mouth	0.081	0.344	0.113	0.205
Nausea	0.252	0.367	-0.133	0.262
Numbness/tingling in hands/feet	0.321	0.150	-0.046	0.156
Feeling bloated	0.356	0.103	0.126	0.358
Problems with sexual interest or activity	0.384	0.278	-0.016	-0.170

^aExtraction method: unweighted least squares. Rotation method: Geomin (oblique) rotation. Bold fonts indicate factor loading for symptom was >0.40.

Supplementary Table 9. Exploratory Factory Analysis Using Ratings of Symptom Distress Approximately One Week After Chemotherapy Administration (Time 2)^a

Symptoms	Factor 1	Factor 2	Factor 3	Factor 4
	Psychological Symptom Cluster	Chemotherapy-related Symptom Cluster	Weight change Symptom Cluster	Epithelial Symptom Cluster
Cough	-0.122	0.571	0.200	0.005
Dry mouth	-0.057	0.629	0.065	0.003
Nausea	0.061	0.564	-0.012	0.018
Feeling drowsy	0.286	0.423	-0.012	0.031
Diarrhea	0.107	0.474	-0.074	-0.123
Abdominal cramps	0.066	0.570	0.104	-0.021
Change in the way food tastes	-0.062	0.552	-0.208	0.351
Lack of appetite	0.015	0.714	-0.395	0.098
Weight loss	0.041	0.536	-0.324	0.021
Sweats	0.255	0.403	0.256	-0.047
Lack of energy	0.514	0.339	-0.121	0.014
Difficulty concentrating	0.527	0.141	-0.050	0.155
Feeling nervous	0.751	0.019	0.017	-0.015
Feeling sad	0.784	-0.025	0.010	0.075
Worrying	0.992	-0.193	-0.005	0.035
Feeling irritable	0.630	0.105	-0.042	0.077
Difficulty sleeping	0.404	0.260	0.099	-0.054
Problems with sexual interest or activity	0.467	0.010	0.147	0.015
Increased appetite	0.038	0.081	0.726	0.085
Weight gain	-0.021	-0.037	0.877	0.207
Itching	0.025	0.104	0.117	0.469
“I don’t look like myself”	0.236	0.061	0.034	0.511
Changes in skin	0.089	-0.064	-0.020	0.820
Hair loss	0.094	0.067	0.067	0.489
Constipation	0.147	0.309	0.071	0.095
Numbness and/or tingling in hands and/or feet	0.210	0.376	-0.008	-0.112
Dizziness	0.082	0.345	0.011	0.196
Feeling bloated	0.231	0.390	0.199	0.031
Pain	0.384	0.266	0.167	-0.098

^aExtraction method: unweighted least squares. Rotation method: Geomin (oblique) rotation. Bold fonts indicate factor loading for symptom was >0.40.

Supplementary Table 10. Exploratory Factory Analysis Using Ratings of Symptom Distress Approximately Two Weeks After Chemotherapy Administration (Time 3)^a

Symptoms	Factor 1	Factor 2	Factor 3	Factor 4
	Psychological Symptom Cluster	Chemotherapy-related Symptom Cluster	Weight change Symptom Cluster	Epithelial Symptom Cluster
Lack of energy	0.524	0.378	-0.021	0.013
Difficulty concentrating	0.485	0.232	0.054	0.102
Feeling nervous	0.729	0.060	0.045	-0.136
Feeling sad	0.969	-0.188	-0.024	0.071
Worrying	0.959	-0.059	0.014	-0.157
Feeling irritable	0.642	0.117	-0.081	0.077
Constipation	0.422	0.150	-0.001	0.150
Cough	-0.055	0.528	0.037	-0.049
Dry mouth	0.025	0.506	0.046	-0.027
Nausea	0.253	0.479	-0.040	-0.038
Feeling drowsy	0.202	0.520	0.050	0.028
Diarrhea	0.072	0.462	-0.103	-0.089
Abdominal cramps	0.233	0.462	-0.129	-0.093
Change in the way food tastes	-0.021	0.482	-0.039	0.275
Lack of appetite	0.026	0.705	-0.467	0.044
Weight loss	-0.077	0.645	-0.446	0.092
Increased appetite	-0.092	0.099	0.652	0.334
Weight gain	0.026	-0.041	0.965	0.348
Itching	0.002	0.026	0.023	0.526
“I don’t look like myself”	0.394	0.047	0.034	0.584
Changes in skin	0.432	-0.041	-0.128	0.624
Difficulty sleeping	0.336	0.314	0.137	0.101
Problems with sexual interest or activity	0.418	0.071	-0.142	0.060
Sweats	0.331	0.205	0.271	-0.026
Hair loss	0.258	0.187	0.012	0.300
Numbness/tingling in hands/feet	0.212	0.378	0.176	-0.079
Dizziness	0.179	0.363	0.116	0.226
Feeling bloated	0.378	0.233	0.129	-0.060
Pain	0.381	0.265	0.048	-0.085

^aExtraction method: unweighted least squares. Rotation method: Geomin (oblique) rotation. Bold fonts indicate factor loading for symptom was >0.40.