

Figure	Analyzed item	Condition	Location	Timing	Mean $\pm$ SEM	<i>P</i> value	N	Test
3B	GluA2-SEP fluorescence intensity	RevA $\beta$	PSLM	-3-0 min	98.32 $\pm$ 1.15		17	Dunnett's test
				3-6 min	102.87 $\pm$ 1.87	.42		
				11-14 min	120.65 $\pm$ 3.37	1.5E-06***		
				27-30 min	112.96 $\pm$ 2.83	.00024***		
			Non-PSLM	-3-0 min	98.61 $\pm$ 0.87		17	
				3-6 min	101.75 $\pm$ 1.68	.52		
				11-14 min	117.76 $\pm$ 2.56	1.4E-06***		
				27-30 min	112.58 $\pm$ 2.09	8.3E-06***		
		A $\beta$ O $_s$	PSLM	-3-0 min	97.33 $\pm$ 1.77		19	Dunnett's test
				3-6 min	99.34 $\pm$ 2.13	.93		
				11-14 min	113.90 $\pm$ 4.40	.00054***		
				27-30 min	110.96 $\pm$ 2.88	.0050**		
			Non-PSLM	-3-0 min	97.19 $\pm$ 1.43		19	
				3-6 min	99.00 $\pm$ 2.03	.95		
				11-14 min	115.59 $\pm$ 4.28	.00017***		
				27-30 min	112.26 $\pm$ 3.53	.0023**		