

Figure	Analyzed item	Condition	Location	Timing	Mean \pm SEM	<i>P value</i>	N	Test
5C	GluA2-SEP exocytosis frequency	RevA β	PSLM	-3-0 min	0.56 \pm 0.12	.93	24	Benjamin-Hochberg test
		A β Os			0.58 \pm 0.11		23	
		RevA β		0-3 min	0.56 \pm 0.11	.94	24	
		A β Os			0.55 \pm 0.15		23	
		RevA β		6-9 min	0.72 \pm 0.15	.54	24	
		A β Os			0.61 \pm 0.11		23	
		RevA β		27-30 min	0.38 \pm 0.10	.90	24	
		A β Os			0.36 \pm 0.10		23	
		RevA β	Non-PSLM	-3-0 min	0.15 \pm 0.02	.93	24	Benjamin-Hochberg test
		A β Os			0.14 \pm 0.01		23	
		RevA β		0-3 min	0.16 \pm 0.02	.73	24	
		A β Os			0.17 \pm 0.03		23	
		RevA β		6-9 min	0.24 \pm 0.03	.70	24	
		A β Os			0.23 \pm 0.03		23	
		RevA β		27-30 min	0.15 \pm 0.02	.27	24	
		A β Os			0.12 \pm 0.02		23	