

**Supplementary Data.** Median values of MIC according to initial antibiotic treatment. *The MIC values were provided by the local microbiology laboratory in 30 patients (17%). Results expressed as median [25 – 75 interquartile]*

	<b>Control period</b> N = 88	<b>Treatment period</b> N = 89	<b>p</b>
<b>Piperacillin ± Tazobactam</b> <i>N = 90</i>	4 [2.5 – 4]	4 [4 – 4]	<i>0.01</i>
<b>Ceftriaxone or cefotaxime</b> <i>N = 28</i>	0.5 [0.4 – 0.6]	0.5 [0.1 – 0.9]	<i>0.51</i>
<b>Amoxicillin ± Clavulanic Acid</b> <i>N = 22</i>	2 [1.8 – 3.5]	2 [0.5 – 2]	<i>0.36</i>
<b>Ceftazidime or Cefepime</b> <i>N = 17</i>	1 [0.5 – 1]	4 [3 - 6]	<i>0.02</i>
<b>Cefazolin</b> <i>N = 11</i>	2 [2 – 2]	2 [1.3 – 2]	<i>0.65</i>
<b>Meropenem</b> <i>N = 9</i>	0.4 [0.3 – 0.5]	0.1 [0.1 – 0.1]	<i>0.14</i>