natureresearch

| Corresponding author(s): | Kirst King-Jones |
|----------------------------|------------------|
| Last updated by author(s): | Aug 22, 2019 |

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see <u>Authors & Referees</u> and the <u>Editorial Policy Checklist</u>.

| _ | | | | |
|----|----|----|----|-----|
| Ç. | tっ | t۱ | ct | icc |

Data analysis

Provide a description of all commercial, open source and custom code used to analyse the data in this study, specifying the version used OR state that no software was used.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

Data

Policy information about <u>availability of data</u>

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

Data availability

The raw data from this project have been uploaded to FigShare at https://figshare.com/s/eb4451ceeae5e0fd926f with DOI information 10.6084/m9.figshare.8001809. Mass spectrometry proteomics data have been have been deposited to the ProteomeXchange Consortum via the PRIDE partner repository with identifier PXD013499.

| Field-spe | ecific reporting | | | | |
|---|--|--|--|--|--|
| Please select the o | ne below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection. | | | | |
| ∑ Life sciences | Behavioural & social sciences Ecological, evolutionary & environmental sciences | | | | |
| For a reference copy of | he document with all sections, see nature.com/documents/nr-reporting-summary-flat.pdf | | | | |
| | | | | | |
| Life scier | nces study design | | | | |
| All studies must dis | close on these points even when the disclosure is negative. | | | | |
| Sample size | Describe how sample size was determined, detailing any statistical methods used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. | | | | |
| Data exclusions | Describe any data exclusions. If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established. | | | | |
| Replication | All experiments were replicated at least once. Each data point relies on at least three biological replicates, in the case of real-time PCR, each biological replicate was tested in triplicate. | | | | |
| Randomization | Animals were selected randomly for sample preparation. | | | | |
| Blinding | Describe whether the investigators were blinded to group allocation during data collection and/or analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study. | | | | |
| We require informatis system or method liss Materials & ex n/a Involved in th Antibodies Eukaryotic Palaeontol Animals ar Clinical dat Antibodies | cell lines ChIP-seq Flow cytometry Ogy MRI-based neuroimaging d other organisms earch participants a | | | | |
| Antibodies used Validation | Monoclonal rabbit anti-Myc-tag antibodies (Cell signaling 2278S), rabbit monoclonal anti-Flag tag antibody (Cell signaling 14793S), monoclonal mouse anti-Flag-tag antibodies (Cell signaling 8146S), monoclonal rabbit anti-HA-tag antibody (Cell signaling 3724S), monoclonal mouse anti-HA-tag antibody (Abcam 18181), Goat anti-rabbit IgG H&L HRP secondary antibody (Abcam ab97051), Goat anti-mouse IgG H&L HRP secondary antibody (Abcam 97023), Goat anti-rabbit IgG H&L Alexa Fluor 488 (ab150077), Goat anti-rabbit IgG H&L Alexa Fluor 555 (ab150078), Goat anti-Mouse IgG H&L Alexa Fluor 488 (ab150113), Goat anti-Mouse IgG H&L Alexa Fluor 555 (ab150114). Primary antibodies from Cell signaling (including 2278S, 14793S, 8146S, 3724S) or Abcam (ab18181) are claimed by the manufacturers that can work in all species as well as experiments being used in our manuscript, including immunofluorescence and western blot. In an effort to ensure those antibodies work for our experiments, we cloned a eGFP constructs tagged with either epitope tag (3xMyc or 3xFlag or 3xHA) and performed in vivo experiments using S2 cell culture. We used the corresponding antibody to detect the epitope tag(s) and also used GFP antibody to detect GFP protein. Once we knew those antibodies are working properly, we started to use them for our real experiments. In addition, those antibodies were used and cited by many other publications. | | | | |

Eukaryotic cell lines

Policy information about <u>cell lines</u>

Cell line source(s)

Drosophila Schneider 2 cells (aka S2 cells)

| Authentication | Cell line was authenticated. S2 cell is a commonly used cell line in Drosophila research. For our research, this line was a gift from Dr. Andrew Simmonds lab, which uses S2 cell as their study model |
|---|--|
| Mycoplasma contamination | Cell line was not tested for mycoplasma contamination |
| Commonly misidentified lines (See ICLAC register) | N/A |

Palaeontology

Specimen provenance Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimen deposition Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new

dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals Drosophila melanogaster

Wild animals

Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight | Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or quidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about studies involving human research participants

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

RecruitmentDescribe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Ethics oversight | Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about clinical studies

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol Note where the full trial protocol can be accessed OR if not available, explain why.

Outcomes Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

| C | hl | IP-se | a |
|---|----|-------|---|
| | | | |

| \neg | | | ı d | I - | | _ | _ ' | - | | |
|--------|----|----|--------|-----|---|--------|-----|----|---|---|
| | ıa | Т2 | \cap | ı | n | \cap | C | IT | - | n |
| | | | | | | | | | | |

| Confirm that both raw and final processed data have been deposited in a public database such as <u>GEO</u> . |
|--|
|--|

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Genome browser session

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to

(e.g. UCSC)

Methodology

Replicates

Describe the experimental replicates, specifying number, type and replicate agreement.

Provide a list of all files available in the database submission.

Sequencing depth Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of

enable peer review. Write "no longer applicable" for "Final submission" documents.

reads and whether they were paired- or single-end.

Antibodies Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone

name, and lot number.

Peak calling parameters Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and

Data quality Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a Software

community repository, provide accession details.

Flow Cytometry

Plots

Confirm that:

| The axis labels state the marker and fluorochrome used (e.g. CD4 | FITC). | |
|--|--------|--|
|--|--------|--|

The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).

All plots are contour plots with outliers or pseudocolor plots.

A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation

Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.

Instrument

Identify the instrument used for data collection, specifying make and model number.

Software

Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details

Cell population abundance

Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.

Gating strategy

Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.

Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

Experimental design

Design type

Indicate task or resting state; event-related or block design.

| Design specifications | Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials. | | | | |
|--|--|--|--|--|--|
| Behavioral performance measures | State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects). | | | | |
| Acquisition | | | | | |
| Imaging type(s) | Specify: functional, structural, diffusion, perfusion. | | | | |
| Field strength | Specify in Tesla | | | | |
| Sequence & imaging parameters | Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle. | | | | |
| Area of acquisition | State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined. | | | | |
| Diffusion MRI Used | ☐ Not used | | | | |
| Preprocessing | | | | | |
| Preprocessing software | Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.). | | | | |
| Normalization | If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization. | | | | |
| Normalization template | Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized. | | | | |
| Noise and artifact removal | Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration). | | | | |
| Volume censoring | Define your software and/or method and criteria for volume censoring, and state the extent of such censoring. | | | | |
| Statistical modeling & inference | 2 | | | | |
| Model type and settings | Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation). | | | | |
| Effect(s) tested | Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used. | | | | |
| Specify type of analysis: Whole | e brain ROI-based Both | | | | |
| Statistic type for inference (See Eklund et al. 2016) | Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods. | | | | |
| Correction | Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo). | | | | |
| Models & analysis | | | | | |
| n/a Involved in the study Functional and/or effective cor Graph analysis Multivariate modeling or predi | | | | | |