








Source data for Figure 7B (1/5)

- In addition to the Western blotting replicate shown in Figure 7B, 4 additional independent experiments were performed.
 - Western blotting images from the 4 additional replicates are provided below.
 - Uncropped images are provided in the next pages
 - Mean and standard deviation of DEK and ELP3 protein quantification from all 5 replicates are provided in Figure 7B.




Source data for Figure 7B (2/5)

- Uncropped images from replicate 1 (included in Fig 7B) and replicate 2




c-myc



ELP3



GAPDH (rep 1)



DEK (2)



Needs to be flipped

DEK (1)

Less exposed


Source data for Figure 7B (3/5)

- Uncropped images from replicate 1 (included in Fig 7B) and replicate 2



Source data for Figure 7B (4/5)

- Uncropped images from replicate 4




**Samples
Left to
right:**

- 1: Control
- 2: E2
- 3: ICI
- 4: Both

Source data for Figure 7B (5/5)


- Uncropped images from replicate 5





Source data for Figure 7D (1/2)

- In addition to the Western blotting replicate shown in Figure 7D, 1 additional independent experiments was performed.
 - Western blotting images from the additional replicate is provided below.
 - Uncropped images of both replicates are provided below and in the next page


Replicate 2




- Uncropped images from replicate 1 (included in Figure 7D)



CHK1



Actin



DEK

Source data for Figure 7D (2/2)

- Uncropped images from replicate 2

