

Corresponding author(s):	Joshua C. Snyder
Last updated by author(s):	Oct 21, 2019

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see <u>Authors & Referees</u> and the <u>Editorial Policy Checklist</u>.

٠.					
C+	2	t١	ct	L	\sim

For all statistical analyses, confirm that the following items are present in the figure legend, table lege	nd, main text, or Methods section.	
n/a Confirmed		
The exact sample size (n) for each experimental group/condition, given as a discrete number	and unit of measurement	
A statement on whether measurements were taken from distinct samples or whether the sa	me sample was measured repeatedly	
The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.		
A description of all covariates tested		
A description of any assumptions or corrections, such as tests of normality and adjustment for	or multiple comparisons	
A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)		
For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes <i>Give P values as exact values whenever suitable.</i>	s, degrees of freedom and P value noted	
For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings		
For hierarchical and complex designs, identification of the appropriate level for tests and full	reporting of outcomes	
Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i>), indicating how they were calculated		
Our web collection on <u>statistics for biologists</u> contains articles on many of the poin	nts above.	
Software and code		
Policy information about <u>availability of computer code</u>		
Data collection Microsoft excel, graphpad prism, Zen Black, IMARIS (Bitplane), SnapGene, FIJI, Rstudio, image.org/)	scikit-image57 Python package (https://scikit-	
Data analysis Seurat Package (v2.3), BaseSpace (Illumina, SureCell RNA SingleCell App).		
For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.		

Policy information about availability of data

Data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

The data that support the findings of this study are available from the corresponding author upon reasonable request. Sequence data will be made available at GEO upon publication.

Please select the o	ne below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.
Life sciences	Behavioural & social sciences Ecological, evolutionary & environmental sciences
For a reference copy of	the document with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>
Life scier	nces study design
All studies must dis	sclose on these points even when the disclosure is negative.
Sample size	Appropriate sample sizes were used to determine statistical significance by ANOVA. These sample sizes were determined experimentally from our previous publication (PMID: 28275053). We used tiling microscopy for each sample so that whole wells (organoids) or large pieces of tissue could be processed. In many cases this produced thousands of clones/data points for each XFP reporter per animal to thereby increase the technical reproducibility of each measurement.
Data exclusions	Data were not excluded from the analyses.
Replication	Where possible experiments were independently replicated (i.e. in vitro experiments were independently conducted a minimum of three times). Mouse experiments
Randomization	Samples and organisms were randomly assigned to studies. Male and female mice were used and where appropriate age-matched studies were performed.
Blinding	Blinding was not possible for mouse experiments. However, with the exception of the analysis of organoids (manual counting) all imaging samples were quantified using the least biased approach possible. This included the use of image analysis programs as indicated in the onlines methods

N 4 - + |- - - | -

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

IVId	teriais & experimental systems	IVIE	etnous
n/a	Involved in the study	n/a	Involved in the study
	Antibodies		ChIP-seq
	Eukaryotic cell lines		Flow cytometry
	Palaeontology		MRI-based neuroimaging
	Animals and other organisms		
	Human research participants		
	Clinical data		

Antibodies

Antibodies used Primaries: Ck-Anti-HA: Abcam ab9111, Lot#1652168 Ms-Anti-V5: ThermoFisher R960-25, Lot#GR41107-9 Anti-Flag M2: Sigma F1804 – Lot# SBLS3530V Rb-anti-HA:Cell Signaling, Clone C29F4, Cat#3724 – Lot# 5 Rb-anti-V5:Cell Signaling, Clone D3H8Q, Cat#13202s - Lot# 1 GuineaPig (GP) anti-TagRFP antibody, Kerafast EMU107 – No lot # from company Secondaries: ThermoFisher AlexaFluor633 Goat anti-Chicken, A-21103 – Lot# 1476597 Thermofisher AlexaFluor633 Goat anti-Mouse 633, A-21050 – Lot# 1038843 Thermofisher Alexa Fluor633 goat anti-rabbit, A21070 – Lot# 940844 ThermoFisher Alexa Fluor633 goat anti-mouse IgG(g1), A21126 – Lot# 1840916 ThermoFisher Alexa Fluor633 goat-anti-guinea pig IgG(H+L), A21105 – Lot# 1736958

Validation

Epitope antibodies were screened for staining that coincided with the appropriate XFP expression in Crainbow tissue. (see Figure 2e). TagRFP was previously confirmed to cross react with TagBFP according Kerafast website and was verified on Crainbow tissue.

Eukaryotic cell lines

Policy information about cell lines

Cell line source(s)

L Cell (ATCC CRL-2648) L Cell+Wnt3a (ATCC CRL-2647) HEKT cells (ATCC CRL-11268)

HEK 293 STF stable cells (Kind gift of Dr. Jeremy Nathans, PMID 15035989).

Primary organoids were developed according to protocol and can be shared upon reasonable request.

Authentication

L cells were authenticated for TopFlash response, HEKT cells were unauthenticated, HEK293 STF stables were authenticated for TopFlash activity, primary organoids were authenticated by confocal imaging.

Mycoplasma contamination

Cell lines have not recently been tested for mycoplasma.

Commonly misidentified lines (See ICLAC register)

Name any commonly misidentified cell lines used in the study and provide a rationale for their use.

Palaeontology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals

Male and Female outbred mice were used in this study. Ages varied from PND14 to adult and are indicated in the text. Crainbow lines were generated in the G4 ES cell line (129S6/SvEvTac × C57BL/6Ncr) and then bred to the following genotypes with strain indicated on JAX (www.jax.org): ROSA FLPe – Jax - 129S4/SvJaeSor-Gt(ROSA)26Sortm1(FLP1)Dym/J (Stock No: 003946)49, Villin Cre – Jax - B6.Cg-Tg(Vil1-cre)997Gum/J (Stock No: 004586)50, ROSACreER – JAX - B6;129-Gt(ROSA)26Sortm1(cre/ERT)Nat/J (Stock No: 004847)51.

Wild animals

Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight

Experiments performed in this study were conducted in accordance with an approved protocol by the Duke Institutional Animal Care and Use Committee (IACUC)

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about studies involving human research participants

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Ethics oversight

Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about clinical studies

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol Note where the full trial protocol can be accessed OR if not available, explain why.

Data collection Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.

Outcomes Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

ChIP-seq

Data deposition

Confirm that both raw and final processed data have been deposited in a public database such as GEO.

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session (e.g., UCSC)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

Replicates Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies

Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.

name, and lot number

Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold

Software

Data quality

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry

Peak calling parameters

Plots

Confirm that:

The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).

The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).

All plots are contour plots with outliers or pseudocolor plots.

A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation

Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.

Instrument

Identify the instrument used for data collection, specifying make and model number.

Software

Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.

	Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.		
	Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.		
Tick this box to confirm tha	t a figure exemplifying the gating strategy is provided in the Supplementary Information.		
Magnetic resonance	imaging		
xperimental design			
Design type	Indicate task or resting state; event-related or block design.		
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.		
Behavioral performance measu	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).		
cquisition			
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.		
Field strength	Specify in Tesla		
Sequence & imaging paramete	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.		
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.		
Diffusion MRI Used	Not used		
reprocessing			
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).		
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.		
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.		
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).		
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.		
tatistical modeling & infer	rence		
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).		
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.		
Specify type of analysis:	Whole brain ROI-based Both		
Statistic type for inference (See <u>Eklund et al. 2016</u>)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.		
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).		

Models & analysis

n/a Involved in the study			
Functional and/or effective connectivity			
Graph analysis			
Multivariate modeling or predictive analysis			
Functional and/or effective connectivity	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).		
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).		
Multivariate modeling and predictive analysis	Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.		