

S3A. Table

Prothrombin time test (PT)

| | <i>N. naja</i> (MH) | <i>N. kaouthia</i> (WB) | <i>N. kaouthia</i> (AR) |
|---------|------------------------|----------------------------|----------------------------|
| Control | 14.5 | 14.5 | 14.5 |
| 5 ug | 14 | 14.2 | 16.3 |
| 10 ug | 15.9 | 14 | 15.3 |
| 20 ug | 16.9 | 14.4 | 16.4 |
| 40 ug | 18.2 | 14 | 15.8 |

International Normalized Ratio (INR)

| | <i>N. naja</i> (MH) | <i>N. kaouthia</i> (WB) | <i>N. kaouthia</i> (AR) |
|---------|------------------------|----------------------------|----------------------------|
| Control | 1 | 1 | 1 |
| 5 ug | 0.96 | 0.97 | 1.14 |
| 10 ug | 1.11 | 0.96 | 1.06 |
| 20 ug | 1.19 | 0.99 | 1.15 |
| 40 ug | 1.29 | 0.96 | 1.1 |

Activated Partial Thromboplastin Time test (aPTT)

| | <i>N. naja</i> (MH) | <i>N. kaouthia</i> (WB) | <i>N. kaouthia</i> (AR) |
|---------|------------------------|----------------------------|----------------------------|
| Control | 32 | 32 | 32 |
| 5 ug | 56.7 | 30 | 32.7 |
| 10 ug | 64.7 | 35.9 | 36.1 |
| 20 ug | 77 | 39.5 | 40.9 |
| 40 ug | 113.7 | 43.6 | 55.5 |

S3B. Table

Prothrombin time test (PT)

| | <i>B. caeruleus</i> (PB) | <i>B. sindanus</i> (RJ) | <i>B. fasciatus</i> (WB) |
|----------------|-----------------------------|----------------------------|-----------------------------|
| Control | 14.5 | 14.5 | 14.5 |
| 5 ug | 13.7 | 15.1 | 14.1 |
| 10 ug | 14.6 | 14.5 | 15.3 |
| 20 ug | 13.6 | 14.5 | 14.5 |
| 40 ug | 13.5 | 15.4 | 14.8 |

International Normalized Ratio (INR)

| | <i>B. caeruleus</i> (PB) | <i>B. sindanus</i> (RJ) | <i>B. fasciatus</i> (WB) |
|----------------|-----------------------------|----------------------------|-----------------------------|
| Control | 1 | 1 | 1 |
| 5 ug | 0.93 | 1.04 | 0.96 |
| 10 ug | 1 | 1 | 1.06 |
| 20 ug | 0.93 | 1 | 1 |
| 40 ug | 0.93 | 1.07 | 1.02 |

Activated Partial Thromboplastin Time test (aPTT)

| | <i>B. caeruleus</i> (PB) | <i>B. sindanus</i> (RJ) | <i>B. fasciatus</i> (WB) |
|----------------|-----------------------------|----------------------------|-----------------------------|
| Control | 32 | 32 | 32 |
| 5 ug | 34.1 | 57.1 | 42.8 |
| 10 ug | 34.2 | 63.2 | 55.4 |
| 20 ug | 38.1 | 72.2 | 61.3 |
| 40 ug | 45.9 | 78.5 | 68.2 |

S3C. Table

Prothrombin time test (PT)

| | <i>E. carinatus</i> (MH) | <i>E. c. sochureki</i> (RJ) |
|----------------|-----------------------------|--------------------------------|
| Control | 14.5 | 14.5 |
| 5 ug | 0* | 0* |

* Blood clots instantly