

No.	Age	Sex	Hepatitis B	Fatty Liver	Biliary calculus	Complications	Other drugs	Drinking habits	Statin variety	Statin dose	Hepatic damage
1	80≈85	Male	Yes	Yes	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
2	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
3	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
4	80≈85	Female	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
5	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
6	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
7	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
8	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
9	≥90	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
10	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
11	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Low	No
12	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Simvastatin	Standard	No
13	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
14	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
15	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
16	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No
17	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
18	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
19	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
20	80≈85	Male	No	No	No	3≈5	<5	No drinking	Atorvastatin	Standard	No
21	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
22	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
23	85≈90	Female	No	Yes	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
24	≥90	Male	No	No	No	3≈5	<5	No drinking	Pravastatin	Standard	No
25	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
26	80≈85	Male	Yes	No	Yes	≥5	5≈10	No drinking	Simvastatin	Standard	No
27	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Low	No
28	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
29	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
30	85≈90	Female	No	No	No	≥5	<5	No drinking	Atorvastatin	Standard	No
31	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
32	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
33	85≈90	Female	No	No	Yes	3≈5	<5	No drinking	Simvastatin	Standard	No
34	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
35	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
36	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
37	80≈85	Male	No	No	No	≥5	<5	No drinking	Pravastatin	Standard	No
38	80≈85	Male	No	No	No	≥5	<5	No drinking	Simvastatin	Standard	No
39	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
40	80≈85	Male	No	No	No	3≈5	<5	No drinking	Simvastatin	Standard	No
41	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
42	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
43	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
44	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
45	80≈85	Female	No	Yes	No	≥5	5≈10	No drinking	Atorvastatin	Low	No
46	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
47	80≈85	Female	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No

No.	Age	Sex	Hepatitis B	Fatty Liver	Biliary calculus	Complications	Other drugs	Drinking habits	Statin variety	Statin dose	Hepatic damage
48	85≈90	Male	No	No	No	≥5	<5	No drinking	Simvastatin	Standard	No
49	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
50	80≈85	Male	No	No	No	≥5	<5	No drinking	Atorvastatin	Standard	No
51	≥90	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
52	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
53	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
54	80≈85	Female	No	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No
55	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
56	80≈85	Male	No	No	Yes	3≈5	5≈10	No drinking	Simvastatin	Standard	No
57	85≈90	Male	No	No	No	≤2	<5	No drinking	Atorvastatin	Standard	No
58	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Low	No
59	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
60	80≈85	Male	No	No	Yes	≥5	<5	No drinking	Atorvastatin	Standard	No
61	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
62	80≈85	Female	No	No	No	3≈5	≥10	No drinking	Simvastatin	Standard	No
63	85≈90	Male	No	No	No	≥5	<5	No drinking	Atorvastatin	Standard	No
64	85≈90	Female	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
65	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
66	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
67	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No
68	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Simvastatin	Standard	No
69	≥90	Male	No	No	Yes	≥5	<5	No drinking	Pravastatin	Standard	No
70	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
71	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Low	No
72	≥90	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
73	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
74	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
75	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
76	80≈85	Male	No	No	No	3≈5	<5	No drinking	Atorvastatin	Standard	No
77	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
78	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
79	85≈90	Male	No	No	No	3≈5	<5	No drinking	Atorvastatin	Low	No
80	≥90	Female	No	No	No	3≈5	<5	No drinking	Rosuvastatin	Standard	No
81	80≈85	Male	No	No	No	≥5	<5	No drinking	Simvastatin	Standard	No
82	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Simvastatin	Low	No
83	≥90	Female	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
84	85≈90	Female	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
85	85≈90	Male	No	Yes	Yes	≥5	5≈10	No drinking	Fluvastatin	Standard	No
86	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No
87	≥90	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
88	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
89	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No
90	≥90	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
91	80≈85	Female	No	No	No	3≈5	<5	No drinking	Atorvastatin	Low	No
92	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
93	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
94	85≈90	Male	Yes	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No

No.	Age	Sex	Hepatitis B	Fatty Liver	Biliary calculus	Complications	Other drugs	Drinking habits	Statin variety	Statin dose	Hepatic damage
95	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
96	80≈85	Male	No	No	No	≥5	<5	No drinking	Atorvastatin	Standard	No
97	80≈85	Male	No	No	Yes	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
98	80≈85	Male	No	Yes	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
99	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
100	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Low	No
101	85≈90	Male	No	No	No	≥5	<5	No drinking	Simvastatin	Standard	No
102	80≈85	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
103	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
104	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
105	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
106	≥90	Female	No	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No
107	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
108	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Simvastatin	Low	No
109	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No
110	85≈90	Male	No	No	No	≥5	<5	No drinking	Rosuvastatin	Standard	No
111	85≈90	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
112	85≈90	Male	No	No	No	3≈5	<5	No drinking	Rosuvastatin	Standard	No
113	85≈90	Male	No	No	No	≥5	<5	No drinking	Rosuvastatin	Low	No
114	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
115	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
116	85≈90	Male	No	No	No	3≈5	<5	No drinking	Simvastatin	Standard	No
117	80≈85	Female	No	No	Yes	≥5	5≈10	No drinking	Fluvastatin	Standard	No
118	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
119	80≈85	Male	No	No	Yes	3≈5	<5	No drinking	Rosuvastatin	Standard	No
120	80≈85	Male	No	No	Yes	3≈5	<5	No drinking	Simvastatin	Low	No
121	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
122	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
123	80≈85	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
124	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
125	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Simvastatin	Low	No
126	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
127	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
128	85≈90	Male	No	Yes	No	≥5	5≈10	No drinking	Atorvastatin	Low	No
129	80≈85	Male	No	No	Yes	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
130	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
131	85≈90	Male	No	No	No	3≈5	<5	No drinking	Rosuvastatin	Standard	No
132	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
133	80≈85	Male	No	No	Yes	≥5	<5	No drinking	Simvastatin	Standard	No
134	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
135	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
136	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
137	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Low	No
138	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No
139	85≈90	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
140	85≈90	Male	No	No	Yes	3≈5	<5	No drinking	Fluvastatin	Standard	No
141	85≈90	Female	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No

No.	Age	Sex	Hepatitis B	Fatty Liver	Biliary calculus	Complications	Other drugs	Drinking habits	Statin variety	Statin dose	Hepatic damage
142	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Simvastatin	Low	No
143	80≈85	Male	No	No	No	≤2	<5	No drinking	Fluvastatin	Standard	No
144	≥90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Low	No
145	80≈85	Male	No	Yes	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
146	≥90	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
147	80≈85	Male	No	No	No	≥5	<5	No drinking	Rosuvastatin	Standard	No
148	80≈85	Male	No	No	Yes	3≈5	<5	No drinking	Atorvastatin	Standard	No
149	80≈85	Female	No	No	No	≥5	<5	No drinking	Simvastatin	Standard	No
150	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
151	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
152	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
153	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
154	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
155	80≈85	Male	No	No	Yes	3≈5	5≈10	No drinking	Simvastatin	Standard	No
156	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Low	No
157	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
158	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Simvastatin	Standard	No
159	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Low	No
160	80≈85	Male	No	No	No	3≈5	<5	No drinking	Rosuvastatin	Standard	No
161	80≈85	Male	No	No	No	≥5	<5	No drinking	Atorvastatin	Standard	No
162	80≈85	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
163	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
164	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
165	80≈85	Male	No	No	No	≤2	<5	No drinking	Atorvastatin	Low	No
166	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
167	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
168	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
169	85≈90	Female	No	No	No	3≈5	<5	No drinking	Atorvastatin	Low	No
170	80≈85	Male	Yes	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
171	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
172	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Simvastatin	Low	No
173	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
174	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
175	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Low	No
176	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
177	85≈90	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
178	85≈90	Male	No	No	No	≥5	<5	No drinking	Atorvastatin	Standard	No
179	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
180	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
181	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Low	No
182	85≈90	Male	No	No	No	3≈5	<5	No drinking	Pravastatin	Standard	No
183	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
184	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
185	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Pravastatin	Standard	No
186	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
187	≥90	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
188	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No

No.	Age	Sex	Hepatitis B	Fatty Liver	Biliary calculus	Complications	Other drugs	Drinking habits	Statin variety	Statin dose	Hepatic damage
189	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
190	≥90	Female	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
191	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
192	85≈90	Female	No	No	No	3≈5	<5	No drinking	Simvastatin	Standard	No
193	85≈90	Female	No	No	Yes	3≈5	<5	No drinking	Atorvastatin	Standard	No
194	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
195	80≈85	Male	No	No	No	≥5	5≈10	Mild to moderate	Atorvastatin	Standard	No
196	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
197	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
198	85≈90	Male	No	No	No	3≈5	<5	No drinking	Atorvastatin	Standard	No
199	80≈85	Female	No	No	No	3≈5	<5	No drinking	Simvastatin	Standard	No
200	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
201	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
202	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
203	80≈85	Male	No	Yes	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
204	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
205	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
206	80≈85	Male	Yes	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
207	80≈85	Male	No	No	No	≤2	<5	No drinking	Atorvastatin	Standard	No
208	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
209	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
210	80≈85	Male	No	No	No	≤2	<5	No drinking	Simvastatin	Standard	No
211	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Low	No
212	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
213	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
214	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
215	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
216	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
217	80≈85	Male	No	No	No	3≈5	<5	No drinking	Atorvastatin	Standard	No
218	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
219	≥90	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
220	80≈85	Male	No	No	No	3≈5	<5	No drinking	Rosuvastatin	Standard	No
221	80≈85	Male	No	No	No	≤2	5≈10	No drinking	Atorvastatin	Standard	No
222	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
223	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
224	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
225	≥90	Male	No	No	Yes	≥5	<5	No drinking	Atorvastatin	Standard	No
226	80≈85	Male	No	No	Yes	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
227	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
228	85≈90	Female	No	No	No	≥5	≥10	No drinking	Atorvastatin	Standard	No
229	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
230	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
231	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
232	80≈85	Male	No	Yes	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
233	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
234	80≈85	Male	No	No	No	3≈5	<5	No drinking	Rosuvastatin	Standard	No
235	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No

No.	Age	Sex	Hepatitis B	Fatty Liver	Biliary calculus	Complications	Other drugs	Drinking habits	Statin variety	Statin dose	Hepatic damage
236	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
237	80≈85	Male	No	Yes	Yes	3≈5	5≈10	No drinking	Atorvastatin	Low	No
238	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
239	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
240	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
241	80≈85	Male	No	Yes	No	3≈5	<5	No drinking	Simvastatin	Standard	No
242	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Low	No
243	80≈85	Male	No	No	No	≤2	5≈10	No drinking	Atorvastatin	Standard	No
244	80≈85	Male	No	No	No	≤2	5≈10	No drinking	Simvastatin	Standard	No
245	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
246	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Fluvastatin	Standard	No
247	≥90	Male	No	Yes	Yes	≥5	5≈10	No drinking	Pravastatin	Standard	No
248	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Low	No
249	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Low	No
250	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
251	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
252	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Pravastatin	Standard	No
253	80≈85	Female	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
254	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Low	No
255	≥90	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
256	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Low	No
257	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
258	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Fluvastatin	Standard	No
259	80≈85	Male	No	No	No	≤2	<5	No drinking	Rosuvastatin	Standard	No
260	≥90	Female	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Low	No
261	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Fluvastatin	Standard	No
262	80≈85	Female	No	No	No	≤2	5≈10	No drinking	Rosuvastatin	Standard	No
263	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No
264	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
265	80≈85	Male	No	No	No	3≈5	<5	No drinking	Simvastatin	Standard	No
266	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
267	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
268	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
269	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
270	80≈85	Male	No	No	Yes	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
271	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Low	No
272	85≈90	Female	No	No	No	3≈5	<5	No drinking	Pravastatin	Standard	No
273	≥90	Male	No	Yes	No	≥5	5≈10	No drinking	Atorvastatin	Low	No
274	80≈85	Male	No	No	Yes	3≈5	5≈10	No drinking	Rosuvastatin	Low	No
275	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
276	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
277	80≈85	Female	No	Yes	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
278	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
279	85≈90	Male	No	No	No	≤2	5≈10	No drinking	Atorvastatin	Standard	No
280	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
281	80≈85	Male	No	No	No	3≈5	<5	No drinking	Pravastatin	Standard	No
282	85≈90	Male	No	No	No	≤2	<5	No drinking	Atorvastatin	Low	No

No.	Age	Sex	Hepatitis B	Fatty Liver	Biliary calculus	Complications	Other drugs	Drinking habits	Statin variety	Statin dose	Hepatic damage
283	85≈90	Male	No	No	No	≤2	<5	No drinking	Rosuvastatin	Standard	No
284	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
285	80≈85	Male	No	Yes	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
286	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Low	No
287	85≈90	Male	No	No	No	≤2	5≈10	No drinking	Rosuvastatin	Standard	No
288	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
289	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
290	80≈85	Male	No	Yes	No	≥5	5≈10	No drinking	Rosuvastatin	Low	No
291	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
292	85≈90	Female	No	Yes	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
293	≥90	Male	Yes	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
294	85≈90	Female	No	No	No	≤2	<5	No drinking	Simvastatin	Standard	No
295	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Low	No
296	80≈85	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
297	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
298	80≈85	Male	No	Yes	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
299	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Low	No
300	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
301	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
302	≥90	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
303	80≈85	Male	No	No	No	3≈5	<5	No drinking	Pravastatin	Standard	No
304	80≈85	Male	No	No	No	3≈5	<5	No drinking	Rosuvastatin	Standard	No
305	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Fluvastatin	Standard	No
306	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Pravastatin	Standard	No
307	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
308	80≈85	Female	No	No	No	≥5	≥10	No drinking	Fluvastatin	Standard	No
309	80≈85	Female	No	No	No	≥5	≥10	No drinking	Rosuvastatin	Low	No
310	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Low	No
311	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
312	80≈85	Female	No	No	No	≤2	5≈10	No drinking	Fluvastatin	Standard	No
313	≥90	Male	No	No	No	≥5	<5	No drinking	Rosuvastatin	Standard	No
314	80≈85	Female	No	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No
315	85≈90	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
316	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
317	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
318	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Low	No
319	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Fluvastatin	Standard	No
320	85≈90	Male	No	No	No	≥5	<5	No drinking	Atorvastatin	Standard	No
321	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
322	80≈85	Male	No	Yes	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
323	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Low	No
324	85≈90	Male	No	No	No	≤2	5≈10	No drinking	Fluvastatin	Standard	No
325	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Pravastatin	Standard	No
326	85≈90	Male	No	No	No	3≈5	<5	No drinking	Rosuvastatin	Low	No
327	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
328	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
329	80≈85	Male	No	Yes	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No

No.	Age	Sex	Hepatitis B	Fatty Liver	Biliary calculus	Complications	Other drugs	Drinking habits	Statin variety	Statin dose	Hepatic damage
330	80≈85	Male	No	No	No	≥5	<5	No drinking	Simvastatin	Low	No
331	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
332	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Simvastatin	Standard	No
333	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
334	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
335	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
336	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
337	80≈85	Female	No	No	No	3≈5	<5	No drinking	Pravastatin	Standard	No
338	≥90	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
339	80≈85	Male	No	Yes	Yes	≥5	5≈10	No drinking	Fluvastatin	Standard	No
340	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
341	80≈85	Male	No	No	Yes	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
342	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Fluvastatin	Standard	No
343	85≈90	Male	No	No	Yes	≥5	5≈10	No drinking	Pravastatin	Standard	No
344	80≈85	Male	No	No	No	≤2	<5	No drinking	Pravastatin	Standard	No
345	80≈85	Male	No	Yes	Yes	≥5	5≈10	No drinking	Rosuvastatin	Low	No
346	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
347	85≈90	Female	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
348	80≈85	Male	No	No	No	≥5	<5	No drinking	Fluvastatin	Standard	No
349	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
350	≥90	Male	No	Yes	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
351	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
352	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
353	80≈85	Male	Yes	No	Yes	≥5	5≈10	No drinking	Fluvastatin	Standard	No
354	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
355	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
356	80≈85	Female	No	No	Yes	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
357	80≈85	Female	No	No	Yes	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
358	≥90	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
359	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
360	≥90	Male	No	No	No	3≈5	5≈10	No drinking	Fluvastatin	Standard	No
361	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
362	80≈85	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	No
363	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
364	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
365	≥90	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
366	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
367	80≈85	Male	No	Yes	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
368	80≈85	Male	No	Yes	No	≥5	5≈10	No drinking	Pravastatin	Low	No
369	85≈90	Male	No	Yes	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
370	80≈85	Male	No	No	No	3≈5	<5	No drinking	Atorvastatin	Low	No
371	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
372	85≈90	Male	No	No	No	≥5	≥10	No drinking	Simvastatin	Standard	No
373	85≈90	Male	No	No	No	≥5	≥10	No drinking	Fluvastatin	Standard	No
374	80≈85	Male	No	No	Yes	≥5	≥10	No drinking	Simvastatin	Standard	No
375	85≈90	Male	No	No	No	≥5	≥10	No drinking	Atorvastatin	Low	No
376	85≈90	Male	No	No	No	≤2	5≈10	No drinking	Simvastatin	Standard	No



No.	Age	Sex	Hepatitis B	Fatty Liver	Biliary calculus	Complications	Other drugs	Drinking habits	Statin variety	Statin dose	Hepatic damage
377	80≈85	Male	No	No	No	≥5	≥10	No drinking	Atorvastatin	Standard	No
378	80≈85	Male	No	No	No	≥5	≥10	No drinking	Simvastatin	Standard	No
379	80≈85	Male	No	No	No	≥5	≥10	No drinking	Atorvastatin	Standard	No
380	80≈85	Male	No	No	No	≥5	≥10	No drinking	Rosuvastatin	Standard	No
381	85≈90	Male	No	No	No	3≈5	≥10	No drinking	Atorvastatin	Standard	No
382	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
383	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
384	80≈85	Female	No	No	No	≤2	5≈10	No drinking	Rosuvastatin	Low	No
385	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
386	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
387	85≈90	Female	No	No	No	≤2	5≈10	No drinking	Simvastatin	Standard	No
388	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
389	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
390	80≈85	Male	No	No	No	≥5	≥10	No drinking	Fluvastatin	Standard	No
391	85≈90	Female	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
392	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
393	≥90	Male	No	No	No	≥5	≥10	No drinking	Simvastatin	Standard	No
394	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Low	No
395	80≈85	Male	No	No	No	3≈5	≥10	No drinking	Rosuvastatin	Standard	No
396	85≈90	Male	No	No	Yes	≥5	≥10	No drinking	Atorvastatin	Standard	No
397	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
398	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
399	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
400	80≈85	Male	No	Yes	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
401	≥90	Male	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
402	80≈85	Male	No	No	No	≥5	≥10	No drinking	Pravastatin	Standard	No
403	85≈90	Male	No	No	No	3≈5	≥10	No drinking	Pravastatin	Standard	No
404	80≈85	Female	No	No	No	3≈5	≥10	No drinking	Atorvastatin	Standard	No
405	85≈90	Female	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
406	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
407	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
408	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
409	80≈85	Male	No	Yes	No	≤2	5≈10	No drinking	Pravastatin	Standard	No
410	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
411	85≈90	Male	No	Yes	No	3≈5	<5	Heavy drinking	Rosuvastatin	Standard	No
412	80≈85	Female	No	No	No	≤2	5≈10	No drinking	Pravastatin	Standard	No
413	80≈85	Female	No	No	Yes	3≈5	5≈10	No drinking	Pravastatin	Standard	No
414	80≈85	Female	No	No	No	≤2	<5	No drinking	Rosuvastatin	Low	No
415	80≈85	Male	No	No	Yes	3≈5	<5	Mild to moderate	Rosuvastatin	Standard	No
416	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
417	80≈85	Male	No	No	No	≤2	5≈10	No drinking	Rosuvastatin	Low	No
418	85≈90	Male	No	No	No	≤2	5≈10	No drinking	Pravastatin	Standard	No
419	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
420	80≈85	Male	No	No	No	≤2	5≈10	No drinking	Rosuvastatin	Standard	No
421	85≈90	Male	No	Yes	Yes	≤2	5≈10	No drinking	Rosuvastatin	Low	No
422	80≈85	Male	No	Yes	No	3≈5	≥10	No drinking	Pravastatin	Standard	No
423	85≈90	Male	No	No	Yes	≥5	≥10	No drinking	Atorvastatin	Standard	No

No.	Age	Sex	Hepatitis B	Fatty Liver	Biliary calculus	Complications	Other drugs	Drinking habits	Statin variety	Statin dose	Hepatic damage
424	80≈85	Female	No	No	No	≥5	≥10	No drinking	Rosuvastatin	Standard	No
425	85≈90	Male	No	No	No	≥5	≥10	No drinking	Pravastatin	Standard	No
426	80≈85	Male	No	Yes	Yes	≥5	≥10	No drinking	Atorvastatin	Standard	No
427	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
428	85≈90	Female	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
429	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
430	85≈90	Female	No	No	No	≥5	5≈10	No drinking	Pravastatin	Low	No
431	80≈85	Male	No	Yes	No	3≈5	<5	No drinking	Rosuvastatin	Standard	No
432	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Atorvastatin	Standard	No
433	85≈90	Female	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
434	80≈85	Female	No	No	No	≥5	≥10	No drinking	Atorvastatin	Standard	No
435	85≈90	Male	No	No	No	≥5	≥10	No drinking	Rosuvastatin	Standard	No
436	80≈85	Male	No	Yes	Yes	≥5	≥10	No drinking	Atorvastatin	Standard	No
437	80≈85	Female	No	Yes	No	3≈5	<5	No drinking	Pravastatin	Standard	No
438	80≈85	Female	No	No	No	3≈5	<5	No drinking	Rosuvastatin	Low	No
439	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Low	No
440	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
441	85≈90	Female	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Standard	No
442	80≈85	Male	No	No	No	≤2	5≈10	No drinking	Pravastatin	Standard	No
443	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
444	80≈85	Female	Yes	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
445	85≈90	Male	Yes	Yes	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
446	85≈90	Male	Yes	Yes	No	≥5	5≈10	No drinking	Fluvastatin	Standard	No
447	85≈90	Male	No	Yes	No	≥5	≥10	No drinking	Rosuvastatin	Low	No
448	80≈85	Male	No	No	Yes	3≈5	≥10	No drinking	Pravastatin	Standard	No
449	≥90	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
450	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
451	80≈85	Male	No	No	No	3≈5	≥10	No drinking	Pravastatin	Standard	No
452	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Low	No
453	80≈85	Male	No	No	No	≥5	≥10	No drinking	Pravastatin	Standard	No
454	85≈90	Male	No	No	No	3≈5	≥10	No drinking	Rosuvastatin	Low	No
455	80≈85	Female	No	No	No	≥5	≥10	No drinking	Pravastatin	Low	No
456	80≈85	Female	No	No	No	≥5	≥10	No drinking	Rosuvastatin	Standard	No
457	85≈90	Male	No	No	No	≥5	≥10	No drinking	Pravastatin	Standard	No
458	80≈85	Male	No	No	No	≥5	≥10	No drinking	Rosuvastatin	Standard	No
459	85≈90	Male	No	No	No	≥5	≥10	No drinking	Atorvastatin	Standard	No
460	80≈85	Male	No	No	No	3≈5	≥10	Heavy drinking	Rosuvastatin	Standard	No
461	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Pravastatin	Standard	No
462	≥90	Male	No	No	No	≥5	≥10	No drinking	Rosuvastatin	Standard	No
463	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Standard	No
464	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Standard	No
465	85≈90	Female	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
466	85≈90	Male	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
467	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
468	≥90	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Low	No
469	80≈85	Female	No	No	Yes	≥5	5≈10	No drinking	Pravastatin	Standard	No
470	85≈90	Male	No	No	No	≤2	<5	No drinking	Atorvastatin	Standard	No

No.	Age	Sex	Hepatitis B	Fatty Liver	Biliary calculus	Complications	Other drugs	Drinking habits	Statin variety	Statin dose	Hepatic damage
471	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
472	80≈85	Female	No	No	No	3≈5	≥10	No drinking	Atorvastatin	Standard	No
473	80≈85	Female	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
474	85≈90	Male	No	No	Yes	≥5	≥10	No drinking	Rosuvastatin	Standard	No
475	80≈85	Male	No	No	No	≥5	≥10	No drinking	Rosuvastatin	Standard	No
476	80≈85	Male	Yes	Yes	No	≥5	<5	Heavy drinking	Simvastatin	Standard	No
477	80≈85	Male	Yes	Yes	Yes	≥5	5≈10	Heavy drinking	Pravastatin	Standard	No
478	80≈85	Male	Yes	No	No	3≈5	<5	No drinking	Simvastatin	Standard	No
479	80≈85	Female	Yes	Yes	No	≥5	5≈10	No drinking	Simvastatin	Standard	No
480	80≈85	Male	No	No	No	3≈5	≥10	Mild to moderate	Rosuvastatin	Standard	No
481	80≈85	Male	No	No	No	3≈5	5≈10	Heavy drinking	Pravastatin	Standard	No
482	85≈90	Male	No	No	No	≥5	5≈10	No drinking	Pravastatin	Low	No
483	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
484	≥90	Male	No	No	No	3≈5	<5	No drinking	Pravastatin	Standard	No
485	80≈85	Male	No	No	Yes	≥5	<5	No drinking	Rosuvastatin	Standard	No
486	80≈85	Male	No	No	Yes	3≈5	5≈10	No drinking	Rosuvastatin	Standard	No
487	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Simvastatin	Standard	No
488	85≈90	Female	No	No	Yes	≥5	5≈10	No drinking	Pravastatin	Standard	No
489	80≈85	Female	No	No	No	≥5	5≈10	No drinking	Rosuvastatin	Low	No
490	80≈85	Male	No	No	Yes	≥5	5≈10	No drinking	Rosuvastatin	Standard	No
491	80≈85	Female	No	No	Yes	≥5	≥10	No drinking	Pravastatin	Low	No
492	80≈85	Male	Yes	Yes	Yes	≥5	5≈10	Heavy drinking	Simvastatin	Standard	Yes
493	80≈85	Male	Yes	No	Yes	≤2	<5	Mild to moderate	Fluvastatin	Standard	Yes
494	80≈85	Male	No	No	No	3≈5	5≈10	Mild to moderate	Simvastatin	Low	Yes
495	80≈85	Female	Yes	Yes	No	≥5	5≈10	No drinking	Fluvastatin	Standard	Yes
496	80≈85	Male	Yes	No	No	≥5	5≈10	Heavy drinking	Atorvastatin	Standard	Yes
497	80≈85	Male	No	No	No	≥5	≥10	No drinking	Fluvastatin	Standard	Yes
498	85≈90	Male	No	No	Yes	≥5	≥10	No drinking	Rosuvastatin	Standard	Yes
499	80≈85	Male	No	No	No	3≈5	5≈10	Mild to moderate	Simvastatin	Standard	Yes
500	≥90	Male	No	Yes	No	≥5	5≈10	Mild to moderate	Simvastatin	Standard	Yes
501	80≈85	Male	No	No	No	3≈5	5≈10	No drinking	Atorvastatin	Low	Yes
502	80≈85	Male	Yes	Yes	Yes	≥5	5≈10	Heavy drinking	Fluvastatin	Standard	Yes
503	80≈85	Male	Yes	No	No	3≈5	<5	Mild to moderate	Simvastatin	Low	Yes
504	85≈90	Female	No	No	No	≥5	5≈10	No drinking	Fluvastatin	Standard	Yes
505	80≈85	Female	No	No	No	3≈5	≥10	Mild to moderate	Pravastatin	Standard	Yes
506	80≈85	Male	No	No	No	3≈5	5≈10	Heavy drinking	Fluvastatin	Standard	Yes
507	80≈85	Female	Yes	Yes	No	≥5	5≈10	No drinking	Simvastatin	Standard	Yes
508	≥90	Male	No	No	No	3≈5	<5	No drinking	Fluvastatin	Standard	Yes
509	85≈90	Male	No	No	Yes	≥5	5≈10	Mild to moderate	Pravastatin	Standard	Yes
510	80≈85	Male	No	No	Yes	≥5	<5	Mild to moderate	Pravastatin	Standard	Yes
511	80≈85	Male	No	No	No	≥5	5≈10	No drinking	Atorvastatin	Low	Yes
512	80≈85	Male	Yes	No	No	≥5	<5	Heavy drinking	Atorvastatin	Standard	Yes
513	80≈85	Male	No	No	No	3≈5	5≈10	Mild to moderate	Atorvastatin	Standard	Yes
514	80≈85	Male	No	No	Yes	3≈5	5≈10	Mild to moderate	Fluvastatin	Standard	Yes
515	80≈85	Male	No	No	Yes	≥5	5≈10	Mild to moderate	Pravastatin	Standard	Yes