

## SPIRIT 2013 Checklist: Recommended items to address in a clinical trial protocol and related documents\*

Section/item	Item No	Description	Page Number on which item is reported
Administrativ	e info	mation	
Title	1	Descriptive title identifying the study design, population, interventions, and, if applicable, trial acronym	1
Trial registration	2a	Trial identifier and registry name. If not yet registered, name of intended registry	2
	2b	All items from the World Health Organization Trial Registration Data Set	3-5
Protocol version	3	Date and version identifier	5
Funding	4	Sources and types of financial, material, and other support	5
Roles and	5a	Names, affiliations, and roles of protocol contributors	1,5
responsibilitie s	5b	Name and contact information for the trial sponsor	1
	5c	Role of study sponsor and funders, if any, in study design; collection, management, analysis, and interpretation of data; writing of the report; and the decision to submit the report for publication, including whether they will have ultimate authority over any of these activities	19
	5d	Composition, roles, and responsibilities of the coordinating centre, steering committee, endpoint adjudication committee, data management team, and other individuals or groups overseeing the trial, if applicable (see Item 21a for data monitoring committee)	16, 17, 19
Introduction			

Background and rationale	6a	Description of research question and justification for undertaking the trial, including summary of relevant studies (published and unpublished) examining benefits and harms for each intervention	6,7
	6b	Explanation for choice of comparators	7
Objectives	7	Specific objectives or hypotheses	7
Trial design	8	Description of trial design including type of trial (eg, parallel group, crossover, factorial, single group), allocation ratio, and framework (eg, superiority, equivalence, noninferiority, exploratory)	7
Methods: Par	ticipar	nts, interventions, and outcomes	
Study setting	9	Description of study settings (eg, community clinic, academic hospital) and list of countries where data will be collected. Reference to where list of study sites can be obtained	7
Eligibility criteria	10	Inclusion and exclusion criteria for participants. If applicable, eligibility criteria for study centres and individuals who will perform the interventions (eg, surgeons, psychotherapists)	9
Interventions	11a	Interventions for each group with sufficient detail to allow replication, including how and when they will be administered	14,15
	11b	Criteria for discontinuing or modifying allocated interventions for a given trial participant (eg, drug dose change in response to harms, participant request, or improving/worsening disease)	15,16
	11c	Strategies to improve adherence to intervention protocols, and any procedures for monitoring adherence (eg, drug tablet return, laboratory tests)	16
	11d	Relevant concomitant care and interventions that are permitted or prohibited during the trial	9
Outcomes	12	Primary, secondary, and other outcomes, including the specific measurement variable (eg, systolic blood pressure), analysis metric (eg, change from baseline, final value, time to event), method of aggregation (eg, median, proportion), and time point for each outcome. Explanation of the clinical relevance of chosen efficacy and harm outcomes is strongly recommended	11-13

Participant timeline 13 Time schedule of enrolment, interventions (including any run-ins and washouts), assessments, and visits for participants. A schematic diagram is highly recommended (see Figure)  Sample size 14 Estimated number of participants needed to achieve study objectives and how it was determined, including clinical and statistical assumptions supporting any sample size calculations  Recruitment 15 Strategies for achieving adequate participant enrolment to reach target sample size  Methods: Assignment of interventions (for controlled trials)  Allocation:  Sequence generation 4 Method of generating the allocation sequence (eg, computer-generated random numbers), and list of any factors for stratification. To reduce predictability of a random sequence, details of any planned restriction (eg, blocking) should be provided in a separate document that is unavailable to those who enrol participants or assign interventions  Allocation concealme nt mechanis molecular telephone; sequentially numbered, opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned molecular telephone; sequentially numbered, opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned molecular telephone; sequentially numbered, opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned molecular telephone; sequentially numbered, opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned molecular telephone; sequentially numbered, opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned molecular telephone; sequentially numbered, opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned molecular telephone; sequentially numbered, opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned molecular telephone; sequen				
study objectives and how it was determined, including clinical and statistical assumptions supporting any sample size calculations  Recruitment 15 Strategies for achieving adequate participant enrolment to reach target sample size  Methods: Assignment of interventions (for controlled trials)  Allocation:  Sequence generation  Method of generating the allocation sequence (eg, computer-generated random numbers), and list of any factors for stratification. To reduce predictability of a random sequence, details of any planned restriction (eg, blocking) should be provided in a separate document that is unavailable to those who enrol participants or assign interventions  Allocation concealme nt mechanis m  Implement 16b who will generate the allocation sequence (eg, central telephone; sequentially numbered, opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned m  Implement 16c who will generate the allocation sequence, who will enrol participants, and who will assign participants to interventions  Blinding (masking) 17a Who will be blinded after assignment to interventions (eg, trial participants, care providers, outcome assessors, data analysts), and how  17b If blinded, circumstances under which unblinding is	•	13	any run-ins and washouts), assessments, and visits for participants. A schematic diagram is highly	8
Methods: Assignment of interventions (for controlled trials)   Allocation:   Sequence generation   16a method of generating the allocation sequence (eg, computer-generated random numbers), and list of any factors for stratification. To reduce predictability of a random sequence, details of any planned restriction (eg, blocking) should be provided in a separate document that is unavailable to those who enrol participants or assign interventions   Allocation concealme nt opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned   m   16c   Who will generate the allocation sequence, who will enrol participants, and who will assign participants to interventions   9     17a   Who will be blinded after assignment to interventions (eg, trial participants, care providers, outcome assessors, data analysts), and how   17b   If blinded, circumstances under which unblinding is   17a   17b   17b   17b   17c   1	Sample size	14	study objectives and how it was determined, including clinical and statistical assumptions supporting any	16
Allocation:  Sequence generation  16a Method of generating the allocation sequence (eg, computer-generated random numbers), and list of any factors for stratification. To reduce predictability of a random sequence, details of any planned restriction (eg, blocking) should be provided in a separate document that is unavailable to those who enrol participants or assign interventions  Allocation concealme nt mechanis m  Implement ation  16b Wechanism of implementing the allocation sequence (eg, central telephone; sequentially numbered, opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned  Who will generate the allocation sequence, who will enrol participants, and who will assign participants to interventions  Blinding (masking)  17a Who will be blinded after assignment to interventions (eg, trial participants, care providers, outcome assessors, data analysts), and how  17b If blinded, circumstances under which unblinding is	Recruitment	15		16
Sequence generation    Sequence generation	Methods: Ass	ignme	ent of interventions (for controlled trials)	
generation  computer-generated random numbers), and list of any factors for stratification. To reduce predictability of a random sequence, details of any planned restriction (eg, blocking) should be provided in a separate document that is unavailable to those who enrol participants or assign interventions  Allocation concealme nt mechanis m  Implement ation  16b Wechanism of implementing the allocation sequence (eg, central telephone; sequentially numbered, opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned  Who will generate the allocation sequence, who will enrol participants, and who will assign participants to interventions  Who will be blinded after assignment to interventions (eg, trial participants, care providers, outcome assessors, data analysts), and how  17b If blinded, circumstances under which unblinding is	Allocation:			
concealme nt opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned  Implement ation  Implem	-	16a	computer-generated random numbers), and list of any factors for stratification. To reduce predictability of a random sequence, details of any planned restriction (eg, blocking) should be provided in a separate document that is unavailable to those who enrol	9
ation enrol participants, and who will assign participants to interventions  Blinding (masking)  17a Who will be blinded after assignment to interventions (eg, trial participants, care providers, outcome assessors, data analysts), and how  17b If blinded, circumstances under which unblinding is	concealme nt mechanis	16b	(eg, central telephone; sequentially numbered, opaque, sealed envelopes), describing any steps to	9
(masking)       (eg, trial participants, care providers, outcome assessors, data analysts), and how       10         17b       If blinded, circumstances under which unblinding is	•	16c	enrol participants, and who will assign participants to	9
	_	17a	(eg, trial participants, care providers, outcome	10
participant's allocated intervention during the trial		17b	permissible, and procedure for revealing a	10
Methods: Data collection, management, and analysis	Methods: Data	a colle	ection, management, and analysis	

	1		
Data collection methods	18a	Plans for assessment and collection of outcome, baseline, and other trial data, including any related processes to promote data quality (eg, duplicate measurements, training of assessors) and a description of study instruments (eg, questionnaires, laboratory tests) along with their reliability and validity, if known. Reference to where data collection forms can be found, if not in the protocol	11-13
	18b	Plans to promote participant retention and complete follow-up, including list of any outcome data to be collected for participants who discontinue or deviate from intervention protocols	16
Data management	19	Plans for data entry, coding, security, and storage, including any related processes to promote data quality (eg, double data entry; range checks for data values). Reference to where details of data management procedures can be found, if not in the protocol	17
Statistical methods	20a	Statistical methods for analysing primary and secondary outcomes. Reference to where other details of the statistical analysis plan can be found, if not in the protocol	16
	20b	Methods for any additional analyses (eg, subgroup and adjusted analyses)	16
	20c	Definition of analysis population relating to protocol non-adherence (eg, as randomised analysis), and any statistical methods to handle missing data (eg, multiple imputation)	16
Methods: Mo	nitorin	g	
Data monitoring	21a	Composition of data monitoring committee (DMC); summary of its role and reporting structure; statement of whether it is independent from the sponsor and competing interests; and reference to where further details about its charter can be found, if not in the protocol. Alternatively, an explanation of why a DMC is not needed	17
	21b	Description of any interim analyses and stopping guidelines, including who will have access to these interim results and make the final decision to terminate the trial	18,19

Harms	22	Plans for collecting, assessing, reporting, and managing solicited and spontaneously reported adverse events and other unintended effects of trial interventions or trial conduct	15
Auditing	23	Frequency and procedures for auditing trial conduct, if any, and whether the process will be independent from investigators and the sponsor	17
Ethics and dis	ssemi	nation	
Research ethics approval	24	Plans for seeking research ethics committee/institutional review board (REC/IRB) approval	7,17
Protocol amendments	25	Plans for communicating important protocol modifications (eg, changes to eligibility criteria, outcomes, analyses) to relevant parties (eg, investigators, REC/IRBs, trial participants, trial registries, journals, regulators)	
Consent or assent	26a	Who will obtain informed consent or assent from potential trial participants or authorised surrogates, and how (see Item 32)	18
	26b	Additional consent provisions for collection and use of participant data and biological specimens in ancillary studies, if applicable	
Confidentiality	27	How personal information about potential and enrolled participants will be collected, shared, and maintained in order to protect confidentiality before, during, and after the trial	18
Declaration of interests	28	Financial and other competing interests for principal investigators for the overall trial and each study site	19
Access to data	29	Statement of who will have access to the final trial dataset, and disclosure of contractual agreements that limit such access for investigators	19
Ancillary and post-trial care	30	Provisions, if any, for ancillary and post-trial care, and for compensation to those who suffer harm from trial participation	15
Dissemination policy	31a	Plans for investigators and sponsor to communicate trial results to participants, healthcare professionals, the public, and other relevant groups (eg, via publication, reporting in results databases, or other data sharing arrangements), including any publication restrictions	15

	31b	Authorship eligibility guidelines and any intended use of professional writers	
	31c	Plans, if any, for granting public access to the full protocol, participant-level dataset, and statistical code	17
Appendices			
Informed consent materials	32	Model consent form and other related documentation given to participants and authorised surrogates	Additional file
Biological specimens	33	Plans for collection, laboratory evaluation, and storage of biological specimens for genetic or molecular analysis in the current trial and for future use in ancillary studies, if applicable	

<sup>\*</sup>It is strongly recommended that this checklist be read in conjunction with the SPIRIT 2013 Explanation & Elaboration for important clarification on the items. Amendments to the protocol should be tracked and dated. The SPIRIT checklist is copyrighted by the SPIRIT Group under the Creative Commons "Attribution-NonCommercial-NoDerivs 3.0 Unported" license.