

Corresponding author(s):	George H. Patterson
Last updated by author(s):	Nov 25, 2019

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see Authors & Referees and the Editorial Policy Checklist.

_					
ς	ŀа	ti	ic:	۲i	CS
J	ıч	u	J	u	CO

For	all statistical analys	es, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.		
n/a	Confirmed			
	The exact sam	ple size (n) for each experimental group/condition, given as a discrete number and unit of measurement		
	A statement o	n whether measurements were taken from distinct samples or whether the same sample was measured repeatedly		
	The statistical Only common to	test(s) used AND whether they are one- or two-sided ests should be described solely by name; describe more complex techniques in the Methods section.		
\times	A description	of all covariates tested		
	A description	of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons		
	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)			
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>			
\times	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings			
\times	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes			
	Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i>), indicating how they were calculated			
		Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.		
So	ftware and c	ode		
Poli	cy information abou	ut <u>availability of computer code</u>		
D	ata collection	Data were collected using a microscope controlled by the open source software, MicroManager.		
D	ata analysis	Image analysis was performed in ImageJ/Fiji. A macro was developed to automate several of the tasks. It will be made available upon		

Data

Data analysis

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

request from the corresponding author. It will also be available at http://sites.imagej.net/Pattersg/.

We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers.

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

The data supporting the findings of this study are available upon reasonable request from the corresponding author. Source data are also provided as a Source Data file.

Field-spe	ecific reporting		
Please select the o	ne below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.		
X Life sciences	Behavioural & social sciences Ecological, evolutionary & environmental sciences		
For a reference copy of	the document with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>		
Life scier	nces study design		
All studies must dis	close on these points even when the disclosure is negative.		
Sample size	For each condition/construct, usually 5-10 experiments were performed each day. Most conditions/constructs were studied on multiple days. The results from each day were used to assess reproducibility and then the results were pooled.		
Data exclusions	Data were excluded for experiments collected during an instrument malfunction or excessive cell movement.		
Replication	Experiments on the same construct/condition were performed on multiple days, using different excitation power levels, different objective lenses, etc. One specific construct/condition (Dronpa alone) was used every day to provide a basis for reproducibility.		
Randomization	We did not utilize randomization. Most experiments compared changes in fluorescence anisotropy obtained when imaging different fluorescent protein chimeras or the same fluorescent protein chimera under different conditions. Grouping was based accordingly.		
Blinding	No blinding was used during these experiments. Since even large changes in fluorescence anisotropy require image analyses to discern, concern that we would bias our results during image collection was minimal.		
We require informati	g for specific materials, systems and methods on from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, sed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.		
Materials & ex	perimental systems Methods		
n/a Involved in th	n/a Involved in the study		
Antibodies	ChIP-seq		
Eukaryotic			
Palaeontol			
	d other organisms		
Human research participants Clinical data			
Antibodies			
Antibodies used	Describe all antibodies used in the study; as applicable, provide supplier name, catalog number, clone name, and lot number.		
Validation	Describe the validation of each primary antibody for the species and application, noting any validation statements on the manufacturer's website, relevant citations, antibody profiles in online databases, or data provided in the manuscript.		
Eukaryotic c	ell lines		
Policy information	about <u>cell lines</u>		
Cell line source(s	ATCC		

Policy information about cell lines

Cell line source(s)

Authentication

None of the cell lines were authenticated

Mycoplasma contamination

Mycoplasma were not detected.

Commonly misidentified lines (See ICLAC register)

COS-7 is not listed.

Palaeontology

Specimen provenance Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimen deposition Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals For laboratory animals, report species, strain, sex and age OR state that the study did not involve laboratory animals.

Wild animals

Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight | Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about studies involving human research participants

information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about <u>clinical studies</u>

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration | Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol Note where the full trial protocol can be accessed OR if not available, explain why.

Data collection Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.

Outcomes Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

ChIP-seq

Data deposition

Confirm that both raw and final processed data have been deposited in a public database such as GEO.

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission	Provide a list of all files available in the database submission.		
Genome browser session (e.g. <u>UCSC</u>)	Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.		
Methodology			
Replicates	Describe the experimental replicates, specifying number, type and replicate agreement.		
Sequencing depth	Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.		
Antibodies	Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.		
Peak calling parameters	Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.		
Data quality	Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.		
Software	Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.		
Flow Cytometry Plots			
Confirm that:	narker and fluorochrome used (e.g. CD4-FITC).		
	visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).		
	with outliers or pseudocolor plots.		
	nber of cells or percentage (with statistics) is provided.		
Methodology			
Sample preparation	Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.		
Instrument	Identify the instrument used for data collection, specifying make and model number.		
Software	Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.		
Cell population abundance	Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.		
Gating strategy	Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.		

Magnetic resonance imaging

Experimental design

Design type

Indicate task or resting state; event-related or block design.

Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Design specifications

Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.

Behavioral performance measures

State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).

Acquisition				
Imaging type(s)	Specify: func	tional, structural, diffusion, perfusion.		
Field strength Specif		cify in Tesla		
Sequence & imaging parameters		Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.		
Area of acquisition	State whether	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.		
Diffusion MRI Used	Not used			
Preprocessing				
Preprocessing software		il on software version and revision number and on specific parameters (model/functions, brain extraction, n, smoothing kernel size, etc.).		
Normalization		normalized/standardized, describe the approach(es): specify linear or non-linear and define image types sformation OR indicate that data were not normalized and explain rationale for lack of normalization.		
Normalization template		template used for normalization/transformation, specifying subject space or group standardized space (e.g. irach, MNI305, ICBM152) OR indicate that the data were not normalized.		
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).			
Volume censoring Define your s		software and/or method and criteria for volume censoring, and state the extent of such censoring.		
Statistical modeling & inference	9			
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).			
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.			
Specify type of analysis: Whole	e brain	ROI-based Both		
Statistic type for inference (See <u>Eklund et al. 2016</u>)	Specify voxel	-wise or cluster-wise and report all relevant parameters for cluster-wise methods.		
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).			
Models & analysis				
n/a Involved in the study Functional and/or effective cor Graph analysis Multivariate modeling or predi				
Functional and/or effective connecti		Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).		
Graph analysis		Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).		
Multivariate modeling and predictive analysis		Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.		