

Corresponding \underline{a} uthor(s):	Nadege Bondurand
Last updated by author(s):	12/4/19

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see <u>Authors & Referees</u> and the <u>Editorial Policy Checklist</u>.

Please do not complete any field with "not applicable" or n/a. Refer to the help text for what text to use if an item is not relevant to your study. For final submission: please carefully check your responses for accuracy; you will not be able to make changes later.

_					
5	tа	ŤΙ	151	ŀι	<u>ر د</u>

Fora	all statistical analy	rses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.
n/a	Confirmed	
	The exact sa	mple size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	X statement	on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
	The statistics Only common	al test(s) used AND whether they are one- or two-sided tests should be described solely by name; describe more complex techniques in the Methods section.
	A description	n of all covariates tested
	A description	n of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	A full description AND variation	otion of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) on (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
	For null hypo	othesis testing, the test statistic (e.g. F , t , r) with confidence intervals, effect sizes, degrees of freedom and P value noted as exact values whenever suitable.
\boxtimes	For Bayesian	analysis, information on the choice of priors and Markov chain Monte Carlo settings
\boxtimes	For hierarch	ical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
\boxtimes	Estimates of	effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated
'		Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.
Sof	ftware and	code
Polic	y information abo	out <u>availability of computer code</u>
Da	ta collection	JEOL electron microscope, Spinning Disk from Zeiss, Mastercycler® RealPlex2 (Eppendorf), Illumina HiSeq2500
Da	ta analysis	FastQC, Picard-Tools, Samtools and rseqc, STARv2.4.0, DESeq2,R (v.3.2.5), FAST DB 2018_1, DAVID KEGG, REACTOME, GATK HaplotypeCaller and RED-ML, VEP, dbSNP142, RADAR or DARNED databases http://rnaedit.com and https://darned.ucc.ie, interferome database V2.01I (http://interferome.org/interferome/home.jspx), Graphpad Prism 6.0, Ingenuity pathway analysis (IPA).
		stom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers. e deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

Data

Policy information about availability of data

All manuscripts must include a <u>data availability statement</u>. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

The data that supports the findings of this study are available within the text, supplementary files. The RNA-seq data have been submitted to the GEO repository and accepted under the accession number GSE127795.

Field-spe	cific re	porting			
Please select the or	ne below that is	s the best fit for your research. If you are not sure, read the appropriate sections before making your selection.			
Life sciences		Behavioural & social sciences Ecological, evolutionary & environmental sciences			
	he document with a	all sections, see nature.com/documents/nr-reporting-summary-flat.pdf			
<u>Life scier</u>	nces stu	udy design			
All studies must dis	sclose on these	points even when the disclosure is negative.			
Sample size Initially, experiments were performed three times independently on distinct samples. Each time animals of different genotypes from the same litter were used. In most cases, experiments were performed more than three times (up to 6, see legends)					
Data exclusions	no data were e	xcluded from the analysis			
Replication	Experiments w	ere performed at least 3 times independently and findings were reproducible.			
Randomization	samples were a methods section	allocated in different experimental groups based on their genotypes (controls, heterozygotes, homozygotes mutants). see			
Blinding	independent in	ollection was performed (Genotyping was performed after samples collection). Data analysis was then performed by at least two it investigators and consistent analysis methods and parameters were applied to all samples regardless of group allocation. For ta, blind hierarchical clustering was performed by GenoSplice.			
We require informatic system or method list Materials & exp n/a Involved in the system of the syst	on from authors a ted is relevant to perimental sy	n/a Involved in the study ChIP-seq Flow cytometry MRI-based neuroimaging research			
Antibodies					
Antibodies used Validation		leaved-Caspase-3 (casp3, Asp175, ref 9661, Lot 43, rabbit, 1:200 dilution, Cell signalling), Mbp (SMI-94R-0100 lot E10172EF, nouse, 1:1000 dilution, Covance), GFP (rabbit, A11122, Lot 1891900, 1:1000 dilution, Invitrogen), TuJ1 (MMS-435P-200, lot U17044, mouse, 1:1000 dilution, Eurogentec), Mbp (ab40390, Rabbit, 1:200 dilution, Abcam), CD45 (14-045-185 C30F11, Rat, :100 dilution, Invitrogen) and F4/80, CD11b, CD68 cocktail (MCA497, MCA74G, MCA1957, Rat, 1:100 dilution, Biorad).			
		leaved casp3 antibody: for W, IP, IHC-F, IHC-P, IF-IC, F; Mbp antibody: effictive in W, IHC, F, and Elisa. GFP antibody: ChIP, ChIP/ hip, ELISA, EM, Flow Cyt, ICC, ICC/IF, IHC - Wmt, IHC-FoFr, IHC-Fr, IHC-P, IP, WB; TUJ1 antibody: (WB), (IHC, ICC) and IP; Mbp antibody ICC/IF, WB, IHC-FOFR, IHC-FR.			
<u>Eukaryotic c</u>	ell lines				
Policy information	about <u>cell lines</u>				
Cell line source(s)	no cell lines used			
Authentication		Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.			

Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.

Mycoplasmacontamination

Palaeontology

Specimenprovenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimendeposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratoryanimals

The mouse models used in this study were: i) B6.129-Adartm1knk/Mmjax, a model purchased from the Jackson laboratory (stock number 34619-JAX, here referred as Adarfl/fl), ii) Gt(ROSA)26Sortm1(EYFP)Cos (referred as R26R); iii) Tg(PLAT-Cre)116Sdu (referred as HtPA-Cre), and iv) Wnt1-Cre driver. References for each lines is given in the methods section of the manuscript.

Wildanimals

Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight

All experiments were done in accordance with the institutional animal and Use Committee guidelines of the Institut National de la Santé et de la Recherche Médicale (INSERM). The protocol was approved by The Comité d'Ethique pour l'expérimentation Animale (C2EA- 12-035 and 16-097) and deposited under APAFIS 9783 number 2017022215395397.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about studies involving human research participants

Populationcharacteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Ethics oversight

Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about <u>clinical studies</u>

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration

Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol

Note where the full trial protocol can be accessed OR if not available, explain why.

Data collection

 $Describe \ the \ settings \ and \ locales \ of \ data \ collection, \ noting \ the \ time \ periods \ of \ recruitment \ and \ data \ collection.$

Outcomes

Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

ChIP-seq	
Data deposition	
Confirm that both raw an	d final processed data have been deposited in a public database such as <u>GEO</u> .
Confirm that you have de	posited or provided access to graph files (e.g. BED files) for the called peaks.
Data access links May remain private before publication	For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.
Files in database submission	Provide a list of all files available in the database submission.
Genome browser session (e.g. <u>UCSC</u>)	Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.
Methodology	
Replicates	Describe the experimental replicates, specifying number, type and replicate agreement.
Sequencingdepth	Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.
Antibodies	Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.
Peak calling parameters	Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.
Data quality	Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.
Software	Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.
Flow Cytometry Plots Confirm that: The axis labels state the n	narker and fluorochrome used (e.g. CD4-FITC).
The axis scales are clearly	visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).
All plots are contour plots	with outliers or pseudocolor plots.
A numerical value for num	nber of cells or percentage (with statistics) is provided.
Methodology	
Sample preparation	Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.
Instrument	Identify the instrument used for data collection, specifying make and model number.
Software	Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.
Cell population abundance	Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.
Gatingstrategy	Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.
Tick this box to confirm th	nat a figure exemplifying the gating strategy is provided in the Supplementary Information.
Magnetic resonance	eimaging
Experimental design	
Design type	Indicate task or resting state; event-related or block design.

	or block (if trials are blocked) and interval between trials.				
Behavioral performance measures	e number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used stablish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across ects).				
Acquisition					
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.				
Field strength	Specify in Tesla				
Sequence & imaging parameters	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.				
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.				
Diffusion MRI Used	Not used				
Preprocessing					
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).				
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.				
Normalization template	escribe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. riginal Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.				
Noise and artifact removal	e your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and orgical signals (heart rate, respiration).				
Volume censoring	fine your software and/or method and criteria for volume censoring, and state the extent of such censoring.				
Statistical modeling & inference					
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).				
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.				
Specify type of analysis: Who	le brain ROI-based Both				
Statistic type for inference (See Eklund et al. 2016)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.				
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).				
Models & analysis					
n/a Involved in the study Functional and/or effective cor Graph analysis Multivariate modeling or predi					
Functional and/or effective connecti	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).				
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).				

