

Induction of E6AP by microRNA-302c dysregulation inhibits TGF- β -dependent fibrogenesis in hepatic stellate cells

Ji Young Kim^{1,†}, Kyu Min Kim^{1,†}, Ji Hye Yang^{1,2}, Sam Seok Cho¹,
Seung Jung Kim¹, Su Jung Park¹, Sang-Gun Ahn³, Gum Hwa Lee¹,
Jin Won Yang⁴, Sung Chul Lim⁵, Keon Wook Kang⁶, Sung Hwan Ki^{1*}

¹College of Pharmacy, Chosun University, Gwangju 61452, Republic of Korea.

²College of Korean Medicine, Dongshin University, Naju, Jeollanam-do 58245, Republic of Korea


³Department of Pathology, College of Dentistry, Chosun University, Gwangju 61452, Republic of Korea.

⁴College of Pharmacy, Woosuk University, Wanju, Jeonbuk, 55338, Republic of Korea.


⁵College of Medicine, Chosun University, Gwangju 61452, Republic of Korea.

⁶College of Pharmacy and Research Institute of Pharmaceutical Sciences, Seoul National University, Seoul 08826, Republic of Korea.


B)




C)



D)






E)



F)




Supplementary Fig 1. Raw data of Figure 1







Supplementary Fig 2. Raw data of Figure 2


D)



Supplementary Fig 3. Raw data of Figure 4



Supplementary Fig 4. Raw data of Figure 5



Supplementary Fig 5. Raw data of Figure 6